



ABOUT STINGRAY

Based in Hartsville, South Carolina, Stingray occupies over 225,000 square feet of manufacturing facilities and is situated on 46 acres.

Stingray is a privately held, family-owned business,

Stingray leads the industry with many technological firsts. In 1985, Stingray was the first boat company to use CAD-driven CNC routers to produce production parts. In 1993, Stingray introduced the first 5-axis CNC waterjet designed to trim fiberglass parts, followed in 1996 by a CNC flatbed waterjet for cutting flat goods. And, in 1998, Stingray was the first to use environmentally friendly, low-VOC gelcoats and resins. Stingray continually seeks ways to push the technology boundaries.

-5	About Stingra Technolog Z-Plane Hu
	Warrant Environmer

Sport Boats

Sport Decks

180RX Sport Boat 191RX Sport Boat

198LE/LF Sport Boat

194LE/LF/LX Sport Deck

204LR Sport Deck Outboard

214LR Sport Deck Outboard

234LR Sport Deck Outboard

225LR Sport Boat

225SX Sport Boat 250LR Sport Boat

198LX Sport Deck

208LR Sport Deck

215LR Sport Deck

235LR Sport Deck

212SC Deck Boat

Cuddies / Cruiser

225CR Cuddy

250CR Cuddy

Canvas Options

Model Specifications Performance Options

Actionwear

Hull Graphics / Gelcoat Colors

Deck Boat

esenting one of the longest continual ownerships in
marine industry today! Stingray has been building
ity runabouts since 1979 based on some very basic
ciples: innovation, craftsmanship, and integrity.
ause of our "independent" status, Stingray can
t to changing market conditions in a much shorter
e time than the larger corporate entities. This often
s to early recognition of shifts in consumer trends or
ographics and thus designing products to meet those
ds in a more proactive way

36-37 38-49 38-39 208CR Sport Deck Cuddy 215CR Sport Deck Cuddy 40-41 42-43 235CR Sport Deck Cuddy 44-45 46-47 48-49 250CS Cabin Cruiser 50-53 Standards & Options 54

8-19

8-9

10-11

12-13 14-15

16-17

18-19

20-35

20-21

22-23

26-27

30-31

32-33

34-35

36-37

STINGRAYBOATS.COM

FINANCIALLY SOLID

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on a strong partner to provide product innovation and customer support for years to come. We are proud of our debt-free status—a claim that few builders can make!


VALUE AND QUALITY ORIENTED

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray Boat Company is in excellent company with Chaparral, Cobalt, Formula, Godfrey, Grady-White, Monterey, Nautique, Pursuit, Regal, Rinker, and Tiara Yachts. This is another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.











TECHNOLOGY DRIVEN

For the past three decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency i.e., computer-aided designs, multi-axis 3-D milling machines, water jet cutting machines, and CNC routers, to mention a few.

COMPUTER AIDED DESIGN AND MANUFACTURING Every Stingray begins as a 3-dimensional computer model. We "build" the boat on-screen and carefully scrutinize each component for size and fit, making all of the necessary adjustments before we ever commit the design to fiberglass. We even use a virtual human to check for legroom and headroom—and to be sure that all of the controls are located comfortably within reach. The information from this 3-D model is sent to the next step in the process: 3-D milling.

MULTI-AXIS 3-D MILLING MACHINE With information available from a 3-D computer model, milling machines can produce a full size model in a matter of hours—a task that would take weeks otherwise. With unequalled precision, the running surface of the hull is cut to the exact specifications. Our master craftsmen then provide the mirror finish that is a hallmark of Stingray quality.

ROBOTIC LAMINATION FACILITY Visitors are always impressed by our plant's cleanliness and unique manufacturing systems. In our lamination building, a custom-designed overhead rail system was developed just for Stingray. Parts under construction are moved from one bay to the next for layup and curing. This system also keeps track of our in-process fiberglass parts while optimizing mold usage and improving productivity. Process automation also increases worker safety, helps maximize efficiency, and improves quality.

WATERJET CUTTING MACHINES Many parts on a Stingray are cut using one of our high-pressure water jet machines. A stream of water no thicker than a human hair slices quickly

and neatly through a variety of materials much easier than could be done by hand. Materials such as carpet, foam, vinyl, canvas, rubber, and fiberglass are quickly transformed into precision quality parts.

CNC ROUTERS Computerized numeric controlled routers are used to cut various sheet goods into high quality parts. The computer allows us to "nest" a group of parts efficiently to minimize waste. Because the process is computer controlled, each part is dimensionally identical from one run to the next and can be finished much faster and more inexpensively than those produced by hand.

CE CERTIFICATION

Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe, into Asia and Australia. Stingray boats destined for these countries must meet stringent standards prescribed by Consultants Europe (CE) and bear the CE mark.

NMMA / USCG CERTIFICATION

All Stingray boats meet or exceed National Marine Manufacturer Association (NMMA) and US Coast Guard (USCG) certification requirements for safety, such as horsepower, load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.





Z-PLANE HULL

The Stingray Z-plane hull is unparalleled in the industry. It is up to 30% more efficient than other boat hulls. Developed on a CAD (Computer Aided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry leading top-end, and smooth handling at all speeds.

WARRANTY

Every Stingray boat is backed by a comprehensive warranty for peace of mind.

FIVE-YEAR LIMITED TRANSFERABLE STRUCTURAL HULL WARRANTY

STINGRAY Boat Co. (hereafter "STINGRAY") warrants the HULL against structural defects in material and workmanship for a period of five (5) years from the date of purchase or six (6) years from the date of manufacture, whichever period elapses first. The warranty provided in this section is to the original retail owner only and applies only if the boat is purchased from an authorized STINGRAY Dealer. During the warranty period described above, STINGRAY will repair (at the factory) or replace, at its option, the fiberglass HULL at the factory if it is determined, in Stingray's discretion, to be structurally defective in material or workmanship. For purposes of this warranty, the HULL is defined as the part of the boat in contact with the water when at rest. The warranty provided in this section is subject to all limitations and conditions contained herein. The remaining term of this HULL Warranty, if any, may be transferred to the second owner if, within 60 days of purchase, the new owner registers the transfer with STINGRAY and pays the established warranty transfer fee. Contact STINGRAY Customer Service at stingrayboats.com/transfer for further details on transferability.

THREE-YEAR LIMITED OSMOTIC HULL BLISTER WARRANTY

STINGRAY warrants against hull blistering caused by osmosis that is discovered and reported to STINGRAY during the first 3 years of ownership (subject to the prorated schedule below). The warranty provided in this section applies to the original retail owner only and is VOID if the original factory gelcoat surface has been altered by excessive sanding, scraping, sandblasting, or accident repair. A marine barrier coating with proper surface preparation is required if the boat is bottom painted or if the boat is left in fresh or salt water for more than 60 days in any 90 day period. In the event of osmotic blistering, STINGRAY will, at its option, repair or cause to be repaired any hull damage and apply a layer of marine barrier coating to the affected surface area(s). Osmotic hull blisters are defined as those blisters, larger than one-eighth inch in diameter and with a depth greater than one-sixteenth inch, which occur on the hull below the waterline. Repairs will be performed (at STINGRAY'S discretion) by the selling dealer, a designated service center, or the STINGRAY factory. The following prorated schedule of parts and labor will be covered by STINGRAY: Blistering discovered and reported to STINGRAY less than one (1) year from date of purchase - 100%; between one (1) and two (2) years from date of purchase - 66%; between two (2) and three (3) years from date of purchase - 33%. All osmotic hull repairs must be pre-approved by STINGRAY prior to any work being performed. Transportation cost is the boat owner's responsibility. Reimbursement shall be limited to one repair, not to exceed eighty US dollars (\$80 USD) per foot of hull length resting below the waterline prior to prorating.

ONE-YEAR LIMITED GENERAL WARRANTY

STINGRAY boats are warranted to the original owner to be free of defects in materials or workmanship for a period of one (I) year from the date of purchase (not to exceed two (2) years from date of manufacture) subject to all limitations and conditions contained herein.

WARRANTY INFORMATION

All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat.

Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

ENVIRONMENTALLY RESPONSIBLE

Being a leader in technology is more than just a philosophy—it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stack emissions are not just buzzwords—they are measured goals of each employee. Our commitment goes beyond that which is mandated or regulated—it is an internal philosophy to do our part to protect the environment for generations to come. Consider a few of the things that we are doing to protect our planet:

USE OF FOUR-CYCLE ENGINES Stingray uses only three-star rated, four-cycle engines, which are the cleanest and most fuel efficient available for marine use. Better fuel efficiency

translates into less fuel consumption. Threestar engines can be four to ten times cleaner than two-cycle outboards, which means less pollution to our environment.





OZONE-FRIENDLY FLOTATION FOAM Stingray uses non-ozone depleting flotation foam by BASF. It is free of chlorofluorocarbons—gases that are depleting the earth's ozone layer. Ask about the use of zero-ozone depleting (zone 3) foam when considering boat brands.



FUEL EFFICIENCY The performance and efficiency of our proven Z-plane hull, documented by third party reports, is unmatched. Better fuel efficiency translates into less fuel consumption, but more importantly, it means less carbon dioxide emissions.

LOW VOC GELCOATS AND RESINS Stingray was the first boat manufacturer to convert to the use of low styrene laminating resins and gelcoats. The combination of these low VOC materials coupled with the latest in low pressure, high temperature spray equipment has reduced Stingray's VOC stack emissions by over 55%.

2-INCH FUEL FILLS Stingray is one of the first manufacturers in its class to convert all models to two-inch fuel fills—the same found on large cruisers and motoryachts. This helps avoid refueling spills normally associated with small-diameter fuel fills.

WASTE REDUCTION/RECYCLING Stingray has a recycling program for most waste materials including, but not limited to, cardboard, composites, aluminum, pallets, and metal drums. In cardboard alone, Stingray recycles over 163,000 pounds per year.

COMMITTED We want Stingray owners not only to have fun on the water, but also to know that they are helping to protect the environment at the same time.







SPORT BOAT

180_{RX}













DEADRISE ANGLE 19 degrees

LENGTH 18 ft | 5.5 m

2219 lbs

FUEL CAPACITY 21 gal | 79 L

ICE CAPACITY 14 qt | 13 L

MAX CAPACITY

7 ppl, 1070 lbs | 485 kg

85 in | 216 cm

BRIDGE CLEARANCE 41 in | 104 cm

AVG DRY WEIGHT (3.0L engine)

ANYTHING BUT TYPICAL

Although commonly referred to as an entry-level boat, the 180RX has the right combination of style and comfort to make every day on the water as exciting as the first. This 18' runabout features key amenities of much larger boats. If you compare before you buy, we think you'll be pleased.

KEY FEATURES

- bow storage
- stainless steel cleats
- floor storage with oversize door
- □ indirect LED interior lighting
- all weather marine carpet
- □ premium stain-resistant vinyl

- □ cooler / storage box with drain
- oversized cup holders
- three-way adjustable helm seats
- □ backlit instruments with circuit breakers
- □ stainless steel multi-step transom ladder
- power trim and tilt with indicator

- □ remote oil change system
- power steering
- □ cockpit and bow cover ❖

♦ optional feature
■ see page 52 for details

- □ automatic fire extinguishing system ❖
- preferred equipment group * •
- premium option group *

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/180RX





SPORT BOAT 191_{RX}



19 ft, 3 in | 5.9 m

91 in | 231 cm

BRIDGE CLEARANCE

47 in | 119 cm

AVG DRY WEIGHT (90 hp) 2100 lbs

> **FUEL CAPACITY** 34 gal | 129 L

> > ICE CAPACITY

14 qt | 13 L

MAX CAPACITY

8 ppl, 1890 lbs | 857 kg

COCKPIT DEPTH (at helm) 29 in | 74 cm

> **DEADRISE ANGLE** 19 degrees

BOATING MADE EASY

In the heavily populated 19' market, the 191RX has a larger list of amenities than our competitors' similar-sized models, is more fuel efficient, and boasts the superior craftsmanship expected from Stingray. Oh, and did we mention that it's powered by an outboard! When boating becomes both easy and affordable, everybody wins...even your wallet!

KEY FEATURES

- □ bow storage
- stainless steel cleats
- floor storage with oversize door
- □ indirect LED interior lighting
- all weather marine carpet
- □ premium stain-resistant vinyl
- □ cooler / storage box with drain
- oversized cup holders
- □ three-way adjustable helm seats
- backlit instruments with circuit breakers
- □ stainless steel multi-step transom ladder
- power trim and tilt indicator

- □ dash accessory plug 12v

♦ optional feature
■ see page 52 for details

- transom mounted trim and tilt switch
- cockpit and bow cover
- □ custom SS ski tow ❖
- SS sport trim tabs
- preferred equipment group * •





SPORT BOAT 198 LE/LF



19 ft, 9 in | 6.0 m

94 in | 239 cm

BRIDGE CLEARANCE

47 in | 119 cm

AVG DRY WEIGHT (4.3L engine)

FUEL CAPACITY 34 gal | 129 L

WATER CAPACITY 6 gal | 23 L

ICE CAPACITY

13+22 qt | 30+21 L

MAX CAPACITY 9 ppl, 1450 lbs | 657 kg

COCKPIT DEPTH (at helm)

31 in | 79 cm

MAX DRAFT (drive down) 32 in | 81 cm

DEADRISE ANGLE

19 degrees

DECISIONS, DECISIONS

The 198LE and 198LF are more than just siblings in the Stingray family...they're practically twins. The 198LE has the necessities for a fun filled day on the water, with plenty of room to spare. Its hyperactive counterpart, the 198LF has been tailored to please thrill seekers and hook hangers alike. Now for the hard part, WHICH ONE DO YOU CHOOSE?

♦ optional feature ★ included in Preferred Equipment Group ■ see page 52 for details

- □ 15" side-entry walkway
- □ indirect LED cockpit lighting
- backlit instruments with circuit breakers
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl
- □ stainless steel multi-step transom ladder
- □ Bluetooth compatible Jensen audio system
- □ 32 qt. and 22 qt. coolers / draining storage boxes
- molded consoles with storage cabinets *
- □ auto / manual 1100 gph bilge pump

- power trim and tilt with indicator
- power steering (engine driven)
- pressurized transom shower *
- □ LCD bow and transom stereo remotes ❖
- bow and aft filler cushions ❖
- □ stainless steel LED docking lights ❖
- □ stainless steel hardware package ❖ ❖
- □ preferred equipment group ❖ premium option group * •





SPORT BOAT 225_{LR}



22 ft, 11 in | 7.0 m

100 in | 254 cm

BRIDGE CLEARANCE

52 in | 132 cm

AVG DRY WEIGHT (5.0L engine)

FUEL CAPACITY

56 gal | 212 L

WATER CAPACITY

6 gal | 23 L

ICE CAPACITY 32+25 qt | 30+24 L

MAX CAPACITY

10 ppl, 2080 lbs | 943 kg

COCKPIT DEPTH (at helm) 33 in | 83.8 cm

MAX DRAFT (drive down)

33 in | 84 cm **DEADRISE ANGLE**

20 degrees

PUTS THE JOY BACK IN JOYRIDE

The 225LR offers the sleek profile and superior performance of a high-power sport boat with the roomy cockpit space and abundance of creature

comforts found in wide-body deck boats. From the fully integrated swim platform to the removable cocktail table, this boat has everything you need to make the most of your time on the water. Compare the 225LR Sport Boat to other models in its class to see what makes the Stingray difference.

- wrap-around seating, step-thru entryway
- □ indirect LED interior lighting
- □ auto / manual 1100 gph bilge pump
- □ 32 qt. cooler / storage box with drain
- □ removable 25 gt. cooler
- □ Bluetooth compatible Jensen audio system
- premium desert and white vinyl
- fiberglass cockpit floor liner
- cockpit table for entertaining
- transom mounted trim / tilt switch
- oversized cup holders
- stand-up bimini top with boot
- □ LCD transom stereo remote ❖
 - ☐ full canvas set ❖
 - □ snap-in carpet ❖

 - custom wakeboard tower *
 - □ latte dash package ❖
 - stainless steel hardware package *







22 ft, 11 in | 7.0 m

100 in | 254 cm

BRIDGE CLEARANCE

45 in | 114 cm

AVG DRY WEIGHT (5.0L engine)

3225 lbs

FUEL CAPACITY 56 gal | 212 L

ICE CAPACITY

32+25 qt | 30+24 L

MAX CAPACITY

10 ppl, 2080 lbs | 943 kg

COCKPIT DEPTH (at helm) 32 in | 81 cm

MAX DRAFT (drive down) 33 in | 84 cm

> **DEADRISE ANGLE** 20 degrees

TAKE ME FOR A RIDE!

This boat screams speed, even while sitting quietly at the dock. When you pull the throttle down, the 225SX pops on place in seconds. Trimmed out at full throttle, only the last few feet of hull make contact with the water as it releases to reach max speed. The hull design ensures that it handles turns with agility. Simply put, this baby corners like its on rails!

KEY FEATURES

- indirect LED cockpit lighting
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl
- □ auto / manual 1100 gph bilge pump
- □ aft walk-thru cushions
- □ custom SS (Italian) steering wheel □ low profile sport windshield
- □ aluminum deck hatch with screen
- twin sport bucket seats with bolster
- porta potti with level indicator
- □ transom mounted trim and tilt switch
- □ Bluetooth compatible Jensen audio system □ latte dash package ❖
 - □ trim tabs with LED indicator ❖
 - □ snap-in carpet ❖
 - □ LCD transom stereo remote ❖

- □ solid deck and hull color ❖
- stainless steel hardware package *





SPORT BOAT

250 LR

102 in | 259 cm **BRIDGE CLEARANCE** 65 in | 165 cm



FUEL CAPACITY 68 gal | 257 L WATER CAPACITY 17 gal | 64 L

AVG DRY WEIGHT (5.0L engine)

ICE CAPACITY 32+32+25 qt | 30+30+24 L

25 ft | 7.6 m

MAX CAPACITY

10 ppl, 2265 lbs | 1027 kg

COCKPIT DEPTH (at helm) 36 in | 91 cm

MAX DRAFT (drive down)

34 in | 86 cm

DEADRISE ANGLE 21 degrees

BOLD AND BEAUTIFUL

With such a powerful profile and sleek styling, if it's out on the lake or tied up at the dock, the 250LR commands attention from passersby. A quick look inside reveals luxurious cockpit with deep-set seating and more than enough space to accommodate everyone you bring along. Despite its size, the 250LR is easily trailerable, so you never have to leave it behind when vacation rolls around.

- wrap-around seating
- molded helm with space for plotter or GPS
- □ two 32 qt. coolers / storage boxes with drains □ premium desert and white vinyl
- □ removable 25 qt. cooler
- enclosed head with vent window & lighting

- □ Bluetooth compatible Jensen audio system
- □ fiberglass cockpit floor liner
- □ stand-up bimini top with boot
- cockpit table for entertaining
- □ auto / manual 1100 gph bilge pump
 □ latte dash package ❖
- pressurized transom shower
- porta-potti with self-contained holding tank refreshment center with freshwater sink
- bow and aft filler cushions ❖
- □ Polk 500w audio system w/ 10" sub & amp ❖
- stainless steel hardware package









SPORT DECK 194 LE/LF/LX



94 in | 239 cm

BRIDGE CLEARANCE 47 in | 119 cm

AVG DRY WEIGHT (115 hp) 2325 lbs

FUEL CAPACITY

34 gal | 129 L

WATER CAPACITY

6 gal | 23 L

ICE CAPACITY LE/LF: 32+22 qt | 30+21 L LX: 32+14 qt | 30+13 L

MAX CAPACITY

9 ppl, 1965 lbs | 891 kg

COCKPIT DEPTH (at helm) 31 in | 79 cm

> **DEADRISE ANGLE** 19 degrees

THREE OF A KIND

The 194L series includes three separate models, each geared toward a different type of boater. The 194LE is for the no-frills, no-fuss get-it-done boaters. The 194LF Fish & Ski will thrill the family's fishing and watersports enthusiasts. Last, but certainly not least, the 194LX is packed full of features typically seen in much larger runabouts. With three 19-foot outboards to choose from, we're sure you'll be able to choose the one that's right for you.

♦ optional feature ★ included in Preferred Equipment Group ■ see page 52 for details

KEY FEATURES

- □ 15" side entry walkway
- □ huge storage space beneath the sundeck
- □ indirect LED interior lighting
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl
- □ auto / manual 1100 gph bilge pump
- □ stainless steel multi-step transom ladder
- □ Bluetooth compatible Jensen audio system
- □ built-in coolers / draining storage boxes molded consoles with storage cabinets *
- - pressurized transom shower *
 - - □ LCD bow and transom stereo remotes ❖
 - □ bow and aft filler cushions ❖

zero torque steering

- digital depth finder with alarm *
- □ stainless steel LED docking lights ❖
- □ custom stainless steel ski-tow (std on 194LF) ❖
- stainless steel hardware package * *
- preferred equipment group *
- □ premium option group ❖





SPORT DECK 198_L×



19 ft, 9 in | 6 m

94 in | 239 cm

BRIDGE CLEARANCE 47 in | 119 cm

AVG DRY WEIGHT (4.3L engine)

FUEL CAPACITY

34 gal | 129 L

WATER CAPACITY

6 gal | 23 L

ICE CAPACITY 32+14 qt | 30+13 L

MAX CAPACITY

9 ppl, 1450 lbs | 657 kg

COCKPIT DEPTH (at helm) 31 in | 79 cm

MAX DRAFT (drive down)

32 in | 81 cm **DEADRISE ANGLE**

19 degrees

THE FUN IS IN THE BOAT!

This boat is incredibly fun to drive! After you've taken it out on the water, we're pretty sure you will return with a smile on your face. The 198LX provides the responsive handling Stingray is known for and as one of our Sport Decks, it boasts extra width in both the cockpit and bow areas. Here's something else—our 19' models outperform the competition with less power and manage to get better fuel mileage when comparing like power. FAST, ROOMY, & ECONOMICAL...all in the same boat!

KEY FEATURES

- ☐ 15" side-entry walkway
- □ indirect LED cockpit lighting
- □ backlit instruments with circuit breakers
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl
- power trim and tilt with indicator

❖ optional feature ❖ included in Preferred Equipment Group ☞ see page 52 for details

- □ Bluetooth compatible Jensen audio system
- □ 32 qt. & 14 qt. coolers / draining storage boxes
- molded consoles with storage cabinets *
- power steering (engine driven)
- □ pressurized bow and transom showers ❖
- □ stainless steel multi-step transom & bow ladders □ LCD bow and transom stereo remotes ❖
 - bow and aft filler cushions
 - stainless steel LED docking lights stainless steel hardware package * *
 - preferred equipment group *
 - premium option group *





SPORT DECK OUTBOARD

204_{LR}

20 ft, 5 in | 6.2 m

98.5 in | 250 cm

BRIDGE CLEARANCE

49 in | 125 cm

AVG DRY WEIGHT (4.3L engine)

FUEL CAPACITY 34 gal | 129 L

WATER CAPACITY 6 gal | 23 L

ICE CAPACITY

32+14 qt | 30+13 L

MAX CAPACITY 9 ppl, 1715 lbs | 778 kg

COCKPIT DEPTH (at helm) 32 in | 81 cm

DEADRISE ANGLE

20 degrees

THE WATER IS WAITING!

♦ optional feature ★ included in Preferred Equipment Group ■ see page 52 for details

At twenty feet and five inches, the outboard powered sibling of the 208LR retains all the key features of its relative, but doubles the storage capacity by removing the engine from beneath the sundeck. Multi-step boarding ladders fore and aft provide convenient entry from the water or beach and the full fiberglass floor liner offers comfortable traction as well as stress-free cleanup via the inlaid self-bailing cockpit drains. The 204LR is the perfect sized bowrider for a fun-filled weekend on the water.

- □ 15" side-entry walkway
- indirect LED interior lighting
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl
- □ auto / manual 1100 gph bilge pump
- zero torque steering

- □ 32 qt. and 14 qt. coolers / draining storage
- □ Bluetooth compatible Jensen audio system
- □ latte dash package ❖
- □ cockpit table for entertaining ❖
- LCD bow and transom stereo remotes ❖
- bow and aft filler cushion ❖

- custom wakeboard tower
- wakeboard racks
- □ custom stainless steel ski-tow ❖
- stainless steel hardware package * *
- preferred equipment group *
- □ premium option group ❖















20 ft, 8 in | 6.3 m

99 in | 250 cm

BRIDGE CLEARANCE 49 in | 125 cm

AVG DRY WEIGHT (4.3L engine)

FUEL CAPACITY

34 gal | 129 L

WATER CAPACITY

6 gal | 23 L

ICE CAPACITY 32+14 qt | 30+13 L

MAX CAPACITY

9 ppl, 1715 lbs | 778 kg

COCKPIT DEPTH (at helm) 32 in | 81 cm

MAX DRAFT (drive down) 34 in | 86 cm

DEADRISE ANGLE

20 degrees

FAMILY FRIENDLY BOATING

With tons of dedicated storage space, there is never a shortage of cockpit space in the 208LR. The added cockpit width lends itself to the side-entry walkway without sacrificing valuable bench seat or sundeck space. A pair of telescoping ladders, one in the bow and one on the transom swim platform, make for convenient boarding from the water or your favorite beach. Good luck getting out of the water once you're behind the wheel.

♦ optional feature ★ included in Preferred Equipment Group ■ see page 52 for details

KEY FEATURES

- □ 15" side-entry walkway
- oversized cup holders
- □ indirect LED cockpit lighting
- ☐ fiberglass cockpit floor liner

- □ auto / manual 1100 gph bilge pump
- premium desert and white vinyl
- □ Bluetooth compatible Jensen audio system
- stainless steel multi-step boarding ladder

□ LCD bow and transom stereo remotes ❖

- 200-watt Polk audio system
- cockpit / bow table for entertaining *
- □ 32 qt. and 14 qt. coolers / draining storage boxes □ bow and aft filler cushions ❖
 - custom wakeboard tower *
 - □ latte dash package ❖
 - stainless steel hardware package * *
 - □ preferred equipment group ❖
 - □ premium option group ❖





SPORT DECK OUTBOARD

214_{LR}

21 ft, 8 in | 6.6 m

101 in | 257 cm

BRIDGE CLEARANCE

58 in | 147 cm

AVG DRY WEIGHT (150hp) 3114 lbs

> **FUEL CAPACITY** 46 gal | 174 L

WATER CAPACITY 13 gal | 49 L

ICE CAPACITY

25+17 qt | 24+16 L

MAX CAPACITY 11 ppl, 2167 lbs | 983 kg

COCKPIT DEPTH (at helm)

34 in | 86 cm

DEADRISE ANGLE 21 degrees

FEATURE PACKED AND WAITING FOR YOU!

The 214LR boasts one of the most impressive standard feature lists in the Stingray line-up with the added bonus of versatile outboard propulsion. A freshwater sink, removable cooler, pressurized bow and transom showers, as well as a removable cocktail table are all standard features on the 214LR. Not to mention the oversize head compartment with plenty of room for both kids and adults. We invite you to compare the features of our model to others on the market; we think you'll be pleased.

KEY FEATURES

- □ 15" side-entry walkway
- cockpit table for entertaining
- □ auto / manual 1100 gph bilge pump
- □ indirect LED interior lighting
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl

- □ Bluetooth compatible Jensen audio system
- ☐ freshwater sink and refreshment area
- porta-potti with fill level indicator
- □ stand-up bimini top with boot
- pressurized bow and transom showers
- □ latte dash package ❖
- enclosed head with lighting & vent window □ LCD bow and transom stereo remotes ❖
 - bow filler cushion ❖
 - □ custom wakeboard tower ❖
 - □ custom stainless steel ski-tow ❖

stainless steel hardware package *





SPORT DECK

215_{LR}



21 ft, 11 in | 6.7 m

101 in | 257 cm

BRIDGE CLEARANCE 58 in | 147 cm

AVG DRY WEIGHT (5.0L engine)

FUEL CAPACITY

46 gal | 174 L

3705 lbs

WATER CAPACITY

13 gal | 49 L

ICE CAPACITY 25+17 qt | 24+16 L

MAX CAPACITY

11 ppl, 2167 lbs | 983 kg

COCKPIT DEPTH (at helm) 34 in | 86 cm

MAX DRAFT (drive down)

34 in | 86 cm **DEADRISE ANGLE**

21 degrees

CAN'T WAIT FOR THE WEEKEND!

Like our other sport deck models, the 215LR's wide body offers an easy-entry walkway, plus more cockpit space than traditional boats of the same length. Beneath the top bow top is an easy slide-out ladder and an anchor locker and fender storage area. Under the bottom step is a large cooler with overboard drain. With a truly functional head compartment, it's convenient to spend the day, or night, out on the water. The features on this boat are abundant!

- ☐ 15" side-entry walkway
- cockpit table for entertaining
- □ indirect LED interior lighting
- ☐ fiberglass cockpit floor liner
- □ auto / manual 1100 gph bilge pump
- premium desert and white vinyl

- □ Bluetooth compatible Jensen audio system
- enclosed head with vent window and lighting
- ☐ freshwater sink and refreshment area
- porta-potti with level indicator
- □ stand-up bimini top with boot
- stainless steel multi-step boarding ladder
- ♦ optional feature
 see page 52 for details
 - pressurized bow and transom showers □ LCD bow and transom stereo remotes ❖
 - bow and aft filler cushions ❖
 - custom wakeboard tower *
 - □ latte dash package ❖
 - stainless steel hardware package *





SPORT DECK OUTBOARD

234LR

23 ft, 8 in | 7.2 m

101 in | 257 cm

BRIDGE CLEARANCE

58 in | 147 cm

AVG DRY WEIGHT (250hp) 3648 lbs

> **FUEL CAPACITY** 56 gal | 212 L

WATER CAPACITY 13 gal | 49 L

ICE CAPACITY

25+32 qt | 24+30 L

MAX CAPACITY 12 ppl, 2535 lbs | 1150 kg

COCKPIT DEPTH (at helm)

34 in | 86 cm

DEADRISE ANGLE 21 degrees

THIS BOAT HAS IT ALL!

The largest outboard Sport Deck in the line-up, the 234LR doesn't waste an inch of space aboard its massive frame. The roomy cockpit is home to a complete refreshment center and a fully functioning head compartment that has enough space for an adult to fit comfortably inside with room to spare. With an outboard instead of a sterndrive, the compartment beneath the sundeck is opened up to be entirely usable storage space. You'll be able to bring all your water toys and gear!

- ☐ 15" side-entry walkway
- cockpit table for entertaining
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl
- □ stand-up bimini top with boot
- □ auto / manual 1100 gph bilge pump
- □ LED interior cockpit lighting and docking lights
- □ Bluetooth compatible Jensen audio system
- enclosed head with vent window & lighting
- freshwater sink and refreshment area
- porta potti and self-contained holding tank
- pressurized bow and transom showers
- bow and aft filler cushions
- LCD bow and transom stereo remotes ❖
- □ Polk 500w audio system w/ 10" sub & amp ❖
- □ latte dash package ❖
- full canvas set
- stainless steel hardware package *





SPORT DECK 235_{LR}



23 ft,11 in | 7.3 m

101 in | 257 cm

BRIDGE CLEARANCE 58 in | 147 cm

AVG DRY WEIGHT (5.0L engine)

FUEL CAPACITY 56 gal | 212 L

WATER CAPACITY

13 gal | 49 L

ICE CAPACITY

25+32 qt | 24+30 L

MAX CAPACITY

12 ppl, 2535 lbs | 1150 kg

COCKPIT DEPTH (at helm) 34 in | 86 cm

MAX DRAFT (drive down)

34 in | 86 cm

DEADRISE ANGLE 21 degrees

ONE FOR THE WHOLE FAMILY TO ENJOY

The extremely roomy interior of the 235LR allows passengers to ride comfortably even with the boat at full capacity. The large transom swim platform is perfect for strapping into a wakeboard or skis, and features a hideaway stainless steel boarding ladder to make re-entry just as easy. A built-in cockpit refreshment center, oversize head compartment, and fully integrated fiberglass floor liner are just a few of the impressive standard appointments. To check out everything this boat has to offer, contact your closest Stingray dealer.

KEY FEATURES

- ☐ 15" side-entry walkway
- cockpit table for entertaining
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl
- porta potti with level indicator
- □ stand-up bimini top with boot
- □ LED interior lighting and docking lights

- □ Bluetooth compatible Jensen audio system
- enclosed head with vent window & lighting
- ☐ freshwater sink and refreshment area
- pressurized bow and transom showers
- □ auto / manual 1100 gph bilge pump
- - □ LCD bow and transom stereo remotes ❖

- bow and aft filler cushions ❖
- □ Polk 500w audio system w/ 10" sub & amp ❖
- □ latte dash package ❖
- □ custom wakeboard tower ❖
- stainless steel hardware package *





DECK BOAT 212sc

21 ft,11 in | 6.7 m

102 in | 259 cm

BRIDGE CLEARANCE

50 in | 127 cm AVG DRY WEIGHT (150hp)

> 3100 lbs **FUEL CAPACITY**

57 gal | 216 L

WATER CAPACITY

(3) 13 gal | (11) 49 L

ICE CAPACITY 67+25+45 qt | 63+24+43 L

MAX CAPACITY 12 ppl, 2600 lbs | 1179 kg

COCKPIT DEPTH (at helm)

28 in | 70 cm

MAX DRAFT (drive down) 31 in | 79 cm

> **DEADRISE ANGLE** 20 degrees

LET'S GO BOATING!

Bring the kids, bring the friends, and bring the tubes! In true deck boat style, this boat boasts a spacious open floor plan that provides lots of room for all aboard. Leaving no space unused, storage compartments can be found throughout for all your water toys and necessities. The onboard changing compartment, a rarity on a boat this size, can be upgraded to a head compartment with the addition of the optional porta potti. This is the boat you've been waiting for!

KEY FEATURES

- wide body with abundant seating
- □ indirect LED interior lighting
- ☐ fiberglass cockpit floor liner
- premium desert and white vinyl
- □ auto / manual 1100 gph bilge pump
- molded helm with space for plotter or GPS
- □ stainless steel multi-step transom and bow ladders
- □ backlit instruments with circuit breakers □ Bluetooth compatible Jensen audio system
 - □ stand-up bimini top with boot

- freshwater sink
- □ table with bow and cockpit mounts

pressurized fresh water system

- LCD bow and transom stereo remotes ❖
- □ Polk 200w audio system ❖
- porta potti with dockside pump-out
- ☐ fishing package ❖
- stainless steel hardware package *





SPORT DECK CUDDY

208cr

20 ft, 8 in | 6.3 m

99 in | 250 cm

BRIDGE CLEARANCE

51 in | 130 cm

AVG DRY WEIGHT (4.3L engine) 2925 lbs

> **FUEL CAPACITY** 34 gal | 129 L

WATER CAPACITY 6 gal | 23 L

> **ICE CAPACITY** 32 qt | 30 L

MAX CAPACITY 9 ppl, 1715 lbs | 778 kg

COCKPIT DEPTH (at helm)

34 in | 86 cm

MAX DRAFT (drive down) 34 in | 86 cm

> **DEADRISE ANGLE** 20 degrees

OVERNIGHT? NO PROBLEM!

❖ optional feature ❖ included in Preferred Equipment Group ☞ see page 52 for details

This may be our entry-level sport deck cuddy, but there is nothing small about this boat. Its extra wide stance makes room for a 15" side entryway to provide quick and easy boarding, while giving up little sundeck area. The wide body design continues in the cabin, where two adults can easily stretch out for a nap. This boat is a performer in every way! It will be a challenge to find another boat in its size range to compete with it.

- □ 15" side-entry walkway
- oversized cup holders
- fiberglass cockpit floor liner
- premium desert and white vinyl

- ☐ 32 qt. cooler / storage box with drain
- □ auto / manual 1100 gph bilge pump porta-potti with level indicator
- ☐ stainless steel multi-step boarding ladder
- 200-watt Polk audio system
- cockpit table for entertaining
- □ Bluetooth compatible Jensen audio system □ aft walk thru filler cushions ❖

- pressurized bow and transom showers
- porta-potti with dockside pump out
- full canvas set *
- stainless steel hardware package * *
- preferred equipment group *
- □ premium option group ❖





SPORT DECK CUDDY

215_{CR}

21 ft, 11 in | 6.7 m

101 in | 257 cm

BRIDGE CLEARANCE 58 in | 147 cm

AVG DRY WEIGHT (5.0L engine) 3775 lbs

FUEL CAPACITY

46 gal | 174 L

WATER CAPACITY 13 gal | 49 L

ICE CAPACITY

25 qt | 24 L

MAX CAPACITY 11 ppl, 2167 lbs | 983 kg

> COCKPIT DEPTH (at helm) 34 in | 86 cm

MAX DRAFT (drive down)

34 in | 86 cm

DEADRISE ANGLE 21 degrees

READY FOR A WEEKEND AWAY!

Want all of the features of a bigger boat without actually having a bigger boat? Look no further. The 215CR packs in ALL the same features of our 235CR, with the same beam and two feet less to trailer. Before you get too worried, our designers did an impressive job of conserving space in non-essential areas to bring you this right-sized cuddy. The 215CR also could qualify you for a second home tax deduction. How can you argue with that?

KEY FEATURES

- ☐ 15" side-entry walkway
- oversize cup holders
- fiberglass cockpit floor liner
- premium desert and white vinyl
- cockpit table for entertaining
- □ auto / manual 1100 gph bilge pump
- stand-up bimini top with boot
- port potti with level indicator

- ☐ Bluetooth compatible Jensen audio system
- □ stainless steel multi-step boarding ladder
- pressurized transom shower
- □ LCD bow and transom stereo remotes
- □ aft walk-thru filler cushions ❖

- pressurized bow shower *
- porta potti with dockside pump out
- ☐ full canvas set ❖
- □ latte dash package ❖
- stainless steel hardware package *





CUDDY 25cR



22 ft, 11 in | 7.0 m

100 in | 254 cm

BRIDGE CLEARANCE 55 in | 140 cm

AVG DRY WEIGHT (5.0L engine)

FUEL CAPACITY 56 gal | 212 L

WATER CAPACITY

6 gal | 23 L

ICE CAPACITY 25 qt | 24 L

MAX CAPACITY

10 ppl, 2080 lbs | 943 kg

COCKPIT DEPTH (at helm) 36 in | 91 cm

MAX DRAFT (drive down) 33 in | 84 cm

DEADRISE ANGLE

20 degrees

SPORT BOAT INSPIRED CUDDY

The 225CR has an abundance of space all over, not just the roomy cockpit, but a spacious cuddy cabin as well. The ample freeboard allows this boat to feel a lot more secure for riders, even in "big" water. Even with the added weight of the cabin, atop Stingray's performance proven Z-Plane

hull, the 225CR jumps out of the water and planes off with ease, allowing for greater top speeds and a freer riding hull. Come see what all the fuss is about; check out this sport boat inspired cuddy today.

KEY FEATURES

- oversized cup holders
- □ indirect LED cockpit lighting
- fiberglass cockpit floor liner
- □ removable 25 qt. cooler
- premium desert and white vinyl
- □ auto / manual 1100 gph bilge pump
- □ Bluetooth compatible Jensen audio system
- stand-up bimini top with boot
- porta-potti with level indicator
- □ stainless steel multi-step transom boarding ladder
- ☐ stainless steel butane stove w/ case & auto light
- - cockpit table for entertaining

- cabin and aft filler cushions
- pressurized transom shower *

- porta-potti with dockside pump out
- □ latte dash package ❖
- ☐ full canvas set ❖
- stainless steel hardware package *





SPORT DECK CUDDY

235_{CR}

23 ft, 11 in | 7.3 m

101 in | 257 cm

BRIDGE CLEARANCE 58 in | 147 cm

AVG DRY WEIGHT (5.0L engine)

FUEL CAPACITY

56 gal | 212 L

WATER CAPACITY 13 gal | 49 L

ICE CAPACITY

25 qt | 24 L

MAX CAPACITY 12 ppl, 2535 lbs | 1150 kg

> COCKPIT DEPTH (at helm) 34 in | 86 cm

MAX DRAFT (drive down) 34 in | 86 cm

DEADRISE ANGLE

21 degrees

THAT'S ONE ROOMY CABIN!

The wide-body design of the 235CR provides lots of space for enjoying all its features, including a very room cabin. This cuddy is complete with porta potti, butane stove, a refreshment area that includes a sink and removable cooler, a cockpit table for dining, and more! With all these features, you have a setup that your family and friends can enjoy for the whole day...or for the entire weekend! ADDED BONUS: it's affordable and trailerable.

KEY FEATURES

- ☐ 15" side-entry walkway
- oversized cup holders
- ☐ fiberglass floor liner with self-bailing drains
- □ Bluetooth compatible Jensen audio system
- premium desert and white vinyl
- □ auto / manual 1100 gph bilge pump

- stand-up bimini top with boot
- cockpit table for entertaining
- porta-potti with level indicator
- stainless steel multi-step transom ladder
- pressurized transom shower
- LCD bow and transom stereo remotes ❖
- □ aft walk-thru filler cushion ❖

♦ optional feature
■ see page 52 for details

- □ pressurized bow shower ❖
- □ Polk 200w audio system ❖
- porta potti with dockside pumpout *
- ☐ full canvas set ❖
- stainless steel hardware package *





CUDDY 250cr

LENGTH 25 ft | 7.6 m

102 in | 259 cm

BRIDGE CLEARANCE

65 in | 165 cm

AVG DRY WEIGHT (5.0L engine) 4293 lbs

> **FUEL CAPACITY** 68 gal | 257 L

WATER CAPACITY 17 gal | 64 L

ICE CAPACITY 32+25 qt | 30+24 L

MAX CAPACITY

10 ppl, 2265 lbs | 1027 kg

COCKPIT DEPTH (at helm) 36 in | 91 cm

MAX DRAFT (drive down) 34 in | 86 cm

DEADRISE ANGLE

21 degrees

ROOMY AND FULL OF FEATURES

The 250CR also has the bonus of being trailerable, so your favorite boating destination is never too far away. A walk-around reveals numerous amenities and conveniences like the fully integrated swim platform and hideaway ladder, a cockpit refreshment center with sink and overboard drain, wraparound seating, and more. Inside the cabin are built-in storage cabinets, a pump-out head, and a spacious v-berth for overnighting.

KEY FEATURES

- deep cockpit area
- oversized cup holders
- freshwater sink
- □ indirect LED cockpit lighting
- ☐ fiberglass cockpit floor liner

- premium desert and white vinyl
- □ Bluetooth compatible Jensen audio system
- molded helm with space for plotter or GPS
- □ auto / manual 1100 gph bilge pump
- stand-up bimini top with boot
- □ stainless steel multi-step transom ladder
- cockpit table for entertaining

- pressurized transom shower
- bow and aft filler cushions
- porta potti with tank and dockside pumpout *

- dual battery system *
- ☐ full canvas set ❖
- stainless steel hardware package *



CABIN CRUISER
















25 ft | 7.6 m

102 in | 259 cm

BRIDGE CLEARANCE

77 in | 196 cm

AVG DRY WEIGHT (5.0L engine)

FUEL CAPACITY 66 gal | 250 L

WATER CAPACITY

25 gal | 95 L

ICE CAPACITY

32+25 qt | 30+24 L

MAX CAPACITY 10 ppl, 2265 lbs | 1027 kg

> COCKPIT DEPTH (at helm) 35 in | 89 cm

MAX DRAFT (drive down)

35 in | 89 cm

DEADRISE ANGLE 21 degrees

THE DESTINATIONS ARE ENDLESS

This dual-cabin cruiser features sleeping accommodations for four with two berths—one in the forward bow and another amidships—making it ideal for overnight excursions. Just below deck is a fully equipped galley, and the forward berth converts to a dining area. A fully enclosed standup head includes everything you need for a weekend on the water. Lots of space, numerous features, many options to choose from, and the 250CS is easily trailerable to endless destinations.

- self-bailing fiberglass floor
- freshwater sink
- molded helm with space for plotter or GPS
- □ built-in stove, refrigerator, and microwave
- □ indirect LED cockpit lighting
- □ Bluetooth compatible Jensen audio system
- enclosed head with shower
- premium desert and white vinyl
- □ auto / manual 1100 gph bilge pump
- stand-up bimini top with boot
- cockpit table for entertaining
 - pressurized transom shower

- porcelain head with holding tank
- dual battery system with VSR and switch
- □ remote control windlass winch ❖
- 110v and 220v hot water, HVAC, alc./elec. stove ❖
- ☐ full canvas set ❖
- stainless steel hardware package *


STANDARDS & OPTIONS

	# NOLLION #	180RX	191RX	198LE/LF	225LR	225SX	250LR	194LE/LF/LX	198LX	204LR	208LR	214LR	215LR	234LR	235LR	212SC	208CR	215CR	225CR	235CR	250CR	250CS
				SPORT	г воат						SPORT	DECK				DECK BOAT		CL	IDDY /	CRUIS	ER	
5-year Hull Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
3-Year Hull Blister Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exclusive Z-Plane Hull	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Certifications: NMMA, USCG, IMCI, EC	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Auto / Manual Bilge Pump (1100 gph)	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Cooler / Storage Box with Drain	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S	S
Floor Storage with Oversize Access Door	-	S	S	S	S	-	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-	-
Opening Cabin Windows with Screen	-	-	-	-	-	-	2 ea	-	-	-	-	2 ea	2 ea	2 ea	2 ea	-	-	3 ea	3 ea	3 ea	3 ea	8 ea
Solid Color Deck and Hull	1	-	-	-	-	1500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Full Hull Color Band	50	-	-	577	577	577	737	577	577	577	577	608	608	608	608	608	577	608	577	608	737	737
Hull Bottom Color (5 color choices)	390-394	-	-	300	300	300	408	300	300	300	300	331	331	331	331	331	300	331	300	331	408	408
Hull Graphic Sweep - Black	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Hull Graphic Sweep - Red or Yellow	336/335	-	-	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192	192
CE Certification Package w/ Shipping Cradle	90	877	877	954	954	954	954	954	954	954	954	954	954	954	954	954	954	954	954	954	954	954
Shipping Cradle (export only)	31	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508
Electric Trim Tabs with LED Indicator	56	-	-	-	1062	1062	1062	-	-	1062	1062	1062	1062	1062	1062	-	1062	1062	1062	1062	1062	1062
Hydraulic Trim Tabs with LED Indicator	68	-	-	-	985	985	985	-	-	985	985	985	985	985	985	-	985	985	985	985	985	985
Stainless Steel Sport Trim Tabs (fixed)	57	-	100	-	-	-	-	-	-	100	100	-	-	-	-	-	100	-	-	-	-	-
Pressurized Bow Shower	59	-	-	-	-	-	-	-	-	192	192	S	S	S	S	-	192	192	-	192	-	-
Pressurized Water with Transom Shower	69	-	-	422	422	-	S	422	422	422	422	S	S	S	S	-	422	S	291	S	S	S
Stainless Steel Bow Rails	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S	S
Bow Anchor Storage	-	-	-	-	S	-	S	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S
Enclosed Head w/ Vent Window & Lighting	-	-	-	-	-	-	S	-	-	-	-	S	S	S	S	S	-	-	-	-	-	S
Lockable Cabin Doors	-	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S	S
Cabin Windows with Stainless Steel Frame	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	-	-	-	-	-
Stainless Steel Multi-Step Transom Ladder	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel Multi-Step Bow Ladder	-	-	-	-	-	-	-	-/-/S	S	S	S	S	S	S	S	S	S	S	-	S	-	-
Stainless Steel Spring Line Cleats	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel LED Docking Lights	313	-	-	311	311	311	311	311	311	311	311	S	S	S	S	311	311	S	311	S	311	311
Windshield with Side Vent Windows	-	-	-	S	S	-	S	S	S	S	S	S	S	S	S	-	S	S	S	S	S	S
Windshield Wiper (Starboard)	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306
Stainless Steel Custom Ski Tow (removable)	670	-	500	-	-	-	-	500/S/500	-	500	-	500	-	500	-	500	-	-	-	-	-	-
Custom Wakeboard Tower (Silver)	661	-	-	-	2146	-	-	-	-	2146	2146	2146	2146	2146	2146	-	-	-	-	-	-	-
Custom Wakeboard Tower (Black)	662	-	-	-	2385	-	-	-	-	2385	2385	2385	2385	2385	2385	-	-	-	-	-	-	-
25-Quart Removable Igloo Cooler	-	-	-	-	S	-	S	-	-	-	-	S	S	S	S	S	-	S	S	S	S	S
Backlit Instruments with Circuit Breakers	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Dash Accessory Plug (12V)	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Electronic Engine Hour Meter	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Indirect LED Cockpit Lighting	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Premium Stain-Resistant Vinyl	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Helm Seats with Fore and Aft Adjustors	-	S	S	S	-	-	-	S	S	S	S	-	-	-	-	-	S	-	-	-	-	-
Ignition Switch with Stereo Accessory Remote	-	S	-	S	S	S	S	-	S	-	S	-	S	-	S	S	S	S	S	S	S	S
Oversized Cup Holders	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Self-Bailing Cockpit	-	-	-	-	-	-	S	-	-	-	-	S	S	S	S	S	-	S	-	S	S	S
Throttle-Trim Control with Safety Switch	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Hi-Power Jensen Bluetooth Audio System	-	-	_	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S

(ea) Indicates quantity, not dollars. - Denotes Not Available.

Prices and specifications subject to

Only the most popular standard and optional equipment items are shown.





Full Function Head with Sink, Shower, Storage, and Opening Vent Window (250CS)



Polk Audio Systems (Options #730 - 500w and #731 - 200w)



Sport Bucket with Flip-Up Bolster



Custom Dash with Backlit Instruments and Stainless Steel Bezels



Stainless Steel Hardware Package (Option #820) Items vary by model. Refer to the footnote on page 52 for complete package details.



Recessed Speakers and Convenient Drink Holders



25-quart Removable Cooler (212SC, 214LR, 215CR, 215LR, 225CR, 225LR, 234LR, 235CR, 235LR, 250CR, 250LR, 250CS)



Floor Storage w/ Non-Skid Lid and Stainless Steel Shock Assist



Bow Anchor Storage, Translucent Aluminum Deck Hatch, Stainless Steel Cleats, Navigation Lights, Stainless Steel Contoured Bow Rails, Bow Ladder



Walk-Thru Removable Filler Cushion (Option #47 or #77)



RX Interior (outboard) - Bucket Seats, Bench Seating, & Sundeck



RX Interior (sterndrive) - Bucket Seats, Bench Seating, & Sundeck



Bucket Seats, Wrap-around Seating, & Sundeck



Stainless Steel Port Windows



Slide-out Bow Ladder and Anchor Storage (Sport Deck Bowrider Models)



LR Sport Deck (shown) & LX Sport Boat Interior (sterndrive) LR Sport Boat Interior - Bucket Seats, Wrap-around - Bucket Seats, Wrap-around Seating, & Sundeck



Bench Seating, & Sport Style Sundeck 51

STANDARDS & OPTIONS

,	OPTION #	180RX	191RX	198LE/LF	225LR	225SX	250LR	194LE/LF/LX	198LX	204LR	208LR	214LR	215LR	234LR	235LR	212SC	208CR	215CR	225CR	235CR	250CR	250CS
				SPORT	BOAT					:	SPORT	DECK				DECK BOAT		CL	DDY /	CRUIS	ER	
Stereo, LCD Remote, Transom	21	-	-	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
Stereo, LCD Remote, Bow and Transom	75	-	-	210	-	-	-	210	210	210	210	210	210	210	210	210	210	210	-	210	-	-
Polk 200w Audio System	731	-	-	-	1162	1162	1162	-	-	-	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	1162	116
Polk 500w Audio System w/ 10" Sub & Amp	730	-	-	-	2654	-	2654	-	-	-	-	2654	2654	2654	2654	-	-	-	-	-	-	-
Latte Dash Package	740	-	-	231	192	192	231	231	231	231	231	154	154	154	154	231	154	154	154	154	231	-
Adjustable Pedestal(s) - for One or Two Seats	86/83	-	-	-	-	-	169	-	-	-	-	169	169	169	169	-	-	169	169	169	169	85
Sport Bucket with Bolster	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	S
Twin Sport Buckets with Bolster	82	-	-	373	S	S	S	373	373	373	373	S	S	S	S	-	373	S	S	S	S	-
Fiberglass Cockpit Floor Liner	46	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Snap-In Carpet (standard seating)	33	-	-	600	600	600	654	600	600	600	600	654	654	654	654	600	600	600	600	600	600	60
Table with Bow and Cockpit Mounts	76	-	-	-	S	-	S	-	-	346	262	S	S	S	S	S	262	S	S	S	S	S
Freshwater Sink - Cockpit	-	-	-	-	-	-	S	-	-	-	-	S	S	S	S	S	-	S	-	S	S	5
Digital Depth Finder with Depth Alarm	48	-	-	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	35
Solid White Interior	3	-	-	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	6
Filler Cushion - Aft Walkthru	47	-	-	-	S	S	S	-	-	-	-	-	346	-	346	-	-	346	S	346	S	Ϊ.
Filler Cushion - Aft Walkthru & Seat	77	-	-	500	S	S	-	500	500	500	500	-	-	-	-	_	500	-	S	-	-	
Filler Cushion - Bow / Cabin	84	-	_	331/285	285	-	285	331/285/285		285	285	285	285	285	285	_	S	S	S	S	S	١.
Adjustable Cabin Lights	-	_	_	_	-	S	-	_	-	-	-	-	-	-	-	_	S	S	S	S	S	5
LED TV / DVD System	725	-	_	_	_	-	_	-	-	-	-	-	-	-	-	_	-	_	-	-	-	13
SS Butane Stove with Case & Auto Light	-	_	_	_	_	_	_	_	_	_	_	_	-		_	_	_	S	S	S	S	
Enclosed Head with Shower		_	_	-	_	_	_	-	_	_	_	_	-	-	-	_	_	-	-	-	-	5
Freshwater Sink - Cabin	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_	_	_	S	_	_	9
	-	-	-	_	-	_	S	-		_	_	S	S	S	S	_	_	S	S	S	S	9
Molded Fiberglass Cabin Liner Porta-Potti with Level Indicator	-	-	-	-	-	S	S	-	-	-	-	S	S	S	S	146	S	S	S	S	S	
						3	3				-	3	3	-	3	140	3	3	3	3		
Porcelain Head with Holding Tank	- 20	-	-	-	-	-	105	-	-	-	-	105	105		105	222	105	105	10E	10E	105	
Porta-Potti with Dockside Pumpout	38	-	-	-	-	-	185	-	-	-	-	185	185	185	185	323	185	185	185	185	185	4
Porcelain Head with Tank / Macerator	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
220V Electrical System (export only) ^A	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
220V Hot Water System	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
Automatic Fire Extinguishing System	19	472	-	672	672	672	672	-	672	-	672	-	672	-	672	-	672	672	672	672	672	6
Battery Charger (110V)	41	-	-	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	
Battery On / Off Switch with Safety Key	36	-	-	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	
Dual Battery System with VSR & Switch	30	-	-	-	285	285	285	-	-	-	-	285	285	285	285	285	-	285	285	285	285	
Power Trim and Tilt with Indicator	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Remote Oil Change System (Dipstick Style)	-	S	-	S	S	S	S	-	S	-	S	-	S	-	S	-	S	S	S	S	S	
Transom Mounted Trim & Tilt Switch	40	-	-	-	S	S	S	-	-	-	-	S	S	S	S	S	-	S	S	S	S	
Hydraulic Tilt Steering - Yamaha (75 to 175 hp)	620	-	-	-	-	-	-	1346	-	1346	-	1346	-	S	-	1346	-	-	-	-	-	
Hydraulic Tilt Steering - Yamaha (200+ hp)	621	-	-	-	-	-	-	-	-	-	-	1346	-	S	-	1346	-	-	-	-	-	
Hydraulic Tilt Steering - Mercury	622	-	-	-	-	-	-	1346	-	1346	-	1346	-	S	-	1346	-	-	-	-	-	
Power Steering (Engine Driven)	-	S	-	S	S	S	S	-	S	-	S	-	S	-	S	-	S	S	S	S	S	
Tilt Steering with Locking Detent	39	-	-	159	S	S	S	159	159	159	159	S	S	S	S	S	159	S	S	S	S	
Zero Torque Steering	-	-	-	-	-	-	-	S	-	S	-	S	-	-	-	S	-	-	-	-	-	
Stainless Steel Hardware Package ¹	820	-	-	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	340	3
Preferred Equipment Group ²	810		1150	187	-	-	-	187	187	187	187	-	-	-	-	-	187	-	-	-	-	
Premium Option Group ³	815	-	-	1822	-	-	-				1822	-	-	-	-	-	1822	-	-	-	-	
Fishing Package 4	802	-	-	-	-	-	-	-	-	-	-	-	-	-	-	915	-	-	-	-	-	

A Electrical System includes: 25 ft shorepower cable, battery charger, refrigerator, alcohol / electric stove.

Denotes Not Available

Stainless Steel Package items Stainless Steel Package Items vary by model and may include:
- SS Windshield Supports
- SS Bimini Top Quick Connects
- Cabin Windows with SS Frame
- SS Vent Covers
- SS Trimmed Cupholders
- SS Ski Tow (flush mount)
- SS Rub Rail Molding

2 Preferred Equipment Group items

Preterred Equipment Group Items vary by model and may include:
- Transom Mounted Tilt Switch
- Auto / Manual Bilge Pump (1100 gph)
- Marine Audio System with MP3 Port
- Stand-up Bilmin Top with Boot
- Zero Torque Steering
- Tilt Steering with Locking Detent
- Console Storage Door
- Stainless Steel Hardware Package

Premium Option Group items
vary by model and may include:
- Digital Depth Finder with Depth Alarm
- Flooring — Snap-in Carpet
- Twin Sport Bucket with Bolster

- Stand-up Bimini Top with Boot

4 Fishing Package items vary by model and may include: - Trolling Motor Mount (removable) - Wired Trolling Motor Panel

- Aerated Live Well

- Fishing Seats - SS Rod Holders Aft (4)

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options



Ritchie Compass (Option #49)









Solid White Interior (Option #3)



Cockpit Filler Cushions (250LR and 250CR)



(225LR, 225CR shown, 225SX, 250CR, 250LR)



Digital Depth Finder w/ Alarm (Option #48)



Desert Tan Interior (even exchange from standard interior)



Bow Filler Cushions (standard interior) (Option #84)



Freshwater Sink, Counter Top Area, and 25-quart Removable Cooler (214LR shown)



Integrated Bow Steps and Lockable Cabin Door (235CR shown)



Ice Chest Under Walk-Thru Step in Sport Deck Models (varies by model)



Bow Ice Chest (sizes and styles vary)



Molded Fiberglass Cabin Liner with Storage, Butane Stove, and Porta Potti



Aft Cabin with Full Size Bed (bedding and pillows not included) and Opening Vent Window (250CS)



Cockpit Table with Floor Mount

CANVAS

CANVAS IS MADE OF HIGH	# NOILION	180RX	191RX	198LE/LF	225LR	225SX	250LR	194LE/LF/LX	198LX	204LR	208LR	214LR	215LR	234LR	235LR	212SC	208CR	215CR	225CR	235CR	250CR	250CS
QUALITY SUNBRELLA MATERIAL				SPORT	воат						SPORT	DECK				DECK BOAT		C	UDDY /	CRUISE	₹	
Stand-up Bimini Top with Boot	65	-	-	693	S	-	S	693	693	693	693	S	S	S	S	S	693	S	S	S	S	S
Bimini Top Stainless Steel Quick Connects	-	-	-	-	S	-	S	-	-	-	-	S	S	S	S	S	-	S	S	S	S	S
Cockpit and Bow Cover	17	692	692	751	751	-	1006	751	751	751	751	1006	1006	1006	1006	-	-	-	-	-	-	-
Cockpit Cover	13	-	-	525	525	525	702	525	525	525	525	702	702	702	702	915	525	702	525	702	702	702
Cockpit Cover for Wakeboard Tower	73	-	-	-	569	-	-	-	-	569	569	748	748	748	748	-	-	-	-	-	-	-
Bow Cover	18	-	-	228	228	-	305	228	228	228	228	305	305	305	305	-	-	-	-	-	-	-
Camper Canvas (2 tops, 4 sides, and aft)	15	-	-	-	-	-	-	-	-	-	-	1300	1300	1300	1300	-	-	1300	-	1300	-	1500
Full Canvas Set	4	-	-	-	742	-	1134	-	-	1003	926	1211	1062	1211	1134	-	714	766	529	829	829	842
Side Curtains (for top enclosure)	16	-	-	-	269	-	269	-	-	269	269	269	269	269	269	-	269	269	269	269	269	269
Walk-thru Flap	14	-	-	105	105	-	105	105	105	105	105	105	105	105	105	-	-	-	-	-	-	-
Black Canvas (instead of latte)	66	S	S	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146

NOTE: Options 4 and 15 include a bow cover.



Stand-up Bimini Top (shown in standard latte) with Windshield Connector (not shown) - Option #65



Bow Cover (shown in standard latte) - Option #18



Windshield Connector (not shown) - Option #65



Walk-Thru Flap (shown in standard latte) - Option #14



Cockpit Cover (shown in optional black - Option #13, Bow Cover - Option #18



Full Canvas (shown in optional black) - Option #4



Camper Canvas (shown in standard latte) (215LR shown) - Option #15

Standard canvas color is latte. Black canvas color is an optional up-charge exchange.

The exceptions are the 195RX and 191RX models. Latte canvas is not available for RX models; black canvas is an optional item.

Refer to the chart above for complete details.

HULL GRAPHICS / GELCOAT COLORS

The listings below represent popular gelcoat and decal combinations. To view other combinations, visit our online Build Your Boat feature at http://stingravboats.com/buildboat.



Black Full Hull Color Band with Standard Bottom



Red Full Hull Color Band with Standard Bottom



Latte Full Hull Color Band with Standard Bottom



Black Full Hull Color Band with Standard Bottom and Red Sweep



Red Full Hull Color Band with Black Bottom



Standard Hull Color with Red Bottom



Black Full Hull Color Band with Black Bottom and Red Sweep

Full Hull Color Band (option #50), Hull Bottom Color (options #390 - #394), and Hull Graphic Sweeps (options #335 and #336) are available on every model, with the exception of the 195RX and 191RX models.

Half Hull Color Band (option #51) (see page 8) is available on all models.



Blue Full Hull Color Band with Standard Bottom



Crimson Full Hull Color Band with Standard Bottom



Blue Full Hull Color Band with Standard Bottom and Yellow Sweep



Latte Full Hull Color Band with Standard Bottom and Red Sweep



Latte Full Hull Color Band with Black Bottom



Black Full Hull Color Band with Red Bottom



Latte Full Hull Color Band with Latte Bottom

Solid Red Deck and Hull (option #1) (see page 16) is available on the 225SX.

See page 50 for option pricing and additional gelcoat color and decal option details. Graphic options vary by model; visit stingrayboats.com/buildboat for details. Due to printing and paper variances, colors shown may not be accurately represented.



costore.com/stingrayboats View our entire line of clothing and accessories online.

We offer a variety of premium quality items for the entire family!











MODEL SPECIFICATIONS

		LENGTH	BEAM	BRIDGE	DRY WEIGHT ^A (w/ popular engine	FUEL	WATER	ICE BOX CAPACITY	MAX CAPACITY	MOLDED DEPTH (windshield base to keel)	MAX DEPTH (including windshield)	MAX DRAFT (drive down)	MAX DRAFT B (drive up)	COCKPIT DEPTH (at helm)	SLEEPING	DEADRISE
180RX		18 ft	85 in	41 in	2219 lbs	21 gal		14 qt	7 ppl / 1070 lbs	42 in	52 in	29 in	18 in	28 in		19
		5.5 m	216 cm	104 cm	3.0 L	79 L		13 L	7 ppl / 485 kg	107 cm	132 cm	74 cm	46 cm	71 cm		19
191RX		19 ft, 3 in	91 in	47 in	2100 lbs	34 gal		14 qt	8 ppl / 1890 lbs	44 in	55 in		17 in	29 in		19
		5.9 m	231 cm	119 cm	90 hp	129 L		13 L	8 ppl / 857 kg	112 cm	140 cm		43 cm	74 cm		1
94LE/LF		19 ft, 6 in	94 in	47 in	2325 lbs	34 gal	6 gal (opt)	32+22 qt	9 ppl / 1965 lbs	47 in	59 in		18 in	31 in		1
	ATS	5.9 m	239 cm	119 cm	115 hp	129 L	23 L (opt)	30+21 L	9 ppl / 891 kg	119 cm	150 cm		46 cm	79 cm		1
98LE/LF	ORT BOATS	19 ft, 9 in	94 in	47 in	2662 lbs	34 gal	6 gal (opt)	32+22 qt	9 ppl / 1450 lbs	47 in	59 in	32 in	18 in	31 in		1
	ORT	6.0 m	239 cm	119 cm	4.3 L	129 L	23 L (opt)	30+21 L	9 ppl / 657 kg	119 cm	150 cm	81 cm	46 cm	79 cm		1
225LR	S	22 ft, 11 in	100 in	52 in	3364 lbs	56 gal	6 gal (opt)	32+25 qt	10 ppl / 2080 lbs	51 in	58 in	33 in	18 in	33 in		2
		7.0 m	254 cm	132 cm	5.0 L	212 L	23 L (opt)	30+24 L	10 ppl / 943 kg	130 cm	147 cm	84 cm	46 cm	84 cm		2
225SX		22 ft, 11 in	100 in	45 in	3225 lbs	56 gal		32+25 qt	10 ppl / 2080 lbs	51 in	60 in	33 in	18 in	32 in		2
22007		7.0 m	254 cm	114 cm	5.0 L	212 L		30+24 L	10 ppl / 943 kg	130 cm	152 cm	84 cm	46 cm	81 cm		2
250LR		25 ft	102 in	65 in	4340 lbs	68 gal	17 gal	32+32+25 qt	10 ppl / 2265 lbs	66 in	77 in	34 in	17 in	36 in		2
ZJULIN		7.6 m	259 cm	165 cm	5.0 L	257 L	64 L	30+30+24 L	10 ppl / 1027 kg	168 cm	196 cm	86 cm	43 cm	91 cm		2
194LX		19 ft, 6 in	94 in	47 in	2325 lbs	34 gal	6 gal (opt)	32+14 qt	9 ppl / 1965 lbs	47 in	59 in		18 in	31 in		1
154LA		5.9 m	239 cm	119 cm	115 hp	129 L	23 L (opt)	30+13 L	9 ppl / 891 kg	119 cm	150 cm		46 cm	79 cm		1
198LX		19 ft, 9 in	94 in	47 in	2662 lbs	34 gal	6 gal (opt)	32+14 qt	9 ppl / 1450 lbs	47 in	59 in	32 in	18 in	31 in		1
198LX		6 m	239 cm	119 cm	4.3 L	129 L	23 L (opt)	30+13 L	9 ppl / 657 kg	119 cm	150 cm	81 cm	46 cm	79 cm		
204LR		20 ft, 5 in	98.5 in	49 in	2490 lbs	34 gal	6 (opt)	32+14 qt	9 ppl / 1715 lbs	48 in	62 in		18 in	32 in		2
204LK		6.2 m	250 cm	125 cm	115 hp	129 L	23 (opt)	30+13 L	9 ppl / 778 kg	122 cm	158 cm		46 cm	81 cm		2
0441.5	x S	21 ft, 8 in	101 in	58 in	3114 lbs	46 gal	13	25+17 qt	11 ppl / 2167 lbs	58 in	72 in		17 in	34 in		2
214LR	DECKS	6.6 m	257 cm	147 cm	150 hp	174 L	49	24+16 L	11 ppl / 983 kg	147 cm	183 cm		43 cm	86 cm		2
	RT	23 ft, 8 in	101 in	58 in	3648 lbs	56 gal	13	25+32 qt	12 ppl / 2535 lbs	58 in	72 in		17 in	34 in		:
234LR	SPORT	7.2 m	257 cm	147 cm	250 hp	212 L	49	24+30 L	12 ppl / 1150 kg	147 cm	183 cm		43 cm	86 cm		2
		20 ft, 8 in	99 in	49 in	2825 lbs	34 gal	6 gal (opt)	32+14 qt	9 ppl / 1715 lbs	48 in	62 in	34 in	18 in	32 in		
208LR		6.3 m	250 cm	125 cm	4.3 L	129 L	23 L (opt)	30+13 L	9 ppl / 778 kg	122 cm	158 cm	86 cm	46 cm	81 cm		
		21 ft, 11 in	101 in	58 in	3705 lbs	46 gal	13	25+17 qt	11 ppl / 2167 lbs	58 in	72 in	34 in	17 in	34 in		
215LR		6.7 m	257 cm	147 cm	5.0 L	174 L	49	24+16 L	11 ppl / 983 kg	147 cm	183 cm	86 cm	43 cm	86 cm		
		23 ft, 11 in	101 in	58 in	4105 lbs	56 gal	13	25+32 qt	12 ppl / 2535 lbs	58 in	72 in	34 in	17 in	34 in		- :
235LR		7.3 m	257 cm	147 cm	5.0 L	212 L	49	24+30 L	12 ppl /1150 kg	147 cm	183 cm	86 cm	43 cm	86 cm		4
	쏬늗	21 ft, 11 in	102 in	50 in	3100 lbs	57 gal	3+13 (opt)	67+25+45 qt	12 ppl / 2600 lbs	55 in	63 in	31 in	14 in	28 in	1	
212SC	DECK	6.7 m	259 cm	127 cm	150 hp	216 L	11+49 (opt)	63+24+43 L	12 ppl / 1179 kg	140 cm	160 cm	79 cm	36 cm	70 cm		
		20 ft, 8 in	98.5 in	51 in	2925 lbs	34 gal	6 (opt)	32 qt	9 ppl / 1715 lbs	51 in	64 in	34 in	18 in	34 in	2	
208CR		6.3 m	250 cm	130 cm	4.3 L	129 L	23 (opt)	30 L	9 ppl / 778 kg	128 cm	163 cm	87 cm	46 cm	86 cm	2	
		21 ft, 11 in	101 in	58 in	3775 lbs	46 gal	13	25 qt	11 ppl / 2167 lbs	58 in	72 in	34 in	17 in	34 in	2+1	
215CR	Ø	6.7 m	257 cm	147 cm	5.0 L	174 L	49	24 L	11 ppl / 983 kg	147 cm	183 cm	86 cm	43 cm	86 cm	2+1	
	CRUISERS	22 ft, 11 in	100 in	55 in	3539 lbs	56 gal	6 (opt)	25 qt	10 ppl / 2080 lbs	54 in	61 in	33 in	18 in	36 in	2+1	
225CR	D.K.	7.0 m	254 cm	140 cm	5.0 L	212 L	23 (opt)	24 L	10 ppl / 943 kg	137 cm	155 cm	84 cm	46 cm	91 cm	2+1	
		23 ft, 11 in	101 in	58 in	4175 lbs	56 gal	13	25 qt	12 ppl / 2535 lbs	58 in	72 in	34 in	17 in	34 in	2+1	
235CR	SUDDIES /	7.3 m	257 cm	147 cm	5.0 L	212 L	49	24 L	12 ppl / 1150 kg	147 cm	183 cm	86 cm	43 cm	86 cm	2+1	
	CUE	25 ft	102 in	65 in	4293 lbs	68 gal	17	32+25 qt	10 ppl / 2265 lbs	68 in	77 in	34 in	17 in	36 in	2+2	
250CR		7.6 m	259 cm	165 cm	5.0 L	257 L	64	30+24 L	10 ppl / 2203 lbs	168 cm	196 cm	86 cm	43 cm	91 cm	2+2	
		25 ft	102 in	77 in	4971 lbs		25			78 in	92 in	35 in	19 in	35 in	4+1	
250CS		25 π 7.6 m	102 in 259 cm	77 in 196 cm	49/1 lbs 5.0 L	66 gal 250 L	25 95	32+25 qt 30+24 L	10 ppl / 2265 lbs 10 ppl / 1027 kg	78 in 198 cm	92 in 234 cm	35 in 89 cm	19 in 48 cm	35 in 89 cm	4+1 4+1	

Specifications may change at any time. For current information, visit StingrayBoats.com/specifications

^A Weights vary depending on installed options. ^B Drive Up +5" on V3.0 to clear bottom of swim platform.

PERFORMANCE OPTIONS

/	,				180RX	198LE/LF/LX	225LR	225SX	250LR	208LR	215LR	235LR	208CR	215CR	225CR	235CR	250CR	250CS					191RX	194LE/LF/LX	204LR	214LR	234LR	212SC ,
į						SP	ORT BO	ATS		SPC	ORT DEC	CKS		CU	DDIES /	CRUISE	RS						SPORT BOAT		SPORT	DECK		DECK BOAT
-			leng	th overall	18'	19' 9"	22' 11"	22' 11"	25'	20' 8"	22' 3"	23' 11"	20' 8"	22' 8"	22' 11"	23' 11"	25'	25'			leng	th overall	19' 3"	19' 6"	20' 5"	21' 8"	23' 8"	21' 11"
-			fue	I capacity	21	34	56	56	68	34	46	56	34	46	56	56	56	64			fue	I capacity	34	35	46	46	56	57
1			dry weight,	no motor	1510	1814	2350	2385	3388	1960	2690	3090	1995	2810	2525	3160	3575	4399		dı	y weight,	no motor	1701	1926	2065	2629	3046	2613
		ma	ax speed with		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		max s	peed with	SS prop	▼	▼	▼	▼	▼	▼
1				propeller	•	▼	▼	_	▼	▼	•	▼	▼	▼	▼	▼	•	▼	_			propeller	•	▼	▼		•	▼
	engine	prop hp	drive type	motor weight						STERI	NDRI	VE MC	DELS	3						engine	prop hp	motor weight		OUTE	BOAR	о мо	DELS	
- 1	3.0 L	135	alpha 1	635	45 C														ں	90 EFI	90	399	44 N					
쏦	4.3 L	190	alpha 1	848		54 C													Ĕ .	115 EFI	115	399		45 N	44 M			
뜰	4.3 L MPI	220	alpha 1	865		57 C	50 C	52 C		55 C	49 C	47 C	55 C	49 C	50 C	47 C				150 EFI	150	455		54 F	53 C	48 B	44 A	46 B
픙	5.0 L MPI	260	alpha 1	952			56 C	57 C	52 B		54 C	52 B		54 C	56 C	51 B	51 B	46 B	-									
뚭	5.0 L MPI	260	bravo 3	1019			56 J	58 K	52 J		54 J	53 J		54 J	56 J	53 J	51 J	46 I	⋖	F90	90	380	43 P					
≥	5.7 L MPI	300	bravo 3	1046			60 K	60 K	54 J			55 J			59 K	54 J	53 J	50 I	AMAMA	F115	115	425		46 Q	44 P			
	6.2 L MPI	320	bravo 3	1019			62 K	62 K	55 J			57 J				56 J	54 J	51 I	Į.	F150	150	487		55 V	54 U	48 T	44 S	46 T
	4.0.1	400	0.4	0=4																F250	250	602					54 V	
	4.3 L	190 225	SX SX	874 914		53 C 56 C	54 D	52 C		55 C	49 C	47 B	56 C	49 C	50 B	47 N												
0	4.3 L MPI	270	SX	1014		56 C	51 B	52 C	50 D	55 C	49 C	47 B 52 B	56 C	49 C		47 N 51 N	49 B	46 M										
VOLVO	5.0 L MPI						56 C		52 B						56 C													
Š	5.0 L MPI 5.7 L MPI	270 300	DP	1019 1027			56 Y 60 Z	57 Y 61 Z	53 X 55 X		54 X	53 X 55 X		54 X	56 Y 59 Y	52 X 53 X	49 X 51 X	46 W 50 W		outboard e	•					,		
	5.7 L MPI	320	DP DP	1027			60 Z	61 Z	55 X 54 Y			55 X 57 Y			ז פכ	53 X 56 Y	51 X 52 Y	50 W		engine opt							o a la r	
	5.7 L WIPI	320	אט	1012			02 Z	02 Z	54 Y			5/ Y				30 Y	52 Y	91 W	For	complete	uetails, v	isit ətingr	ay Doats	.com or c	neck witi	n your a	ealer.	
İ																												

PROPELLER OPTIONS

R 21" SS Volvo 3860709

S 23" SS Volvo 3860710

T 25" SS Volvo 3860711

	VOLVO SX	PARI#	VC	DLVO DUO PROP	FRONT & REA	R SEI PARI#
М	17" Aluminum	3850300-9	W	F4 SS Duo Prop	3851494-9	
N	19" Aluminum	3850301-7	Χ	F5 SS Duo Prop	3851495-6	
0	21" Aluminum	3850302-5	Υ	F6 SS Duo Prop	3851496-4	
Р	23" Aluminum	3850303-3	Z	F7 SS Duo Prop	3851497-2	
	VOLVO SX	PART #	ME	RCURY BRAVO 3	FRONT PART #	REAR PART #
Q	19" SS Volvo	3860708	1	22.5" SS Bravo 3	48-8M8022400	48-8M8022410

Α	17" Aluminum	48-832828A45
В	19" Aluminum	48-832830A45
С	21" Aluminum	48-832832A45
D	23" Aluminum	48-832834A45
F	ALPHA/SX	PART #
Е	19" SS Laser	48-16544A46

G 23" SS Laser 48-16548A46

H 25" SS Laser 48-16550A46

Α	17" Aluminum	48-832828A45
В	19" Aluminum	48-832830A45
С	21" Aluminum	48-832832A45
Ε	19" SS Laser	48-16544A46
F	21" SS Laser	48-16546A46
G	23" SS Laser	48-16548A46
M	17" Aluminum M 75/115	48-77344A45
Ν	19" Aluminum M 75/115	48-77346A45
0	21" Aluminum M 75/115	48-77348A45

YAMAHA OUTBOARD	PARI#
17" Aluminum F90/F115	68V-45941-00-EL
19" Aluminum F90/F115	68V-45943-00-00
21" Aluminum F90/F115	6E5-45943-00-00
17" Aluminum F150/F225	6G5-45947-01-00
19" Aluminum F150/F225	6G5-45945-01-00
21" Aluminum F150/F225	6G5-45943-01-00
21" SS F150/F225	MAR-14721-XR-EC

*Only EPA approved engines are available in the US. See you dealer for details

Specifications are subject to change at any time without notice or obligation. To avoid disappointment at the time of purchase please check with your Stingray Dealer for current information and specifications.

Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions will vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may vary depending on many factors, including driver, weather, altitude, load, condition or propeller, lower unit, and boat bottom. Matching of your boat and use conditions to the proper propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer ! and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be an absolute recommendation.

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using a lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected at sea level with light load, 70 degree temperature and the best performing SS propeller.

24" SS Bravo 3 48-8M8022420 48-8M8022430

K 26" SS Bravo 3 48-8M8022440 48-8M8022450

L 28" SS Bravo 3 48-8M8022460 48-8M8022470

FOR THIRD PARTY PERFORMANCE COMPARISONS, VISIT STINGRAYBOATS, COM/PERFORMANCE



180RX SPORT BOAT





198LE/LF SPORT BOAT



225LR SPORT BOAT



225SX SPORT BOAT



250LR SPORT BOAT



194LE/LF/LX SPORT DECK (OUTBOARD)



198LX SPORT DECK



204LR SPORT DECK (OUTBOARD)



208LR SPORT DECK



214LR SPORT DECK (OUTBOARD)



215LR SPORT DECK



234LR SPORT DECK (OUTBOARD)



235LR SPORT DECK



212SC DECK BOAT (OUTBOARD)



208CR SPORT DECK CUDDY



215CR SPORT DECK CUDDY



225CR CUDDY



235CR SPORT DECK CUDDY



250CR CUDDY



250CS CABIN CRUISER

WARRANTY INFORMATION

All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

Only a partial list of standard equipment is shown; some boats are shown with optional accessories. Styling, design, equipment, prices, colors, and construction are subject to change without notice or obligation. To avoid disappointment, please check with your Stingray dealer or visit StingrayBoats.com for current information at the time of purchase.

FIND US ONLINE

stingrayboats.com mystingray.com stingrayboats.com/store



facebook.com/stingrayboats twitter.com/stingrayboats youtube.com/stingrayboats



STINGRAY BOATS 625 RAILROAD AVENUE, HARTSVILLE SC 29550 843-383-4507 | STINGRAYBOATS.COM