# Proudly made in South Carolina, USA



C

ທ









#### 2-5 About Stingray, Environment, Z-Plane Hull, Technology, Certifications, and Warranty

	recritiology, certifications, and warranty
6-7	188LX Sport Boat
8-9	182SC Deck Boat (OB)
10-11	191DC Deck Boat (OB)
12-13	198RX Rally Boat
14-15	198LX Sport Deck
16-17	192SC Deck Boat (OB)
18-19	201DC Deck Boat (OB)
20-21	204LR Sport Deck (OB) 208LR Sport Deck
22-23	212SC Deck Boat (OB)
24-25	214LR Sport Deck (OB) 215LR Sport Deck
26-27	225RX Rally Boat
28-29	225LR Sport Boat
30-31	234LR Sport Deck (OB)
32-33	235LR Sport Deck
34-35	250LR Sport Boat
36-43	Cuddies
36-37	215CR Sport Deck Cuddy
38-39	225CR Cuddy
40-41	235CR Sport Deck Cuddy
42-43	250CR Cuddy
44-47	Standards & Options
	Canvas Options / Hull Graphics /

### ABOUT STINGRAY

STINGRAY BOATS began more than 35 years ago with little more than two molds, a few skilled craftsmen, and a man with a passion to build great performing boats. That passion has endured and continues today. Boat building is not just a business here at STINGRAY; it's a part of who we are. We build boats that families and friends use to make lifelong memories.

STINGRAY is a privately owned, family-run company that focuses on building quality, not quantity. We also provide our customers with the assurance that they are getting the most boat for the best price. This has been the driving force of STINGRAY for over three decades and has provided us with the honor of having two-time, three-time, and even four-time STINGRAY boat owners. It is this loyal following of families who love boating that will continue to drive our passion to keep building great boats for many years to come.

At STINGRAY, we know that our customers lead busy lives and want to make the most out of their free time on the water. With that in mind, we take advantage of our performance history and the current market trends and combine that with our passion for building great boats to create some of the most fun boats on the water! STINGRAY means performance and excitement, at a price that more people can afford.



STINGRAYROATS.COM

#### **ENVIRONMENTALLY RESPONSIBLE**

Being a leader in technology is more than just a philosophy—it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stack emissions are not just buzzwords—they are measured goals of each employee. Our commitment goes beyond that which is mandated or regulated—it is an internal philosophy to do our part to protect the environment for generations to come. Consider a few of the things that we are doing to protect our planet:

**USE OF FOUR-CYCLE ENGINES** Stingray uses only three-star rated, four-cycle engines, which are the cleanest and most fuel efficient available for marine use. Better fuel efficiency

translates into less fuel consumption. Three-star engines can be four to ten times cleaner than two-cycle outboards, which means less pollution to our environment.





**OZONE-FRIENDLY FLOTATION FOAM** Stingray uses non-ozone depleting flotation foam by BASF. It is free of chlorofluorocarbons—gases that are depleting the earth's ozone layer. Ask about the use of zero-ozone depleting (zone 3) foam when considering boat brands.



**FUEL EFFICIENCY** The performance and efficiency of our proven Z-plane hull, documented by third party reports, is unmatched. Better fuel efficiency translates into less fuel consumption, but more importantly, it means less carbon dioxide emissions.

**LOW VOC GELCOATS AND RESINS** Stingray was the first boat manufacturer to convert to the use of low styrene laminating resins and gelcoats. The combination of these low VOC materials coupled with the latest in low pressure, high temperature spray equipment has reduced Stingray's VOC stack emissions by over 55%.

**WASTE REDUCTION/RECYCLING** Stingray has a recycling program for most waste materials including, but not limited to, cardboard, composites, aluminum, pallets, and metal drums. In cardboard alone, Stingray recycles over 163,000 pounds per year.

**COMMITTED** We want Stingray owners not only to have fun on the water, but also to know that they are helping to protect the environment at the same time.

#### **FINANCIALLY SOLID**

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on a strong partner to provide product innovation and customer support for years to come. We are proud of our debt-free status—a claim that few builders can make!

#### **VALUE AND QUALITY ORIENTED**

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray Boat Company is in excellent company with Chaparral, Cobalt, Formula, Godfrey, Grady-White, Monterey, Nautique, Pursuit, Regal, Rinker, and Tiara

Yachts. This is another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.







### **Z-PLANE HULL**

The Stingray Z-plane hull is unparalleled in the industry. It is up to 30% more efficient than other boat hulls. Developed on a CAD (Computer Aided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry leading top-end, and smooth handling at all speeds.

#### **TECHNOLOGY DRIVEN**

For the past three decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency i.e., computer-aided designs, multi-axis 3-D milling machines, water jet cutting machines, and CNC routers, to mention a few.

**COMPUTER AIDED DESIGN AND MANUFACTURING** Every Stingray begins as a three-dimensional computer model. We "build" the boat on-screen and carefully scrutinize each component for size and fit, making all of the necessary adjustments before we ever commit the design to fiberglass. We even use a virtual human to check for legroom and headroom—and to be sure that all of the controls are located comfortably within reach. The information from this 3-D model is sent to the next step in the process: 3-D milling.

**MULTI-AXIS 3-D MILLING MACHINE** With information available from a 3-D computer model, milling machines can produce a full size model in a matter of hours—a task that would take weeks otherwise. With unequalled precision, the running surface of the hull is cut to the exact specifications. Our master craftsmen then provide the mirror finish that is a hallmark of Stingray quality.

ROBOTIC LAMINATION FACILITY Visitors are always impressed by our plant's cleanliness and unique manufacturing systems. In our lamination building, a custom-designed overhead rail system was developed just for Stingray. Parts under construction are moved from one bay to the next for layup and curing. This system also keeps track of our in-process fiberglass parts while optimizing mold usage and improving productivity. Process automation also increases worker safety, helps maximize efficiency, and improves quality.







WATERJET CUTTING MACHINES Many parts on a Stingray are cut using one of our high-pressure water jet machines. A stream of water no thicker than a human hair slices quickly and neatly through a variety of materials much easier than could be done by hand. Materials such as carpet, foam, vinyl, canvas, rubber, and fiberglass are quickly transformed into precision quality parts.

**CNC ROUTERS** Computerized numeric controlled routers are used to cut various sheet goods into high quality parts. The computer allows us to "nest" a group of parts efficiently to minimize waste. Because the process is computer controlled, each part is dimensionally identical from one run to the next and can be finished much faster and more inexpensively than those produced by hand.

#### **CE CERTIFICATION**



Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe, into Asia and Australia. Stingray boats destined for these countries must meet stringent standards prescribed by Consultants Europe (CE) and bear the CE mark.

#### NMMA / USCG CERTIFICATION



All Stingray boats meet or exceed National Marine Manufacturer Association (NMMA) and US Coast Guard (USCG) certification requirements for safety, such as horsepower, load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.







### WARRANTY

Every Stingray boat is backed by a comprehensive warranty for peace of mind.

#### FIVE-YEAR LIMITED TRANSFERABLE STRUCTURAL HULL WARRANT\

STINGRAY Boat Co. (hereafter "STINGRAY") warrants the HULL against structural defects in material and workmanship for a period of five (5) years from the date of purchase or six (6) years from the date of manufacture, whichever period elapses first. The warranty provided in this section is to the original retail owner only and applies only if the boat is purchased from an authorized STINGRAY Dealer. During the warranty period described above, STINGRAY will repair (at the factory) or replace, at its option, the fiberglass HULL at the factory if it is determined, in Stingray's discretion, to be structurally defective in material or workmanship. For purposes of this warranty, the HULL is defined as the part of the boat in contact with the water when at rest. The warranty provided in this section is subject to all limitations and conditions contained herein. The remaining term of this HULL Warranty, if any, may be transferred to the second owner if, within 60 days of purchase, the new owner registers the transfer with STINGRAY and pays the established warranty transfer fee. Contact STINGRAY Customer Service at stingrayboats.com/transfer for further details on transferability.

#### THREE-YEAR LIMITED OSMOTIC HILL BLISTER WARRANTY

STINGRAY warrants against hull blistering caused by osmosis that is discovered and reported to STINGRAY during the first 3 years of ownership (subject to the prorated schedule below). The warranty provided in this section applies to the original retail owner only and is VOID if the original factory gelcoat surface has been altered by excessive sanding, scraping, sandblasting, or accident repair. A marine barrier coating with proper surface preparation is required if the boat is bottom painted or if the boat is left in fresh or salt water for more than 60 days in any 90 day period. In the event of osmotic blistering, STINGRAY will, at its option, repair or cause to be repaired any hull damage and apply a layer of marine barrier coating to the affected surface area(s). Osmotic hull blisters are defined as those blisters, larger than one-eighth inch in diameter and with a depth greater than one-sixteenth inch, which occur on the hull below the waterline. Repairs will be performed (at STINGRAY'S discretion) by the selling dealer, a designated service center, or the STINGRAY factory. The following prorated schedule of parts and labor will be covered by STINGRAY: Blistering discovered and reported to STINGRAY less than one (1) year from date of purchase - 100%; between one (1) and two (2) years from date of purchase - 66%; between two (2) and three (3) years from date of purchase - 33%. All osmotic hull repairs must be pre-approved by STINGRAY prior to any work being performed. Transportation cost is the boat owner's responsibility. Reimbursement shall be limited to one repair, not to exceed eighty US dollars (\$80 USD) per foot of hull length resting below the waterline prior to prorating.

#### **ONE-YEAR LIMITED GENERAL WARRANTY**

STINGRAY boats are warranted to the original owner to be free of defects in materials or workmanship for a period of one (I) year from the date of purchase (not to exceed two (2) years from date of manufacture) subject to all limitations and conditions contained herein.

#### WARRANTY INFORMATION

All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat.

Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.





STINGRAY

### 188LX

#### SPORT BOAT

- the bow area features padded lounge seats with canted backrests, a large ice chest, easily removable cushions that reveal roomy storage compartments, convenient cupholders, and twin speakers
- b twin flip-up sport buckets are a sporty and functional option (shown with onyx CoolTouch™ vinyl)
- a convenient walkway leads from the extended swim platform to the cockpit; underneath the walk-thru step is another onboard cooler, ensuring that a cold beverage is never too far away
- an oversized non-skid lid, held open by a gas-assist strut, provides access to floor storage; the optional, premium snap-in flooring is made of performance enhanced polypropylene and provides greater comfort and stays cooler

-	Lengtn	
18'	11"	







Idd 2 Capacity





















- the 182SC bow features wide lounge seating with reclined backrests, a large self-draining cooler to keep your drinks and snacks cool for the day, ample cupholders, and under seat storage compartments for storing gear while underway
- a roomy layout is enhanced with lots of storage, including a large, floor storage locker for a wakeboard or other gear; a 25-quart removable cooler, for bringing pre-chilled drinks aboard, is conveniently hidden under the rear lounge seat
- earth tone vinyls and clean lines create a modern look throughout; a low profile dash design optimizes visibility and creates a sporty look that is further complemented with a sport bucket for the captain
- comfort is optimized with wrap-around seating for your passengers to stretch out and enjoy the ride; a rear-facing lounge seat allows your co-captain to keep an eye on tubers and wake boarders

Beam	Avg Dry Weight (popular engine)

2000 lbs (90 hp)









19' 1"















# 191DC DECK BOAT

- our onyx CoolTouch™ vinyl by NBT Marine has been tested and shown to be cooler than standard neutral colored vinyl by more than 10 degrees, increasing passenger comfort. A hot new color...without the added heat!
- a convenient step-thru ensures easy boarding; an open layout with L-shaped seating provides lots of seating and leg room for everyone aboard; underseat and in-floor storage spaces provide lots of room for stowing gear and supplies
- the bow features padded lounge seats with canted backrests, a large ice chest, easily removable cushions that reveal roomy storage compartments, convenient cupholders, and twin speakers
- a full windshield provides protection from the wind; sporty buckets are provided for captain and co-captain; a sporty dash panel houses easy-to-read gauges

Length	Beam
9' 1"	90"

Avg Dry Weight (popular engine)	
2000 lbs (90 hp)	























### 198<sub>RX</sub>

#### RALLY BOAT

- our RX models are designed to get entry level boaters on the water, without sacrificing looks and amenities
- a deep bow allows passengers to relax and get comfortable; twin speakers flank both sides and an insulated cooler ensures drinks stay cold for hours; the overboard drain makes cleanup easy at the end of the day
- a convenient side-entry walkway leads from the swim platform to the cockpit; once inside, the lower step opens to reveal a hidden ice chest, ensuring that refreshments are never far away from passengers
- b underneath the walk-thru is a removable storage bin, making it easy to load small items and carry them aboard
- a low profile dash design optimizes visibility and creates a sporty look, further complemented by the clean look of a white dash and a three-spoke black and stainless steering wheel

Length	Beam
19' 9"	94'

Avg Dry Weight (popular engine)
2662 lbs (4.3 L)



Capacity
Capacity
A 22 9 P























## 198<sub>LX</sub>

the contoured 198LX bow features a non-skid step-thru that doubles as a lid for a slide-out ladder and locker for anchor storage; the step into the bow is a lid that opens to reveal an ice chest; seat backs pop open to reveal storage beneath

- optional twin sport buckets with flip-up bolsters easily raise and lower to match passenger preference
- a modern, low-profile dash increases visibility and is set off by a sporty three-spoke steering wheel
- an oversized non-skid lid, held open by a gas-assist strut, provides access to floor storage
- a convenient walkway leads from the swim platform; insert the optional filler cushion to create a full-width sundeck
- Our onyx CoolTouch™ vinyl has been tested and shown to be cooler than standard neutral colored vinyl

	SP	OF	T	DE	C	K

Beam 19' 9" 94"

2662 lbs (4.3 L)









- the helm station boasts a custom low-profile dash with room for accessories and a sporty windshield visor; a deep bow and wide body make the 192SC extra roomy; add the optional filler cushions to create a sunpad; below the non-skid lid is a slideout, two-step bow ladder and anchor locker storage
- a freshwater sink is conveniently located amidships for easy access by all passengers
- an optional fishing package includes a removable trolling motor mount, a trolling motor harness and plug, a bow fishing seat, an aft fish storage box, and two additional stainless steel, aft rod holders (requires Option #750, see pg 44)
- an optional table can be used in the cockpit or bow; the optional forward bimini provides shade from the sun; in addition to the convenient aft entry, the 192SC features port side steps for easy entry

Length	

100"

2600 lbs

(115 hp)





















- a deep bow provides extra security for passengers; add the optional filler cushions to create a sunpad; the forward platform features a two-step ladder and anchor; a large, insulated and self-draining ice chest keeps drinks cold all day
- the molded-in cockpit sink, conveniently located in the passenger area, is upgraded to a single-tap faucet when the optional pressurized water system is ordered
- a custom dash allows room for accessories and features easy-to-read beveled gauges and a sporty three-spoke wheel
- a 67-quart livewell can be found under the rear center cushion; beneath the sink amidships is a 25-quart removable cooler for bringing pre-chilled drinks aboard; storage throughout provides lots of areas for gear and supplies
- seating is optimized with a wrap-around layout; a rear-facing lounge seat allows your co-captain to keep an eye on tubers and wake boarders; storage bins on the swim pods lift to reveal easy access for maintenance

20	100
40	שני
DECK	BOAT

Length	
20' 1"	



























## 208LR

- SPORT DECK

	Length	Веаш	Avg Dry Weight (popular engine)	Fuel Capacity
204LR	20' 5"	99"	2490 lbs (115 hp)	34 gal
ONSI R	20' 8"	qq"	2825 lbs	34

Weight (popular engine)	Fuel Capacity	lce Capacity	Max Capacity
490 lbs	34	32+14	9 ppl
115 hp)	gal	qt	1715 lbs
825 lbs	34	32+14	9 ppl
(4.3 L)	gal	qt	1715 lbs



the wide beam (204LR shown) provides both a transom walkway for easy boarding and a roomy sunpad; purchase the optional filler cushion (208LR only) to expand the sunpad the full width of the boat

a low profile dash with easy-to-read beveled gauges increases visibility from the helm; an attractive cork area, surrounded by stainless steel railing, holds small accessories in place

multiple coolers (bow and cockpit) make it easy for passengers to have drinks at their fingertips

optional custom sport buckets offer flip-up seating for both the driver and co-captain









- a wide beam makes this bow as roomy as it looks; the bow platform step-thru is non-skid and houses a beach boarding ladder and anchor storage; flanked between the bow lounges is one of three onboard ice chests
- b the helm station boasts a custom low-profile dash with room for accessories and a sporty windshield visor
- an open floor plan allows for easy movement on deck; hidden storage in the side-entry steps, beneath the seats and below the floor, provides plenty of room to store necessities, leaving room for family and friends
- ▶ a freshwater sink is conveniently positioned amidships; a trash receptacle compartment is covered below
- changing into swimsuits is convenient with the roomy onboard changing compartment; for added passenger convenience, the changing compartment can be upgraded to a head compartment with a porta-potti

Length	
21' 11"	

Beam "201

Avg Dry Sql 000lg (dd 020lg (ddd 020lg (dd 020lg (dd 020lg (dd 020lg (dd 020lg (dd 020lg (dd 020 Capacity

Max dd Capacity

12 ppl 2600 lbs



















#### SPORT DECK

### 215LR

#### SPORT DECK

25+17

25+17

11 ppl 2167 lbs

11 ppl 2167 lbs

- the low profile, soft-touch vinyl brow provides increased visibility and reduces glare when underway
- turn the standard roomy bow into a giant lounging area with optional bow filler cushions
- an entertainment center is complete with freshwater system, removable cooler, and a stylish counter; when it's time for snacks, the table can be set up quickly in either the bow or the cockpit
- ▶ the 214LR features two swim platforms; add the transom stereo remote for easy access from the water
- a spacious head compartment is equipped with built-in shelving, a recessed toilet paper holder, LED lighting, and an opening port light window...and doubles as a changing room



	Length	Beam	Avg Dry Weight (popular engine)	Fuel Capacity
214LR	21' 8"	101"	3114 lbs (150 hp)	46 gal
215LR	21' 11"	101"	3705 lbs (5.0 L)	46 gal
1				







### 225<sub>RX</sub>

- the bow features an ice chest, cupholders, speakers, anchor locker, storage under the seats and behind the seat backs
- easy-to-read white gauges and a sporty three-spoke black and stainless steering wheel are standouts on the clean and modern look of the white dash pods; a coordinating glove box and storage compartment complete the passenger dash
- an integrated swim platform is the perfect size for initiating water sports or on-water entertainment; the full-width sundeck, with convenient walk-thru when the center cushion is removed, can be used for sunbathing or just hanging out with friends and family; a three-step boarding ladder, covered by a non-skid lid, assists passengers with re-entry
- the STINGRAY Z-plane hull is up to 30% more efficient than other sport boat hulls...it's also faster and corners better, making it one of the best sport boat values on the market

	14.4	2000000		-		
_	_					
-	<u> </u>	LLY			$\boldsymbol{H}$	
and the latest designation of			_	_		

	Beam	Avg Dry Weight
14"	100"	3210 II
























#### SPORT BOAT

- sport boat performance and styling with deck boat roominess best describes the 225LR
- the curved bow (shown with onyx CoolTouch™ vinyl) features twin lounges, a 32-quart insulated cooler, twin cupholders, twin speakers, an anchor locker, and storage beneath the lounges, as well as behind the seatbacks
- attractive gauges are housed beneath a low-profile brow for increased visibility; a cork area surrounded by stainless rails can be used to hold small accessories in place
- both the captain and co-captain seats are sport buckets with flip-up seats that quickly adjust to an up or down position
- a convenient walk-thru companionway is revealed when the center cushions are removed; the center cushions quickly reattach to create a full-width sundeck, as well as a full bench seat below

Length	
2' 11"	1



ج Fuel Sapacity Capacity 25+





















#### SPORT DECK

- the bow (shown with onyx CoolTouch™ vinyl) provides ample legroom while storage compartments not only serve as steps, but also house a cooler, boat fender locker, and two-step bow ladder with anchor locker combination
- b the on-board head compartment doubles as a changing room when it's time for swimming or water sports
- > sport bucket seats with flip-up bolsters adjust to an up or down position and feature luxurious stain-resistant vinyl
- a pressurized bow shower is conveniently located to wash off dirt and sand before re-entering the boat
- the low profile, soft-touch vinyl brow provides increased visibility and reduces glare when underway; the 234LR has room for all your friends and family, features a self-bailing, full fiberglass liner for easy cleanup, and provides the ease of maintenance of outboard propulsion

Length	Beam
3' 8"	101"

Avg Dry Weight (popular engine) E 9 Capacity

Capacity Capacity 25+32

12 ppl 2535 lbs















#### SPORT DECK

- an onboard entertainment center is complete with a freshwater sink, removable cooler, and an attractive counter top—it's the perfect setup for entertaining your friends and family
- a giant floor storage area is large enough for a person to climb inside, but we suggest using it to store a wakeboard or other gear and supplies for a fun day on the water
- a pressurized bow shower is conveniently located to wash off dirt and sand before re-entering the boat
- a standard full fiberglass liner makes for easy cleanup at the end of the day; add the optional Serengeti premium woven carpet, a blend of ruggedness and beauty, to provide greater comfort underfoot
- the onboard head compartment features a porta-potti and doubles as a changing room on the water

Length	Beam
23' 11"	101

Avg Dry Weight (popular engine) B G Fuel Capacity Capacity 5+32

Iqq 21 Cabacit Sdl 2535

















# 250LR SPORT BOAT

- a wide u-shaped design provides ample seating room and keeps everyone near the action in the cockpit; filler cushions can be quickly set up to convert the seating area to an oversize sunpad or a sleeping berth
- whether in the cockpit or bow, a cold beverage is never far away; there are ice chests in the bow and amidships and a removable cooler (can be upgraded to 12-volt refrigerator) to take your party ashore
- a freshwater system, stainless steel sink, and attractive counter top make up the entertainment area amidships; the optional 12-volt Isotherm refrigerator upgrades an already luxurious interior and keeps your snacks fresh
- the enclosed head compartment makes this sporty bowrider convenient for a day or night on the water
- lift the latch just forward of the bow seating to reveal the anchor locker storage area


Length	Beam	Avg Dry Weight (popular engine)	Fuel Capacity	lce Capacity	Max Capacity
25'	102"	4340 lbs (5.0 L)	68 gal	32+32+25 qt	10 ppl 2265 lbs

















## 215cr

#### SPORT DECK CUDDY

- the 215CR cabin is built on a fiberglass liner and comfortably sleeps two adults; dual lighting and speakers flank both sides of the cabin mirror; two port holes and a screened deck hatch provide ventilation; a cabinet-size storage locker with a covered storage tray provides space for storing small items; beneath the cushions is a porta-potti, portable stove, and additional storage; the 215CR may qualify for second home tax exemptions
- solid cabin doors provide privacy and convenient steps make access to the foredeck convenient and easy
- ▶ a 15" wide walkway leads from the extended swim platform and makes boarding easy for all your passengers
- an entertainment center includes a freshwater system, a counter top, twin stainless cup holders, and a removable 25-quart Igloo cooler, making it easier to stock drinks or to take the party ashore

Length	Beam	Avg Dry Weight (popular engine)	
21' 11"	101"	3775 lbs (5.0 L)	





















# 225cr

- a step-down cabin entry leads to a spacious V-berth with built-in speakers, four-point adjustable lighting, and a storage cabinet; raise the cushions to reveal a porta-potti, portable butane stove, and additional storage
- solid cabin doors provide privacy; sport buckets with a flip-up bolster are standard port and starboard
- built-in fiberglass steps lead to a non-skid foredeck for easy access when docking or dropping anchor
- a convenient walk-thru companionway is revealed when the center cushions are removed; if you need extra seating, just quickly re-attach the center cushion
- b this cuddy is packed with amenities, including a standup bimini top, and offers a deep cockpit design

Length
22' 11"

Beam "001

Avg Dry Seight (popular engine)

(5.0 L)

S 9 Fuel Capacity Capacity 0 0 Max





















## 235cR

#### SPORT DECK CUDDY

- luxurious two-tone vinyl and optional premium flooring create an upscale look; sporty buckets with flip-up bolsters, swivels, and sliders provide comfort and optimal legroom for both the captain and co-captain
- a cabinet-size storage locker is just inside the roomy cabin; sport deck width ensures plenty of room for comfortable sleeping; lift the cabin cushions to reveal the porta-potti, butane stove, and additional storage
- the cockpit features a wide sunpad, wrap-around seating, a 15" wide transom entryway, and an entertainment center complete with freshwater system, counter top, and a 25-quart removable cooler
- the transom wash down is convenient for removing dirt and sand before entering the boat
- integrated fiberglass steps lead from the cockpit to the bow for easy access for docking and dropping anchor

Length	Beam
23' 11"	101

Avg Dry Weight (popular engine)	
4175 lbs (5.0 L)	

























## 250cr

#### CUDDY CABIN

- to maximize cabin space, the cabin is level with the cockpit floor; cushions lift to reveal accessories, storage, and a porcelain head; a storage closet and multiple cubby holes provide an abundance of storage space
- wrap-around seating provides room for your passengers to stretch out and enjoy the ride; sport buckets with flip-up bolsters provide comfort for the captain and co-captain
- an ice chest and entertainment center are amidships for easy access when the cocktail table (see pg 47) is set up for drinks and snacks; an optional 12-volt Isotherm refrigerator upgrades the 25-quart removable cooler below the freshwater sink
- the helm features a split-console design that reserves room for an aftermarket plotter; switches and controls are at the captain's fingertips and finished with a sporty three-spoke wheel

Length	Beam	Avg Dry Weight (popular engine)	Fuel Capacity	lce Capacity	Max Capacity
25'	102"	4293 lbs (5.0 L)	68 gal	32+25 qt	10 ppl 2265 lbs





## STANDARDS & OPTIONS

									1	1															
	# NOILION #	180RX*	198RX	225RX	188LX	225LR	225SX*	250LR	198LX	204LR	208LR	214LR	215LR	234LR	235LR	182SC	191DC	192SC	201DC	212SC	215CR	225CR	235CR	250CR	250CS*
		RA	LLY BO	DAT		SPORT	BOAT				SPO	ORT DI	ECK				DE	СК ВС	DAT			CUDD	Y / CR	UISER	
5-Year Hull Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
3-Year Hull Blister Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exclusive Z-Plane Hull	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Certifications: NMMA, USCG	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Opening Cabin Windows with Screen	-	-	-	-	-	-	-	1 ea	-	-	-	1 ea	1 ea	1 ea	1 ea			-		-	2 ea	2 ea	2 ea	2 ea	4 ea
Full Hull Color Band	50	-	-	-	577	577	577	737	577	577	577	608	608	608	608	-	-	608	608	608	608	577	608	737	737
Hull, Half Stripe Color Band	51	368	368	368	-	-	-	-	-	-	-	-	-	-	-	368	368	-	-	-	-	-	-	-	-
Hull Bottom Color (Black)	390	-	-	-	300	300	300	408	300	300	300	331	331	331	331	-	-	331	331	331	331	300	331	408	408
Hull Graphic Sweep - Black / Silver	-	-	-	-	S	S	-	S	S	S	S	S	S	S	S	-	-	S	S	S	S	S	S	S	S
Hull Graphic Sweep - Red / Silver or Yellow / Silver	er 336/335	-	-	-	192	192	192	192	192	192	192	192	192	192	192	-	-	192	192	192	192	192	192	192	192
Hull Graphic - Hyper Blue	346	-	-	-	-	289	-	-	-	-	289	289	289	289	289	-	-	289	289	289	289	-	289	-	-
Hull Graphic - Hyper Gray	347	-	-	-	-	289	-	-	-	-	289	289	289	289	289	-	-	289	289	289	289	-	289	-	-
Hull Graphic - Hyper Yellow	348	-	-	-	-	289	-	-	-	-	289	289	289	289	289	-	-	289	289	289	289	-	289	-	-
Hull Graphic - Hyper Red	349	-	-	-	-	289	-	-	-	-	289	289	289	289	289	-	-	289	289	289	289	-	289	-	-
CE Certification Package with Shipping Cradle	90	877	954	954	954	954	954	954	954	954	954	954	954	954	954	954	954	-	954	954	954	954	954	954	954
Shipping Cradle (export only)	31	508	508	508	508	508	508	508	508	508	508	508	508	508	508	-	-	508	508	508	508	508	508	508	508
Electric Trim Tabs with LED Indicator	56	-	-	-	-	1062	1062	1062	-	-	-	1062	1062	1062	1062	-	-	-	-	-	1062	1062	1062	1062	1062
Hydraulic Trim Tabs with LED Indicator	68	-	-	-	-	985	985	985	-	-	-	985	985	985	985	-	-	-	-	-	985	985	985	985	985
Stainless Steel Sport Trim Tabs (fixed)	57	-	-	-	100	-	-	-	-	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pressurized Bow and Transom Shower	70	-	-	-	-	-	-	-	-	-	-	S	S	S	S	-	-	498	498	498	-	-	-	-	-
Pressurized Water with Transom Shower	69	-	-	-	-	422	-	S	-	422	422	-	-	-	-	-	-	-	-	-	S	291	S	S	S
Floor Storage with Oversize Door	-	S	S	S	S	S	-	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-
Stainless Steel Bow Rails	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S
Bow Anchor Locker	-	-	-	S	-	S	-	S	S	S	S	S	S	S	S	-	-	S	S	S	S	S	S	S	S
Live Well (Bow) / Two SS Rod Holders	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	500	500	500	500	500	-	-	-	-	-
Enclosed Head with Vent Window & Lighting	-	-	-	-	-	-	-	S	-	-	-	S	S	S	S	-	-	-	-	S	-	-	-	-	S
Lockable Cabin Doors	-	-	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S
Cabin Windows with Stainless Steel Frame	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-
Stainless Steel Multi-Step Transom Ladder	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel Multi-Step Bow Ladder	-	-	-	-	-	-	-	-	S	S	S	S	S	S	S	-	-	S	S	S	S	-	S	-	-
Stainless Steel Spring Line Cleats	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel LED Docking Lights	313	-	-	-	311	311	311	311	311	311	311	S	S	S	S	311	311	311	311	311	S	311	S	311	311
Blue LED Accents and Underwater Lighting	314	-	-	-	491	537	537	537	491	491	537	537	537	537	537	491	491	491	491	537	537	537	537	537	537
Windshield with Side Vent Windows	-	-	-	-	S	S	-	S	S	S	S	S	S	S	S	-	-	-	-	-	S	S	S	S	S
Stainless Steel Custom Ski Tow (removable)	670	-	-	-	-	-	-	-	-	492	-	492	-	492	-	492	492	492	492	492	-	-	-	-	-
Wakeboard Tower, Folding Arch Style	663	-	-	-	-	5292	-	-	-	-	5292			5292	5292	-	-	3838	3838	3838	5292	-	5292	-	-
Wakeboard Tower Top	63	-	-	-	-	762	-	-	-	-	762	762	762	762	762	-	-	762	762	762	762	-	762	-	-
Full Bow Rail Exchange Without Bow Ladder	680	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	229	-	229	-	-
25-Quart Removable Igloo Cooler	-	-	-	-	-	S	-	S	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Backlit Instruments with Circuit Breakers	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Dash Accessory Plug (12V)	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Electronic Engine Hour Meter	-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	-	-	S	S	S	S	S	S	S	S
Indirect LED Cockpit Lighting	-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Nano-Block Stain-Resistant Vinyl	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Ignition Switch with Stereo Accessory Remote	-	S	S	S	S	S	S	S	S	-	S	-	S	-	S	-	-	-	-	-	S	S	S	S	S
Teak Cockpit Table (upgrade)	94	-	-	-	-	275	-	275	-	-	-	275	275	275	275	-	-	-	-	275	275	275	275	275	275
Self-Bailing Cockpit	-	-	-	-	-	-	-	S	-	-	-	S	S	S	S	-	-	S	S	S	S	-	S	S	S
Throttle-Trim Control with Safety Switch	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S

- S Denotes Standard
  - Denotes Not Available.
- ea Indicates quantity, not dollars.

Prices and specifications subject to

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options.

\* 180RX, 225SX, and 250CS models are available in limited quantity and will be discontinued during the 2016 model year. For information about these models, visit stingrayboats.com.



Polk Audio Systems (Options #730 - 500w and #731 - 200w)



Sport Bucket with Flip-Up Bolster



Custom Dash with Backlit Instruments and Stainless Steel Accents



Stainless Steel Hardware Package (Option #820)
Items vary by model. Refer to page 46 for complete package details.



Recessed Speakers and Convenient Stainless Steel Drink Holders



25-quart Removable Cooler



Carpeted Floor Storage with Non-Skid Lid and Stainless Steel Shock Assist



Integrated Bow Steps and Lockable Cabin Door (215CR shown)



Walk-Thru Removable Filler Cushion (Option #47 or #77)



Deck Boat Interior - Sport Bucket, Open Layout, and Lots of Seating



RX Interior - Bucket Seats, Bench Seating, & Sundeck



Sport Deck Interior (outboard) - Bucket Seats, Wrap-around Seating, & Sundeck



Stainless Steel Port Windows



Slide-out Bow Ladder, Fender Storage, and Anchor Storage (Sport Deck Bowrider Models)



Sport Deck Interior (sterndrive) - Bucket Seats, Wrap-around Seating, & Sundeck



225 Models Interior - Bucket Seats, Wrap-around Bench Seating, & Center Walk-Thru Sundeck

### STANDARDS & OPTIONS

	,		Γ										17			ТТ						T				
1		* 2	*	×	×	×	œ	* ×	œ	×	œ	œ	œ	$\alpha$	<u>~</u>	œ	Ų	DC	Ö	DC	Q	Ľ,	œ	Ľ,	œ	ر ر ر ر
1		OPTION	180RX*	198RX	25RX	188L	25L	225SX	250LR	198LX	204L	08L	214LR	15L	34LR	35L	182S	<u></u>	192S	10	2128	215CI	5C	235CR	250CR	250CS
		P	2	0,	22	2	22	22	25	7	2(	7	,	2	2	23	₩	191	<del>(</del> )	201	7	2	22	23	25	25
_			RA	LLY BO			SPORT						ORT DE						CK BC						UISER	
	Digital Depth Finder with Depth Alarm	48	-	-	-	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358	358
	Marine Audio Stereo BT-USB-APP	80	-	-	-	385	385	-	-	385	385	385	-	-	-	-	385	385	385	385	-	-	-	-	-	-
	Marine Audio 160W Stereo BT-USB-APP-WB	79	-	-	-	-	462	S	462	-	-	-	462	462	462	462	-	-	-	-	462	462	462	462	462	462
	Stereo Remote(s)	75	-	-	-	-	185	185	185	-		-	323	323	323	323	-	-		-	323	185	185	185	185	185
	Polk 200w Audio System	731	-	-	-	-	762	762	762	-	762	762	762	762	762	762	-	-	762	762	762	762	762	762	762	762
	Polk 500w Audio System with 10" Sub	730	-	-	-	-	-	2346	2346	-	-	-	2346	2346	2346	2346	-	-	-	-	-	-	-	-	-	-
	Polk Stereo Remote(s)	78	-	-	-	-	229	229	229	-	229	229	429	429	429	429	-	-	429	429	429	229	229	229	229	229
	Stereo Upgrade - USB, BT, with Remote(s)	71	-	-	-	429	-	-	-	429	429	429	-	-	-	-	-	-	614	614	-	-	-	-	-	-
	Adjustable Pedestal(s) - for 1 (86) or 2 (83) Seats	86/83	-	-	-	-	-	-	-/169	-	-	-	-/169	-/169	-/169	-/169	-	-	-	-	-	-/169	-/169	-/169	-/169	85/-
ı	Sport Bucket with Bolster	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	215	215	S	-	-	-	-	S
_	Twin Sport Bucket with Bolster	82	-	-	-	431	S	S	S	431	431	431	S	S	S	S	-	-	-	-	-	S	S	S	S	S
¥	Fiberglass Cockpit Floor Liner	46	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
0	Flooring, Snap-In Carpet	33	-	-	-	537	-	-	-	537	537	537	-	-	-	-	537	537	537	537	-	-	-	-	-	-
U	Flooring, Premium Snap-In Carpet	34	-	-	-	660	660	660	691	660	660	660	691	691	691	691	660	660	660	660	660	660	660	660	660	660
	Cockpit Table with Mount(s)	76	-	-	-	-	S	-	S	-	-	262	S	S	S	S	-	-	346	346	S	S	S	S	S	S
	Freshwater Sink - Cockpit	72	-	-	-	-	-	-	S	-	-	-	S	S	S	S	-	-	S	S	S	S	-	S	S	S
	Refrigerator - Cockpit	710	-	-	-	-	-	-	1369	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1369	-
Ш	Filler Cushion - Aft Walkthru	47	-	-	-	-	S	S	S	-	-	-	-	346	-	346	-	-	-	-	-	346	S	346	S	-
Ш	Filler Cushion - Aft Walkthru & Seat	77	-	-	-	500	-	-	-	500	-	500	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Filler Cushion - Bow / Cabin	84	-	-	-	331	331	-	331	331	331	331	331	331	331	331	-	-	377	377	377	S	S	S	S	-
	Cabin Lights	-	-	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S
	SS Butane Stove with Case & Auto Light	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	-
z	Freshwater Sink - Cabin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	S
8	Molded Fiberglass Cabin Liner	-	-	-	-	-	-	-	S	-	-	-	S	S	S	S	-	-	-	-	-	S	S	S	-	S
<b>ا</b>		705	-	-	-	-	-	S	S	-	-	-	S	S	S	S	-	-	-	-	146	S	S	S	-	-
	Porcelain Head with Holding Tank	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S
	Porta-Potti with Dockside Pumpout	38	-	-	-	-	-	-	185	-	-	-	185	185	185	185	-	-	-	-	323	185	185	185	185	-
	Gray Water Tank with Dockside Pumpout	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	423	-	-	-
Ш	Automatic Fire Extinguishing System	19	472	472	472	672	672	672	672	672	-	672	-	672	-	672	-	-	-	-	-	672	672	672	672	672
П	Battery Charger (110V)	41	-	-	-	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	-
Ш	Battery On / Off Switch with Safety Key	36	-	-	-	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105	S
П	Dual Battery System with VSR & Switch	30	-	-	-	-	285	285	285	-	-	-	285	285	285	285	-	-	285	285	285	285	285	285	285	S
	Power Trim and Tilt	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Remote Oil Change System (Dipstick Style)	- 40	S	S	S	S	S	S	S	S	-	S	-	S	-	S	-	-	-	-	-	S	S	S	S	S
ш	Transom Mounted Tilt Switch	40 620	-	-			S	5	-	-	1346	-		-	1346	5	-	-	1346	1346	1346	-	S	5	S	5
2	Hydraulic Tilt Steering Yamaha #1	621	-	-	-	-	-	-	-	-	1340	-	1346 1346	-	1346	-	-	-	1340	1340	1346	-	_	-	-	
O Z	Hydraulic Tilt Steering Yamaha #2 Hydraulic Tilt Steering Merc #1	622	-	-	-	-	-	-	-	-	1346	-	1346	-	1346	-	-	-	1346	1346	1346	-	-	-	-	_
ш	, ,	623	_	-	_	-		_	_	_	1346	-	1346	-	1346	-	-	_	1346	1346	1346	_	_	-	-	
	Hydraulic Tilt Steering Suzuki #1 Hydraulic Tilt Steering Suzuki #2	624	_	-	-	-	_	-	-	-	1346	-	1346	_	1346	_	-	-		1346		-	-	-	-	
	Power Steering (Engine Driven)	-	S	S	S	S	S	S	S	S	-	S	-	S	-	S	-	-	1340	1340	-	S	S	S	S	S
	Tilt Steering with Locking Detent	39	-	-	-	183	S	S	S	183	183	183	S	S	S	S	183	183	183	183	S	S	S	S	S	S
	Zero Torque Steering	-	-	-	-	-	-	-	-	-	103 S	-	S	-	S	-	163 S	103 S	103 S	103 S	S	-	-	-	-	-
	Dual Battery System with VSR for CE option	307	-	-	-	-	262	262	262	-	-	-	262	262	262	262	-	-	-	-	262	262	262	262	262	-
	Engine Oil Drip Pan	98	152	152	152	152	152	152	152	152	-	152	-	152	202	152	-	-	-	-	-	152	152	152	152	152
	Preferred Equipment Group <sup>1</sup>	805					1343						1343			1343		1149		1768					1768	-
	Stainless Steel Hardware Package <sup>2</sup>	820	-	1240	-	200	231	231	231	200	200	200	231	231	231	231	200	200	115	115	115	231	231	231	231	231
	Fishing Package <sup>3</sup>	802	_	-	-	200	231	231	-	-	200	200	231	-	231	231	612			612		-	-	231	-	-
(	I forming I donage	002															012	012	012	012	012					

- S Denotes Standard
- Denotes Not Available
- A Electrical System includes: 25 ft shorepower cable, battery charger, refrigerator, alcohol / electric stove.
- 1 Preferred Equipment Group items
- vary by model and may include: Auto / Manual Bilge Pump (1100 gph) - Bimini Top (Sunbrella)
- Helm Seat with Fore and Aft Adjustors
- LED Cockpit Lighting
- Stainless Steel Ski Tow
- Marine Audio Stereo BT-USB-APP
- Marine Audio 160W Stereo BT-USB-APP-WB
- Transom Mounted Tilt Switch
- Tilt Steering with Locking Detent
- Stainless Steel Multi-Step Bow Ladder
- Bimini Top (Sunbrella) with SS Frame
- Stainless Steel Hardware Package items vary by model and may include:
   SS Horn Cover
   SS Cup Holders
   SS Windshield Supports
   SS Cup Handles

  - SS Grab Handles - SS Dash Rail

  - SS Bimini Top Quick Connects - Cabin Windows w/ SS Frame

  - SS Vent Covers
- 3 Fishing Package items vary by model and may include:
- Trolling Motor Mount (removable) Trolling Motor Harness and Plug
- Fishing Seat (Bow)
   SS Rod Holders Aft (2 additional)
   Fish Storage Box (aft)

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options

\* 180RX, 225SX, and 250CS models are available in limited quantity and will be discontinued during the 2016 model year. For information about these models, visit stingrayboats.com.



Under Seat Storage (varies by model)



Under Seat Storage (varies by model)

**Custom Steering Wheel** (style varies by model)



Freshwater Sink, Counter Top Area, and 25-quart Removable Cooler (235LR shown)





Fishing Package (Option #802) Items vary by model. Refer to page 46 for complete package details.



Molded Fiberglass Cabin Liner with Storage, Butane Stove, and Porta Potti (215CR shown)



Wakeboard Tower, Folding Arch Style (Option #663) (includes Hyper Graphic) and Wakeboard Tower Top (Option #63)



Onyx CoolTouch™ Vinyl Interior (no charge choice)



Fish Storage Box / Cooler



Ice Chest Under Walk-Thru Step (varies by model)



Cockpit Filler Cushions (250LR and 250CR)



Bow Filler Cushions (Option #84)



Cockpit Table with Floor Mount (Option #76)



Bow Ice Chest (sizes and styles vary)

### CANVAS

CANVAS IS MADE OF HIGH	# NOLLION #	180RX*	198RX	225RX	188LX	225LR	225SX*	250LR	198LX	204LR	208LR	214LR	215LR	234LR	235LR	182SC	191DC	192SC	201DC	212SC	215CR	225CR	235CR	250CR	250CS*
QUALITY SUNBRELLA MATERIAL		RA	LLY BC	DAT		SPOR	г воат				SP	ORT DE	СК				DE	ск во	AT			CUDD	Y / CR	UISER	
Optional Canvas Color	66	S	-	-	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146
Bimini Top	65	-	-	-	765	903	-	-	765	903	903	903	903	903	903	765	765	-	-	-	903	903	903	-	- 1
Bimini Top with SS Frame	62	-	-	-	-	-	-	1380	-	-	-	-	-	-	-	-	-	1380	1380	1380	-	-	-	1380	1380
Bimini Top - Forward	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	800	800	800	-	-	-	-	- 1
Cockpit and Bow Cover	17	692	751	751	751	751	-	1006	751	751	751	1006	1006	1006	1006	-	751	-	1006	-	-	-	-	-	-
Cockpit Cover	13	-	-	-	-	-	-	702	-	-	-	-	702	-	702	731	-	915	-	915	702	525	702	702	702
Cockpit Cover for Wake Tower	73	-	-	-	-	569	-	-	-	569	569	748	748	748	748	-	-	915	702	915	-	-	-	-	-
Bow Cover	18	-	-	-	228	228	-	305	228	-	228	305	305	305	305	-	228	-	305	-	-	-	-	-	- 1
Wakeboard Tower Top	63	-	-	-	-	762	-	-	-	-	762	762	762	762	762	-	-	762	762	762	762	-	762	-	-
Camper Canvas (2nd top, all curtains)	15	-	-	-	-	-	-	-	-	-	-	1300	1300	1300	1300	-	-	-	-	-	1300	-	1300	-	1500
Full Canvas Set	4	-	-	-	-	-	-	1134	-	-	-	-	1062	-	1134	-	-	-	-	-	766	529	829	829	-
Side Curtains (for top enclosure)	16	-	-	-	-	-	-	414	-	-	-	414	414	414	414	-	-	-	-	-	414	414	414	414	414
Walk-Thru Flap	14	-	-	-	105	105	-	105	105	105	105	105	105	105	105	-	105	-	105	-	-	-	-	-	-
Aft Bimini Extension Shade Top	67	_	_	_	_	_	_	_	_	_	_	460	460	460	460	_	_	_	_	_	460	_	460	_	



Bimini Top (shown in standard latte) with Windshield Connector (not shown) - Option #65



Wakeboard Tower Top (shown in optional black) - Option #63



Cockpit and Bow Cover (shown in optional black) - Option #17



Camper Canvas (shown in standard latte) (215LR shown) - Option #15



Stand-up Forward Bimini Top (shown in optional black) -Option #64 - attaches to front of the standard deck boat Stand-up Bimini Top (192SC shown)



Bow Cover (shown in standard latte) - Option #18



Walk-Thru Flap (shown in red) - Option #14



Full Canvas Set (shown in optional black) - Option #4



Latte







Standard canvas color is latte. The other colors are an optional up-charge exchange. The exception is the 180RX. Black canvas is the standard color for the 180RX model. Refer to the chart above for complete details.

### HULL GRAPHICS / GELCOAT COLORS

The listings below represent popular gelcoat and decal combinations. To view other combinations, visit our online Build Your Boat feature at http://stingrayboats.com/buildboat.



Black Full Hull Color Band with Standard Bottom



Red Full Hull Color Band with Standard Bottom



Dove Full Hull Color Band with Standard Bottom



Black Full Hull Color Band with Standard Bottom and Red Sweep



Red Full Hull Color Band with Black Bottom



Black Full Hull Color Band with Black Bottom and Red Sweep

Full Hull Color Band (option #50), Hull Bottom Color (option #390), and Hull Graphic Sweeps (options #335 and #336) are available on most models, excluding the 180RX, 198RX, 225RX, 182SC, and 191DC models.

Half Hull Color Band (option #51) (see page 12) is available on the 180RX, 198RX, 225RX, 182SC, and 191DC models.



Blue Full Hull Color Band with Standard Bottom



Blue Full Hull Color Band with Standard Bottom and Yellow Sweep



Black Full Hull Color Band with Standard Bottom and Yellow Sweep



Dove Full Hull Color Band with Standard Bottom and Red Sweep



Dove Full Hull Color Band with Black Bottom



Standard Hull Color with Standard Bottom

See page 44 for option pricing and additional gelcoat color and decal option details. Graphic options vary by model; visit stingrayboats.com/buildboat for details. Due to printing and paper variances, colors shown may not be accurately represented.



### costore.com/stingrayboats

View our entire line of clothing and accessories online. We offer a variety of premium quality items for the entire family!





### MODEL SPECIFICATIONS

		LENGTH	BEAM	BRIDGE CLEARANCE	DRY WEIGHT A (w/ popular engine)	FUEL	WATER	ICE BOX / COOLER CAPACITY	ICE BOX / LIVEWELL CAPACITY	MAX CAPACITY	MOLDED DEPTH (windshield base to keel)	MAX DEPTH (including windshield)	MAX DRAFT (drive down)	MAX DRAFT B (drive up)	COCKPIT DEPTH (at helm)	SLEEPING	DEADRISE
RX *	١	18 ft	85 in	41 in	2219 lbs	21 gal		14 qt		7 ppl / 1070 lbs	42 in	52 in	29 in	18 in	28 in		1
/IXA	ОАТ	5.5 m	216 cm	104 cm	3.0 L	79 L		13 L		7 ppl / 485 kg	107 cm	132 cm	74 cm	46 cm	71 cm		1
8RX	ω	19 ft, 9 in	94 in	47 in	2662 lbs	34 gal		32+22 qt		9 ppl / 1450 lbs	47 in	59 in	32 in	18 in	31 in		1
OIXX	Ė	6.0 m	239 cm	119 cm	4.3L	129 L		30+21 L		9 ppl / 657 kg	119 cm	150 cm	81 cm	46 cm	79 cm		1
EDV	A A	22 ft, 11 in	100 in	52 in	3210 lbs	47 gal		32 qt		10 ppl / 2080 lbs	51 in	58 in	33 in	18 in	33 in		2
5RX		7.0 m	254 cm	132 cm	4.3 L	178 L		30 L		10 ppl / 943 kg	130 cm	147 cm	84 cm	46 cm	84 cm		2
OL V		18 ft, 11 in	88 in	45 in	2350 lbs	21 gal		32+22 qt		7 ppl / 1100 lbs	46 in	58 in	29 in	18 in	30 in		
8LX		5.8 m	224 cm	114 cm	3.0 L	79 L		30+21 L		7 ppl / 499 kg	117 cm	147 cm	74 cm	46 cm	76 cm		
	Ā	22 ft, 11 in	100 in	52 in	3364 lbs	56 gal	6 gal	32+25 qt		10 ppl / 2080 lbs	51 in	58 in	33 in	18 in	33 in		
5LR	ВОАТ	7.0 m	254 cm	132 cm	5.0 L	212 L	23 L	30+24 L		10 ppl / 943 kg	130 cm	147 cm	84 cm	46 cm	84 cm		
	F	22 ft, 11 in	100 in	45 in	3225 lbs	56 gal		32+25 qt		10 ppl / 2080 lbs	51 in	60 in	33 in	18 in	32 in		
SX *	SPOR	7.0 m	254 cm	114 cm	5.0 L	212 L		30+24 L		10 ppl / 943 kg	130 cm	152 cm	84 cm	46 cm	81 cm		
	o _	25 ft	102 in	65 in	4340 lbs	68 gal	17 gal	32+32+25 qt		10 ppl / 2265 lbs	66 in	77 in	34 in	17 in	36 in		
0LR		7.6 m	259 cm	165 cm	5.0 L	257 L	64 L	30+30+24 L		10 ppl / 1027 kg	168 cm	196 cm	86 cm	43 cm	91 cm		
		19 ft, 9 in	94 in	47 in	2662 lbs	34 gal	6 gal	32+14 qt		9 ppl / 1450 lbs	47 in	59 in	32 in	18 in	31 in		
BLX		6.0 m	239 cm	119 cm	4.3 L	129 L	23 L	30+13 L		9 ppl / 657 kg	119 cm	150 cm	81 cm	46 cm	79 cm		
			99 in		2490 lbs				44 at		48 in	62 in	OT CITI	18 in	32 in		
4LR		20 ft, 5 in		49 in		34 gal	6 gal	32+14 qt	44 qt	9 ppl / 1715 lbs							
		6.2 m	250 cm	125 cm	115 hp	129 L	23 L	30+13 L	42 L	9 ppl / 778 kg	122 cm	158 cm	04:	46 cm	81 cm		
BLR	Š	20 ft, 8 in	99 in	49 in	2825 lbs	34 gal	6 gal	32+14 qt	44 qt	9 ppl / 1715 lbs	48 in	62 in	34 in	18 in	32 in		
	DEC	6.3 m	250 cm	125 cm	4.3 L	129 L	23 L	30+13 L	42 L	9 ppl / 778 kg	122 cm	158 cm	86 cm	46 cm	81 cm		
4LR		21 ft, 8 in	101 in	58 in	3114 lbs	46 gal	13 gal	25+17 qt	44 qt	11 ppl / 2167 lbs	58 in	72 in		17 in	34 in		
	SPORT	6.6 m	257 cm	147 cm	150 hp	174 L	49 L	24+16 L	42 L	11 ppl / 983 kg	147 cm	183 cm		43 cm	86 cm		
5LR	SP	21 ft, 11 in	101 in	58 in	3705 lbs	46 gal	13 gal	25+17 qt	44 qt	11 ppl / 2167 lbs	58 in	72 in	34 in	17 in	34 in		
		6.7 m	257 cm	147 cm	5.0 L	174 L	49 L	24+16 L	42 L	11 ppl / 983 kg	147 cm	183 cm	86 cm	43 cm	86 cm		
4LR		23 ft, 8 in	101 in	58 in	3648 lbs	56 gal	13 gal	25+32 qt	44 qt	12 ppl / 2535 lbs	58 in	72 in		17 in	34 in		
		7.2 m	257 cm	147 cm	250 hp	212 L	49 L	24+30 L	42 L	12 ppl / 1150 kg	147 cm	183 cm		43 cm	86 cm		
5LR		23 ft, 11 in	101 in	58 in	4105 lbs	56 gal	13 gal	25+32 qt	44 qt	12 ppl / 2535 lbs	58 in	72 in	34 in	17 in	34 in		
JLN		7.3 m	257 cm	147 cm	5.0 L	212 L	49 L	24+30 L	42 L	12 ppl /1150 kg	147 cm	183 cm	86 cm	43 cm	86 cm		
		19 ft, 1 in	90 in	39 in	2000 lbs	21 gal		25+22 qt	22 qt	9 ppl / 2025 lbs	46 in	48 in	28 in	13 in	27 in		
2SC		5.8 m	229 cm	99 cm	90 hp	79 L		24+21 L	21 L	9 ppl / 918 kg	117 cm	122 cm	71 cm	32 cm	69 cm		
		19 ft, 1 in	90 in	51 in	2000 lbs	21 gal		25+22 qt	22 qt	9 ppl / 2025 lbs	55 in	61 in	28 in	13 in	30 in		
IDC	ь	5.8 m	229 cm	128 cm	90 hp	79 L		24+21 L	21 L	9 ppl / 918 kg	140 cm	155 cm	71 cm	32 cm	75 cm		
	BOA _	20 ft, 1 in	100 in	50 in	2600 lbs	46 gal	3+13 gal	67+25+45 qt	67+45 qt	10 ppl / 2225 lbs	55 in	63 in	32 in	15 in	28 in		
2SC	DECK	6.1 m	254 cm	127 cm	115 hp	174 L	11+49 L	63+24+43 L	63+43 L	10 ppl / 1009 kg	140 cm	160 cm	80 cm	37 cm	70 cm		
	Ä	20 ft, 1 in	100 in	60 in	2800 lbs	46 gal	3+13 gal	67+25+45 qt	67+45 qt	10 ppl / 2225 lbs	55 in	70 in	32 in	15 in	32 in		
IDC		6.1 m	254 cm	152 cm	115 hp	174 L	11+49 L	63+24+43 L	63+43 L	10 ppl / 1009 kg	140 cm	177 cm	80 cm	37 cm	81 cm		
		21 ft, 11 in	102 in	50 in	3100 lbs	57 gal	3+13 gal	67+25+45 qt	67+45 qt	12 ppl / 2600 lbs	55 in	63 in	31 in	14 in	28 in		
2SC		6.7 m	259 cm	127 cm	150 hp	216 L	11+49 L	63+24+43 L	63+43 L	12 ppl / 1179 kg	140 cm	160 cm	79 cm	36 cm	70 cm		
		21 ft, 11 in	101 in	58 in	3775 lbs	46 gal	13 gal	25 qt	00.40.5	11 ppl / 2167 lbs	58 in	72 in	34 in	17 in	34 in	2+1	
5CR		6.7 m	257 cm	147 cm	5.0 L	174 L	49 L	24 L		11 ppl / 983 kg	147 cm	183 cm	86 cm	43 cm	86 cm	2+1	
	œ																
5CR	SEI	22 ft, 11 in	100 in	55 in	3539 lbs	56 gal	6 gal	25 qt		10 ppl / 2080 lbs	54 in	61 in	33 in	18 in	36 in	2+1	
	CRUIS	7.0 m	254 cm	140 cm	5.0 L	212 L	23 L	24 L		10 ppl / 943 kg	137 cm	155 cm	84 cm	46 cm	91 cm	2+1	
CR	S	23 ft, 11 in	101 in	58 in	4175 lbs	56 gal	13 gal	25 qt		12 ppl / 2535 lbs	58 in	72 in	34 in	17 in	34 in	2+1	
	\ <u>\</u>	7.3 m	257 cm	147 cm	5.0 L	212 L	49 L	24 L		12 ppl / 1150 kg	147 cm	183 cm	86 cm	43 cm	86 cm	2+1	
OCR	CUDE	25 ft	102 in	65 in	4293 lbs	68 gal	17 gal	32+25 qt		10 ppl / 2265 lbs	68 in	77 in	34 in	17 in	36 in	2+2	
	ಠ	7.6 m	259 cm	165 cm	5.0 L	257 L	64 L	30+24 L		10 ppl / 1027 kg	168 cm	196 cm	86 cm	43 cm	91 cm	2+2	
cs*		25 ft	102 in	77 in	4971 lbs	66 gal	25 gal	32+25 qt		10 ppl / 2265 lbs	78 in	92 in	35 in	19 in	35 in	4+1	

Specifications may change at any time. For current information, visit StingrayBoats.com/specifications ltems listed in red are optional

<sup>\* 180</sup>RX, 225SX, and 250CS models are available in limited quantity and will be discontinued during the 2016 model year. For information about these models, visit stingrayboats.com.

#### PERFORMANCE OPTIONS

/	,				180RX*	198RX	225RX	188LX	225LR	225SX*	250LR	198LX	208LR	215LR	235LR	215CR	225CR	235CR	250CR	250CS*
i					R/	ALLY BO	AT		SPORT	BOAT			SPORT	DECK			CUD	DY / CRU	ISER	
l			length	overall	18'	19' 9"	22' 11"	18' 11"	22' 11"	22' 11"	25'	19' 9"	20' 8"	21' 11"	23' 11"	21' 11"	22' 11"	23' 11"	25'	25'
			fuel c	apacity	21	34	47	21	56	56	68	34	34	46	56	46	56	56	68	66
		dry	weight, no	motor	1510	1814	2350	1715	2350	2385	3388	1814	1960	2690	3090	2810	2525	3160	3575	4399
	m	nax sp	eed with S	S prop	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
L		s	tandard pr		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
	engine	prop hp	drive type	motor weight						s	TERN	NDRI\	/E M(	DDEL	s					
	3.0 L	135	alpha 1	635	45 C			42 C												
œ	4.3 L MPI	180	alpha 1	848		50 C		50 C				50 C								
2	4.3 L MPI	220	alpha 1	865		56 C	51 C		50 C	52 C		56 C	55 C	49 C	47 C	49 C	50 C	47 C		
롥	4.5 L MPI	250	alpha 1	940					54 C	54 C	47 B			52 C	50 B	52 C	54 C	51 B	47 B	45 A
쯢	4.5 L MPI	250	bravo 3	1028					54 I	54 J	48 I			52 I	50 I	52 I	54 I	51 I	48 I	45 H
ĮΣ	6.2 L MPI	300	bravo 3	1142					60 J	60 J	54 I				55 I		59 J	54 I	53 I	48 H
	6.2 L MPI	350	bravo 3	1142					62 J	64 J	55 I				57 I			56 I	54 I	51 H
	4.3 L MPI	200	sx	874		52 G		51 G				52 G	50 G							
	4.3 L MPI	225	SX	914		55 G	51 G		51 F	52 G		55 G	55 G	49 G	47 F	49 G	50 F	47 F		
8	4.3 G DI	240	SX	876					53 G	57 G	47 F			51 G	49 F	50 G	52 G	49 F	47 F	44 E
VOLVO	4.3 G DI	280	DP	903					56 N	57 N	50 M			54 M	53 M	53 M	55 N	52 M	49 M	47 L
	5.3 G DI	300	DP	981					60 O	61 O	53 M				55 M		58 N	53 M	51 M	49 L
	5.3 G DI	350	DP	981					63 O	64 O	56 N				58 N			56 N	52 N	51 M

<sup>\* 180</sup>RX, 225SX, and 250CS models are available in limited quantity and will be discontinued during the 2016 model year. For information about these models, visit stingrayboats.co

VOLVO DUO PROP FRONT & REAR SET PART #

				204LR	214LR	234LR	182SC	191DC	192SC	201DC	212SC,
				SP	ORT DE	ск		D	ECK BO	AT	
		length	overall	20' 5"	21' 8"	23' 8"	19' 1"	19' 1"	20' 1"	20' 1"	21' 11"
		fuel c	apacity	34	46	56	21	21	46	46	57
	dry we	ight, n	o motor	2065	2629	3046	1660	1720	2257	2290	2613
n	nax speed	with S	SS prop	▼	▼	▼	•	•	▼	▼	▼
	stan	dard p	ropeller	▼	•	•	•	•	•	•	•
	engine	prop hp	motor weight			OUTE	BOAR	D MO	DELS		
ن	90 EFI	90	399				42 B	41 B			
MERC	115 EFI	115	399	44 M			48 C	45 C	42 B	41 B	
Σ	150 EFI	150	455	52 C	48 B	44 V			50 W	49 W	46 V
⋖	F90	90	380				43 P	41 P			
YAMAHA	F115	115	425	44 P			47 Q	46 Q	42 P	41 P	
Ψ	F150	150	487	53 T	48 R	44 R			50 S	49 S	46 R
>	VF250	250	602			56 U					
	DF90	90	348				42 BB	41 BB			
	DF115	115	412	42 CC			48 DD	47 DD	41 CC	40 CC	
SUZUKI	DF140	140	406	44 CC					43 CC	43 CC	
Z N.	DF150	150	485	52 Z	47 Y				49 Z	48 Z	46 Y
8	DF175	175	485		49 Z	47 Y					49 Z
	DF300	300	604			57 Z					
	All outbo	ard en	gines sho	own are f	our-strok	e models	and not	available	in every	country.	

All outboard engines shown are four-stroke models and not available in every count For complete details, visit StingrayBoats.com or check with your dealer.

Ε	17" Aluminum	3850300-9	L	F4 SS Duo Prop	3851494-9	
F	19" Aluminum	3850301-7	М	F5 SS Duo Prop	3851495-6	
G	21" Aluminum	3850302-5	Ν	F6 SS Duo Prop	3851496-4	
			0	F7 SS Duo Prop	3851497-2	
	MERCURY	PART #	ME	ERCURY BRAVO 3	FRONT PART #	REAR PART #
A	MERCURY 17" Aluminum	PART # 48-832828A45	ME H	ERCURY BRAVO 3 22.5" SS Bravo 3	FRONT PART # 48-8M8022400	REAR PART # 48-8M8022410
A B						
	17" Aluminum	48-832828A45		22.5" SS Bravo 3	48-8M8022400	48-8M8022410

Υ	AMAHA OUTBOARD	PART#
Р	17" (14) Talon Aluminum	6EK-45947-00-00
Q	19" (16) Talon Aluminum	6EK-45949-00-00
R	17" Reliance SS	68F-45972-10-00
S	18" Reliance SS	68F-45978-10-00
Т	19" Reliance SS	68F-45974-10-00
U	21" Reliance SS	68F-45976-10-00

TURBO	STAINLESS STEEL	PART #
V	17" SS Turbo 1	MAR-14217-TR-E0
W	19" SS Turbo 1	MAR-14219-TR-E0
X	20" SS Turbo 1	MAR-14220-TR-E0
Υ	21" SS Turbo 1	MAR-14221-TR-E0
Z	22" SS Turbo 1	MAR-14222-TR-E0
AA	23" SS Turbo 1	MAR-14223-TR-E0

SUZUKI OUTBOARD		PART #
BB	17" Aluminum	990C0-00760-17P
CC	19" Aluminum	990C0-00760-19P
DD	21" Aluminum	990C0-00760-21P
EE	23" Aluminum	990C0-00760-23P
CC DD	19" Aluminum 21" Aluminum	990C0-00760-19P 990C0-00760-21P

**PROPELLER OPTIONS** 

Specifications are subject to change at any time without notice or obligation. To avoid disappointment at the time of purchase, please check with your STINGRAY Dealer for current information and specifications.


Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions will vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may vary depending on many factors, including driver, weather, altitude, load, condition of propeller, lower unit, and boat bottom. Matching of your boat and use conditions to the proper propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be an absolute recommendation.

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using a lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected at sea level with light load, 70° F temperature, and the best performing SS propeller.

FOR THIRD PARTY PERFORMANCE COMPARISONS, VISIT STINGRAYBOATS.COM/PERFORMANCE

<sup>\*</sup>Only EPA approved engines are available in the USA. See your dealer for details.



42

250CR CUDDY

WARRANTY INFORMATION All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

**ABOUT THIS BROCHURE** Only a partial list of standard equipment is shown; some boats are shown with optional accessories. Styling, design, equipment, prices, colors, and construction are subject to change without notice or obligation. To avoid disappointment, please check with your Stingray dealer or visit StingrayBoats.com for current information at the time of purchase.



stingrayboats.com mystingray.com stingrayboats.com/store

facebook.com/stingrayboats twitter.com/stingrayboats instagram.com/stingrayboats youtube.com/stingrayboats



O