



#### 2-5 About Stingray, Environment, Z-Plane Hull, Technology, Certifications, and Warranty

Bowriders	6-37
186CC Deck Boat (OB)	6-7
206CC Deck Boat (OB)	8-9
216CC Deck Boat (OB)	10-11
236CC Deck Boat (OB)	12-13
182SC Deck Boat (OB)	14-15
192SC Deck Boat (OB)	16-17
212SC Deck Boat (OB)	18-19
191DC Deck Boat (OB)	20-21
201DC Deck Boat (OB) 201DS Deck Boat (OB)	22-23
198LX Sport Deck	24-25
204LR Sport Deck (OB) 208LS Sport Deck 208LR Sport Deck	26-27
214LR Sport Deck (OB) 215LR Sport Deck	28-29
234LR Sport Deck (OB)	30-31
235LR Sport Deck	32-33
225LR Sport Boat	34-35
250LR Sport Boat	36-37
Cuddies	38-43
208CR Cuddy	38-39
225CR Cuddy	40-41
250CR Cuddy	42-43
Standards & Options	44-47
Canvas Options / Hull Graphics / Gelcoat Colors	48-49
Model Specifications	50
Performance Options	51


# ABOUT STINGRAY

STINGRAY BOATS began nearly 40 years ago with little more than two molds, a few skilled craftsmen, and a man with a passion to build great performing boats. That passion has endured and continues today. Boat building is not just a business here at STINGRAY; it's a part of who we are. We build boats that families and friends use to make lifelong memories.

STINGRAY is a privately owned, family-run company that focuses on building quality, not quantity. We also provide our customers with the assurance that they are getting the most boat for the best price. This has been the driving force of STINGRAY for four decades and has provided us with the honor of having two-time, three-time, and even four-time STINGRAY boat owners. It is this loyal following of families who love boating that will continue to drive our passion to keep building great boats for many years to come.

At STINGRAY, we know that our customers lead busy lives and want to make the most out of their free time on the water. With that in mind, we take advantage of our performance history and the current market trends and combine that with our passion for building great boats to create some of the most fun boats on the water! STINGRAY means performance and excitement, at a price that more people can afford.

STINGRAYBOATS.COM



#### **ENVIRONMENTALLY RESPONSIBLE**

Being a leader in technology is more than just a philosophy—it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stack emissions are not just buzzwords—they are measured goals of each employee. Our commitment goes beyond that which is mandated or regulated—it is an internal philosophy to do our part to protect the environment for generations to come. Consider a few of the things that we are doing to protect our planet:

USE OF FOUR-CYCLE ENGINES Stingray uses only three-star rated, four-cycle engines, which are the cleanest and most fuel efficient available for marine use. Better fuel efficiency

translates into less fuel consumption. Three-star engines can be four to ten times cleaner than two-cycle outboards, which means less pollution to our environment.





**OZONE-FRIENDLY FLOTATION FOAM** Stingray uses non-ozone depleting flotation foam by BASF. It is free of chlorofluorocarbons—gases that are depleting the earth's ozone layer. Ask about the use of zero-ozone depleting (zone 3) foam when considering boat brands.



**FUEL EFFICIENCY** The performance and efficiency of our proven Z-plane hull, documented by third party reports, is unmatched. Better fuel efficiency translates into less fuel consumption, but more importantly, it means less carbon dioxide emissions.

LOW VOC GELCOATS AND RESINS Stingray was the first boat manufacturer to convert to the use of low styrene laminating resins and gelcoats. The combination of these low VOC materials coupled with the latest in low pressure, high temperature spray equipment has reduced Stingray's VOC stack emissions by over 55%.

WASTE REDUCTION/RECYCLING Stingray has a recycling program for most waste materials including, but not limited to, cardboard, composites, aluminum, pallets, and metal drums. In cardboard alone, Stingray recycles over 163,000 pounds per year.

**COMMITTED** We want Stingray owners not only to have fun on the water, but also to know that they are helping to protect the environment at the same time.

#### FINANCIALLY SOLID

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on a strong partner to provide product innovation and customer support for years to come. We are proud of our debt-free status—a claim that few builders can make!

#### **VALUE AND QUALITY ORIENTED**

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray Boat Company is in excellent company with Bryant, Chaparral, Formula, Grady-White, MasterCraft, Monterey, Nautique, Regal, Sportsman, Tiara Yachts, and Tigé. This is

another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.







### **Z-PLANE HULL**

The Stingray Z-plane hull is unparalleled in the industry. It is up to 30% more efficient than other boat hulls. Developed on a CAD (Computer Aided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry leading top-end, and smooth handling at all speeds.


#### **TECHNOLOGY DRIVEN**

For the past four decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency i.e., computer-aided designs, multi-axis 3-D milling machines, water jet cutting machines, and CNC routers, to mention a few.

COMPUTER AIDED DESIGN AND MANUFACTURING Every Stingray begins as a three-dimensional computer model. We "build" the boat on-screen and carefully scrutinize each component for size and fit, making all of the necessary adjustments before we ever commit the design to fiberglass. We even use a virtual human to check for legroom and headroom—and to be sure that all of the controls are located comfortably within reach. The information from this 3-D model is sent to the next step in the process: 3-D milling.

MULTI-AXIS 3-D MILLING MACHINE With information available from a 3-D computer model, milling machines can produce a full size model in a matter of hours—a task that would take weeks otherwise. With unequalled precision, the running surface of the hull is cut to the exact specifications. Our master craftsmen then provide the mirror finish that is a hallmark of Stingray quality.

ROBOTIC LAMINATION FACILITY Visitors are always impressed by our plant's cleanliness and unique manufacturing systems. In our lamination building, a custom-designed overhead rail system was developed just for Stingray. Parts under construction are moved from one bay to the next for layup and curing. This system also keeps track of our in-process fiberglass parts while optimizing mold usage and improving productivity. Process automation also increases worker safety, helps maximize efficiency, and improves quality.







WATERJET CUTTING MACHINES Many parts on a Stingray are cut using one of our highpressure water jet machines. A stream of water no thicker than a human hair slices quickly and neatly through a variety of materials much easier than could be done by hand. Materials such as carpet, foam, vinyl, canvas, rubber, and fiberglass are quickly transformed into precision quality parts.

CNC ROUTERS Computerized numeric controlled routers are used to cut various sheet goods into high quality parts. The computer allows us to "nest" a group of parts efficiently to minimize waste. Because the process is computer controlled, each part is dimensionally identical from one run to the next and can be finished much faster and more inexpensively than those produced by hand.

#### **CE CERTIFICATION**



Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe and Asia. Stingray boats destined for these countries must meet stringent standards prescribed by Consultants Europe (CE) and bear the CE mark.

### NMMA / USCG CERTIFICATION



All Stingray boats meet or exceed National Marine Manufacturer Association (NMMA) and US Coast Guard (USCG) certification requirements for safety, such as horsepower, load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.







### WARRANTY

Every Stingray boat is backed by a comprehensive warranty for peace of mind.

#### LIMITED LIFETIME TRANSFERABLE STRUCTURAL HULL WARRANTY

STINGRAY Boat Co. (hereafter "STINGRAY") warrants the HULL against structural defects in material and workmanship for a period of ten (10) years from the date of purchase or eleven (11) years from the date of manufacture, whichever period elapses first. The warranty provided in this section is to the original retail owner only and applies only if the boat is purchased from an authorized STINGRAY Dealer. During the warranty period described above, STINGRAY will repair or replace, at its option, the fiberglass HULL if it is unfit or unsafe for general use as a pleasure craft under normal conditions and, in Stingray's discretion, is determined to be structurally defective in material or workmanship. For purposes of this warranty, the HULL is defined as the part of the boat in contact with the water when at rest. The warranty provided in this section is subject to all limitations and conditions contained herein. The remaining term of this HULL Warranty, up to five (5) years, may be transferred to the second owner if, within 60 days of purchase, the new owner registers the transfer with an authorized STINGRAY Dealer and pays a seventy five US dollar (\$75 USD) transfer fee. Visit www.stingrayboats.com/ transfer for further details on transferability.

#### THREE-YEAR LIMITED OSMOTIC HULL BLISTER WARRANTY

STINGRAY warrants against hull blistering caused by osmosis that is discovered and reported to STINGRAY during the first 3 years of ownership (subject to the prorated schedule below). The warranty provided in this section applies to the original retail owner only and is VOID if the original factory gelcoat surface has been altered by excessive sanding, scraping, sandblasting, or accident repair. A marine barrier coating with proper surface preparation is required if the boat is bottom painted or if the boat is left in fresh or salt water for more than 60 days in any 90 day period. In the event of osmotic blistering, STINGRAY will, at its option, repair or cause to be repaired any hull damage and apply a layer of marine barrier coating to the affected surface area(s). Osmotic hull blisters are defined as those blisters, larger than one-eighth inch in diameter and with a depth greater than one-sixteenth inch, which occur on the hull below the waterline. Repairs will be performed (at STINGRAY'S discretion) by the selling dealer, a designated service center, or the STINGRAY factory. The following prorated schedule of parts and labor will be covered by STINGRAY: Blistering discovered and reported to STINGRAY less than one (1) year from date of purchase - 100%; between one (1) and two (2) years from date of purchase - 66%; between two (2) and three (3) years from date of purchase - 33%. All osmotic hull repairs must be pre-approved by STINGRAY prior to any work being performed. Transportation cost is the boat owner's responsibility. Reimbursement shall be limited to one repair, not to exceed eighty US dollars (\$80 USD) per foot of hull length resting below the waterline prior to prorating.

#### **ONE-YEAR LIMITED GENERAL WARRANTY**

STINGRAY boats are warranted to the original owner to be free of defects in materials or workmanship for a period of one (1) year from the date of purchase (not to exceed two (2) years from date of manufacture) subject to all limitations and conditions contained herein.

#### WARRANTY INFORMATION

All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat.

Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.



LENGTH 19' 1" BEAM 90" AVG DRY WEIGHT 2300 lbs (w/ 115 hp) FUEL CAPACITY
34 gallons

ICE CAPACITY 48+68 quarts MAX CAPACITY 7 ppl, 1875 lbs



















- the optional bimini top shields passengers from the sun and elements and is tall enough for even your taller passengers to stand and move about
- two rear seats lift up for seating and quickly fold down for use as casting platforms and for entering and exiting
- the forward bench lifts to reveal a 17-gallon cooler that can be upgraded to a livewell
- the main helm seat lifts to reveal a conveniently located 26-gallon live well: built-in rod storage compartments can be found on both sides of the boat, plus additional rod storage slots are located aft and flanking each side of the console
- the 186CC offers lots of space for maneuvering about, plus seating for seven; the bow area boasts a large foredeck that includes a cooler and storage compartments; a bow fishing seat and pedestal are optional



## MORE INFORMATION AT STINGRAYBOATS.COM/186CC



**LENGTH** 20'1"

BEAM 100"

AVG DRY WEIGHT 2700 lbs (w/ 140 hp) **FUEL CAPACITY** 46 gallons

ICE CAPACITY 48+68 quarts

















- designed for fishing and family, the 206CC has comfortable vinyl bow seating for passengers; for fishing, unsnap the cushions and stow them away; also in the bow area are storage compartments under each bow seat, and a large 48-quart insulated cooler; a forward bench covers the standard 17-gallon cooler (can be upgraded to a live well)
- other features include an optional freshwater sink amidships, rod storage throughout the boat, a built-in tackle box, and more
- the deluxe console is standard on 206 models and above: beneath the console is a storage compartment that can be upgraded to a head compartment with the optional portapotti (option #706)
- lots of walk-around space makes it easy to quickly move around the boat; two rear seats lift up for seating and quickly fold down for use as casting platforms: the helm seat has an adjustable seat / leaning post and lifts to reveal a 26-gallon live well



**206**cc

#### MORE INFORMATION AT STINGRAYBOATS.COM/206CC



LENGTH 21' 8" BEAM 101" AVG DRY WEIGHT 3150 lbs (w/ 200 hp) FUEL CAPACITY 57 gallons ICE CAPACITY
74+68 quarts

MAX CAPACITY 10 ppl, 3050 lbs















- the bow area is roomy, with lots of storage space beneath the seats; for fishing, unsnap the cushions and stow them; a forward bench covers the standard 17-gallon cooler (can be upgraded to a live well)
- the helm area features flip-up bolsters. SS beverage holders, a 12-volt accessory outlet, twin USB chargers, a full instrument panel, a large space to mount third party electronics, rod holders, and a 74-quart Engel cooler; beneath the console is a storage compartment that can be upgraded to a head compartment with the optional portapotti (option #706)
- lots of walk-around space makes it easy to quickly move around the boat: two rear seats lift up for seating and quickly fold down for use as casting platforms: there are storage areas beneath the seats and a live well that can be upgraded with a recirculate / aeration option
- other features include an optional freshwater sink amidships, multiple rod holders throughout the boat, a built-in tackle box, a fold-out waste basket, and much more; whether it's fishing or spending time with family, the 216CC is loaded with amenities

## MORE INFORMATION AT STINGRAYBOATS.COM/216CC



LENGTH 23' 8" BEAM 101" AVG DRY WEIGHT 3648 lbs (w/ 250 hp) FUEL CAPACITY 68 gallons ICE CAPACITY 74+68 quarts MAX CAPACITY 12 ppl, 3250 lbs
















- a leaning post is outfitted with custom molded flip-up bolsters and a 74-quart Engel cooler
- a forward facing stern bench seat features flip-up seats; the center cushion can be removed to create a casting platform; below the platform is a 14-gallon livewell
- a bench forward of the console features padded seating, stainless steel grab handles, and a cooler that can be upgraded to a livewell
- an onboard changing compartment can be upgraded to a head compartment with the optional porta potti
- the helm includes a real tempered glass windshield, stainless grab handles and cup holders, a storage nook, USB and 12-volt outlets, backlit switches, a large flat space for a GPS or other 3rd party electronic display, and much more



## MORE INFORMATION AT STINGRAYBOATS.COM/236CC



LENGTH 19' 1" BEAM 90" AVG DRY WEIGHT 2000 lbs (w/ 90 hp) FUEL CAPACITY 21 gallons ICE CAPACITY 25+22 quarts MAX CAPACITY 9 ppl, 2025 lbs 182sc

















- the 182SC bow features wide lounge seating with reclined backrests (filler cushions are optional), a large self-draining cooler to keep your drinks and snacks cool for the day, ample cupholders, and under seat storage compartments for storing gear while underway
- a low profile dash design optimizes visibility and creates a sporty look that is further complemented with a sport bucket for the captain
- a roomy layout is enhanced with lots of storage, including a large floor storage locker for a wakeboard or other gear; a 25-quart removable cooler, for bringing pre-chilled drinks aboard, is conveniently hidden under the rear lounge seat
- comfort is optimized with wrap-around seating for your passengers to stretch out and enjoy the ride: a rear-facing lounge seat allows your co-captain to keep an eye on tubers and wake boarders



## MORE INFORMATION AT STINGRAYBOATS.COM/182SC







- the helm station boasts a custom low-profile dash with room for accessories and a sporty windshield visor; a deep bow and wide body make the 192SC extra roomy; add the optional filler cushions to create a sunpad; below the non-skid lid is a slideout, two-step bow ladder and anchor locker storage
- a freshwater sink is conveniently located amidships for easy access by all passengers
- an optional fishing package includes a removable trolling motor mount, a trolling motor harness and plug, a bow fishing seat, an aft fish storage box, and two additional stainless steel, aft rod holders (requires Option #750, Bow Live Well, 2 SS Rod Holders)
- an optional table can be used in the cockpit or bow; the optional forward bimini provides shade from the sun; in addition to the convenient aft entry, the 192SC features port side steps for easy entry



## MORE INFORMATION AT STINGRAYBOATS.COM/192SC



LENGTH 21' 11" BEAM 102" AVG DRY WEIGHT 3100 lbs (w/ 150 hp)

FUEL CAPACITY 57 gallons ICE CAPACITY 67+25+45 quarts MAX CAPACITY 12 ppl, 2600 lbs

212sc






















- a freshwater sink is conveniently positioned amidships; a trash receptacle compartment is covered below
- the helm station boasts a custom low-profile dash with room for accessories and a sporty windshield visor
- an open floor plan allows for easy movement on deck; hidden storage in the side-entry steps, beneath the seats and below the floor, provides plenty of room to store necessities, leaving room for family and friends
- changing into swimsuits is convenient with the roomy onboard changing compartment: for added passenger convenience, the changing compartment can be upgraded to a head compartment with a porta-potti: the compartment also houses the cockpit table



## MORE INFORMATION AT STINGRAYBOATS.COM/212SC



LENGTH 19' 1" BEAM 90" AVG DRY WEIGHT 2000 lbs (w/ 90 hp)

FUEL CAPACITY
21 gallons

ICE CAPACITY 25+22 quarts MAX CAPACITY 9 ppl, 2025 lbs

















- our onyx CoolTouch™ vinyl by Syntec Industries has been tested and shown to be cooler than standard neutral colored vinyl. increasing passenger comfort
- a convenient step-thru ensures easy boarding: an open layout with L-shaped seating provides lots of seating and leg room for everyone aboard: under seat and in-floor storage spaces provide lots of room for stowing gear and supplies
- the bow features padded lounge seats with canted backrests, a large ice chest, easily removable cushions that reveal roomy storage compartments, convenient cupholders, and twin speakers
- a full windshield provides protection from the wind: sporty buckets are provided for captain and co-captain: a sporty dash panel houses easy-to-read gauges



## MORE INFORMATION AT STINGRAYBOATS.COM/191DC



LENGTH 20'1" BEAM 100" AVG DRY WEIGHT 2800 lbs (w/ 115 hp)

FUEL CAPACITY 46 gallons ICE CAPACITY 67+25+45 quarts MAX CAPACITY 10 ppl, 2225 lbs 201DC





- a deep bow is great for families; add optional filler cushions to create a sunpad; the forward platform features a two-step ladder, anchor, and a large, insulated ice chest
- a molded-in cockpit sink is upgraded to a single-tap faucet when the optional pressurized water system is ordered
- an oversized non-skid lid, held open by a gasassist strut, provides access to floor storage
- wrap-around seating makes it convenient for setting up the cockpit table (optional teak table shown) for snacks
- storage throughout provides lots of areas for gear and supplies
- twin buckets with flip-up bolsters (201DS) provide comfort for both the captain and co-captain: there is a 25-quart removable cooler for bringing pre-chilled drinks aboard



#### MORE INFO AND PHOTOS AT STINGRAYBOATS.COM/201DC or /201DS









ICE CAPACITY



MAX CAPACITY
















- twin sport buckets can be upgraded with a helm bucket with twin buckets with bolsters
- a modern, low-profile dash increases visibility and is set off by a sporty three-spoke steering wheel
- an oversized non-skid lid, held open by a gas-assist strut, provides access to floor storage
- a convenient walkway leads from the swim platform: insert the optional filler cushion to create a full-width sundeck
- Our onyx CoolTouch™ vinyl has been tested and shown to be cooler than standard neutral colored vinyl



#### MORE INFORMATION AT STINGRAYBOATS.COM/198LX



LENGTH 204LR 20' 5" 8LR/LS 20' 8"

H BEAM 99" 99" AVG DRY WEIGHT 2490 lbs (w/ 115 hp) 2974 lbs (w/ 200 hp)

FUEL CAPACITY
34 gallons
34 gallons

ICE CAPACITY MAX CAPACITY
32+14 quarts 9 ppl, 1715 lbs
32+14 quarts 9 ppl, 1715 lbs

204LF

# 208<sub>LR/LS</sub>

208LS models feature different bucket seats; refer to web site for complete details















- the wide beam provides roomy interiors and sport boat handling
- a low profile dash with easy-to-read gauges increases visibility; an attractive storage area surrounded by stainless steel railing, holds small accessories in place
- multiple coolers (bow and cockpit) make it easy for passengers to have drinks at their fingertips
- optional dual, custom sport buckets offer flip-up seating: optional premium seagrass flooring feels good underfoot for kids, adults, and dogs; it's also easy to clean
- a deep bow and curved seating provide optimal comfort: sport deck models feature a two-step ladder and anchor locker





MORE INFO AND PHOTOS AT STINGRAYBOATS.COM/204LR, /208LR, or /208LS





turn the standard roomy bow into a

giant lounging area with optional bow

houses a boarding ladder and anchor

a freshwater system, removable Igloo


cooler, and a stylish counter

locker storage

filler cushions: a giant entryway platform

an entertainment center is complete with





 a spacious head compartment is equipped with built-in shelving, a recessed toilet paper holder, LED lighting, and an opening port light window...and doubles as a changing room





#### MORE INFO AND PHOTOS AT STINGRAYBOATS.COM/214LR or /215LR

















- the on-board head compartment doubles as a changing room when it's time for swimming or water sports
- sport bucket seats with flip-up bolsters adjust to an up or down position and feature luxurious stain-resistant vinyl
- the bow (shown with Coffee interior) provides ample legroom while storage compartments not only serve as steps, but also house a cooler, boat fender locker, and two-step bow ladder with anchor locker combination
- an entertainment center is complete with freshwater system. removable cooler, and a stylish counter
- the low profile, soft-touch vinyl brow provides increased visibility and reduces glare when underway: there is room for all your friends and family, a self-bailing, full fiberglass liner for easy cleanup, and the ease of maintenance of outboard propulsion
- the 234LR shown features blue hyper graphics and the optional custom wakeboard tower outfitted with a Sunbrella™ canvas top



#### MORE INFORMATION AT STINGRAYBOATS.COM/234LR







BEAM

AVG DRY WEIGHT

**LENGTH** 














- a giant floor storage area is large enough for a person to climb inside, but we suggest using it to store a wakeboard or other gear and supplies for a fun day on the water
- an onboard entertainment center is complete with a freshwater sink, removable cooler, and an attractive counter top—it's the perfect setup for entertaining your friends and family
- the onboard head compartment features a porta-potti and doubles as a changing room on the water
- I-shaped seating and a large sundeck provide a roomy area for lounging and sunbathing, with ample storage space beneath
- a standard full fiberglass liner makes for easy cleanup at the end of the day; add the optional premium seagrass flooring, a blend of ruggedness and beauty, to provide greater comfort underfoot



## MORE INFORMATION AT STINGRAYBOATS.COM/235LR



LENGTH 22' 11" BEAM 100" AVG DRY WEIGHT 3364 lbs (w/ 240 hp) FUEL CAPACITY 56 gallons ICE CAPACITY 32+25 quarts MAX CAPACITY 10 ppl, 2080 lbs















- the curved bow (shown with onyx CoolTouch™ vinyl) features twin lounges, a 32-quart insulated cooler, twin cupholders, twin speakers, an anchor locker, and storage beneath the lounges, as well as behind the seat backs
- attractive gauges are housed beneath a low-profile brow for increased visibility; an area surrounded by stainless rails can be used to hold small accessories in place
- a convenient walk-thru companionway is revealed when the center cushions are removed; the center cushions quickly reattach to create a full-width sundeck, as well as a full bench seat below; both the captain and co-captain seats are sport buckets with flip-up seats that quickly adjust to an up or down position
- sport boat performance and styling: add the optional wakeboard tower for added sportiness



## MORE INFORMATION AT STINGRAYBOATS.COM/225LR







- whether in the cockpit or bow, a cold beverage is never far away: there are ice chests in the bow and amidships and a removable cooler (can be upgraded to 12-volt refrigerator) to take your party ashore
- a freshwater system, stainless steel sink, and attractive counter top make up the entertainment area amidships; the optional 12-volt Isotherm refrigerator upgrades an already luxurious interior and keeps your snacks fresh
- a wide u-shaped design provides ample seating room and keeps everyone near the action in the cockpit; filler cushions can be quickly set up to convert the seating area to an oversize sunpad or a sleeping berth
- the enclosed head compartment makes this sporty bowrider convenient for a day or night on the water
- lift the latch just forward of the bow seating to reveal the anchor locker storage area



## MORE INFORMATION AT STINGRAYBOATS.COM/250LR



LENGTH BEAM AVG DRY WEIGHT FUEL CAPACITY ICE CAPACITY MAX CAPACITY 20' 8" 99" 3074 lbs (w/ 200 hp) 34 gallons 25 quarts 9 ppl, 1715 lbs






















- dual sport bucket seats provide comfort for both the captain and co-captain; flip-up bolsters quickly adjust to an up or down position, depending on the preference
- a folding door opens to reveal a wide opening to the cabin area; cupholders and speakers are abundant, adding to passenger comfort and convenience
- a wide body design means an extra roomy cabin; there's plenty of room to stretch out and sleep for overnighting on the water; lift the cushions to reveal the porta potti;
- the cabin features two port windows, interior lighting, a mirror, built-in speakers, and mesh storage pockets
- stainless bow rails flank each side of the bow: pop the deck hatch to easily access the bow and anchor locker storage, or to provide a little extra air to the cabin



## MORE INFORMATION AT STINGRAYBOATS.COM/208CR



**LENGTH** 22' 11"

BEAM 100"

AVG DRY WEIGHT 3539 lbs (w/ 240 hp) **FUEL CAPACITY** 56 gallons

ICE CAPACITY 25 quarts

MAX CAPACITY 10 ppl, 2080 lbs

















- a step-down cabin entry leads to a spacious V-berth with built-in speakers, four-point adjustable lighting, and a storage cabinet; raise the cushions to reveal a porta-potti, portable butane stove, and additional storage
- a convenient walk-thru companionway is revealed when the center cushions are removed: if you need extra seating, just quickly re-attach the center cushion
- sport buckets with flip-up bolsters provide comfort for both the captain and co-captain
- built-in fiberglass steps lead to a non-skid foredeck for easy access when docking or dropping anchor: solid cabin doors provide privacy when sleeping
- this cuddy is packed with amenities, including a standup bimini top, and offers a deep cockpit design

#### MORE INFORMATION AT STINGRAYBOATS.COM/225CR



BEAM **LENGTH** 102" 25'

AVG DRY WEIGHT 4192 lbs (w/ 240 hp) **FUEL CAPACITY** 68 gallons

ICE CAPACITY 32+25 quarts

MAX CAPACITY 10 ppl, 2265 lbs











- to maximize cabin space, the cabin is level with the cockpit floor; cushions lift to reveal accessories, storage, and a porcelain head: a storage closet and multiple cubby holes provide an abundance of storage space
- wrap-around seating provides room for your passengers to stretch out and enjoy the ride: sport buckets with flip-up bolsters provide comfort for the captain and co-captain
- an ice chest and entertainment center are amidships for easy access when the cocktail table (see pg 47) is set up for drinks and snacks; an optional 12-volt Isotherm refrigerator upgrades the 25-quart removable cooler below the freshwater sink
- the helm features a split-console design that reserves room for an aftermarket plotter: switches and controls are at the captain's fingertips and finished with a sporty three-spoke wheel



#### MORE INFORMATION AT STINGRAYBOATS.COM/250CR

# STANDARDS & OPTIONS

	# NOILION #	186CC	206CC	216CC	236CC	182SC	192SC	212SC	191DC	201DC	201DS	225LR	250LR	198LX	204LR	208LS	208LR	214LR	215LR	234LR	235LR	208CR	225CR	250CR
						DECK	BOAT					SPORT	BOAT				SPORT	DECK					CUDDY	
Limited Lifetime Hull Protection Plan		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
3-Year Hull Blister Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exclusive Z-Plane Hull		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Certifications: NMMA, USCG	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
May Qualify for 2nd Home Tax Deduction	-		-	-		-	-	-	-	-	-		-		-	-	-	-	-	-		-	S	S
Opening Cabin Windows with Screen	-	-	-	-	-	-	-	-	-	-	-		1 ea	-	-	-	-	1 ea	1 ea	1 ea	1 ea	-	2 ea	2 ea
Cabin Windows with Stainless Steel Frame	-		-	-		-	-	S	-	-	-		-		-		-	-	-	-		S		-
CE Certification Package w/ Shipping Cradle	90	1034	-	-		1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034
Shipping Cradle (export only)	31	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532	532
White Gunnel Molding with SS Insert	-	-	-	-		-	-	S	-	-	-	S	S	-	-	-	-	S	S	S	S	-	S	S
Hydraulic Trim Tabs w/ LED Indicator	68		-	s	S	-	-	-	-	-	-	1034	1034		-		-	1034	1034	1034	1034	-	1034	1034
Stainless Steel Sport Trim Tabs (fixed)	57	-	-								-		-		105	105	105	-	-	-	-	105	-	
Pressurized Bow and Transom Shower	70	-	-				523	523	-	523	523		-			-		S	S	S	S		-	-
Pressurized Water with Transom Shower	69		-	-		-	-	-	-	-	-	442	S		422		422	-	-	-		442	305	S
Enclosed Head w/ Vent Window & Lighting			-		-		-	S					S		-	-	-	S	S	S	S			-
Stainless Steel LED Docking Lights	313	326	326	S	S	326	326	326	326	326	326	326	326	326	326	-	326	S	S	S	S	326	326	326
Floor Storage with Oversize Door						S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
Stainless Steel Bow Rails	-		22	-	-	-							-					12				S	S	S
Bow Anchor Locker			S				S	S	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Aerated Aft Live Well (800 gph)	-	S	S	S	S	-	-	-	-	-	-		-		-		-	-	-	-		-		
Forward Live Well	753/766	443	443	443	443	-	-	-	-	-	-		-		-		-	-	-	-		-		
Lockable Cabin Doors			-	-		-	-	-	-	-	-		-		-		-	-	-	-		S	S	S
Stainless Steel Multi-Step Transom Ladder	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel Spring Line Cleats	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel Pull-Up Cleats		S	S	S	S		-	-										-						-
Blue LED Accents and Underwater Lighting	314	609	609	609	609	609	609	609	609	609	609	609	609	609	609		609	609	609	609	609	609	609	609
Windshield with Side Vent Windows	-	-	-	-	-	-	- 003	-	-	-	-	S	S	-	S		S	S	S	S	S	-	S	S
Stainless Steel Custom Ski Tow (removable)	670	517	517	517	517	517	517	517	517	517	517		-		517		-	517	-	517		-	-	
Wakeboard Tower, Folding Style with Top	663	4454	-	017		3838	3838	3838	3838	3838	3838	5677	-		5677		5677	5677	5677	5677	5677			
74-Quart Engel Cooler	-	-		S	S	5050	-	-	-	-	-	5011	_		3011		5011	5011	5011	5077	5011			
25-Quart Removable Igloo Cooler				-		S	S	S	S	S	S	S	S					S	S	S	S	S	S	S
48-Quart Removable Cooler	i.	S	S	-		3	3	3	3	3	3	3	3	-	-		-	3	3	3	3	3	3	3
Backlit Instruments with Circuit Breakers	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S	S	S	S	S	S	S
Dash Accessory Plug (12V)	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Electronic Engine Hour Meter		0					S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Fire Extinguisher Holder Insert	-		-			-	S	S	-	3	3	0	S	3	3	0	3	S	S	S	S	3	0	S
		S	S	S		-	S	S	S	S	S	S	S	S	S	-	S	S		S	S	S	S	
Nano-Block Stain-Resistant Vinyl	-	0	3	3	S	S	3	0	3	3	-	S	S	S	3	S	S	-	S		S	S	S	S
Ignition Switch w/ Stereo Accessory Remote	- 04		-	-		-	220	220		200			-	_	220			-	S			5		-
Teak Cockpit Table (upgrade)	94		-	-	-	-	320	320	-	320	320	320	320	-	320	-	074	320	320	320	320	10000	320	320
Cockpit Table with Offset Leg	76		-	-		-	363	S	-	363	363	S	S		363	-	274	S	S	S	S	-	S	S
Self-Bailing Cockpit	-	S	S	S	S	-	S	S	-	S	S	-	S	-	-	-	-	S	S	S	S	-	-	S
Italian Steering Wheel	-	-	-	-	-	S	S	S		S	S	S	S	S	S	-	S	S	S	S	S	S	S	S
Integrated Electric Horn	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Digital Depth Finder with Depth Alarm	48	-	-	-	-	375	375	375	375	375	375	375	375	375	375	-	375	375	375	375	375	375	375	375
Fusion AM702 AMP + Sig Spk (Upgrade)	727	698	698	698	698	698	698	698	698	698	698	698	698	698	698	-	698	698	698	698	698	698	698	698
Fusion AM702 AMP+Sig Spk w/ Blue LED Pkg		1160	1160	1160	1160	1160	1160	1160	1160	1160	1160	1160	1160	1160	1160	-	1160	1160	1160	1160	1160	1160	1160	116
Fusion SRX400 1400W w/ Sig Spk (Upgrade)	728	-	1922	1922	1623	-	1922	1922	-	1922	1922	1623	1623	1922	1922	-	1922	1623	1623	1623	1623	1922	1623	162
Fusion SRX400 1400W w/ Blue LED Pkg	729	-	2383	2383	2085	-	2383	2383	-	2383	2383	2085	2085	2383	2383	-	2383	2085	2085	2085	2085	2383	2085	208

- S Denotes Standard
- Denotes Not Available.
- ea Indicates quantity, not dollars.

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options.



Fusion Audio Systems (Options #727, #732, #728, & #729)



Sport Bucket with Flip-Up Bolster



Custom Dash with Backlit Instruments and Stainless Steel Accents



Stainless Steel Hardware Package (Option #820) Items vary by model. Refer to page 46 for complete package details.



74-quart Engel Cooler (Standard for 216CC and 236CC)



25-quart Removable Cooler



Floor Storage with Non-Skid Lid and Stainless Steel Shock Assist



Integrated Bow Steps and Lockable Cabin Door (208CR shown)



Walk-Thru Removable Filler Cushion (Option #47 or #77)



Deck Boat Interior - Sport Bucket, Open Layout, and Lots of Seating



Sport Deck Interior (outboard) - Bucket Seats, Wrap-around Seating, & Sundeck



Center Console Deck Boat Interior - Center Console, Captain's Bench, Rear Bench, & Flip-Up Seats



Stainless Steel Port Windows



Slide-out Bow Ladder, Fender Storage, and Anchor Storage (Sport Deck Models)



Sport Deck Interior (sterndrive) - Bucket Seats, Wrap-around Seating, & Sundeck



Sport Boat Interior (225LR shown) - Bucket Seats, Wrap-around Seating, & Center Walk-Thru Sundeck

## STANDARDS & OPTIONS

	# NOLLION #	186CC	206CC	216CC	236CC	182SC	192SC	212SC	191DC	201DC	201DS	225LR	250LR	198LX	204LR	208LS	208LR	214LR	215LR	234LR	235LR	208CR	225CR	250CR
						DECK	BOAT					SPORT	BOAT				SPORT	DECK					CUDDY	1
Adjustable Pedestals for Two Buckets	83												177					177	177	177	177		177	177
Helm Sport Bucket with Bolster	26	-		-	-			S	-		-		-	226	-	226	-			0.00		-	-	-
Dual Sport Bucket with Bolster	82								445		S	S	S	452	S		S	S	S	S	S	S	S	S
Leaning Post with Cooler	767	-	1291	S	S		-	-	-		-		-		-	-	-	7/27		-		-	-	-
Bolster Seats for Leaning Post	775		460	460	S				-		-				-			-		-		-		
Helm Seat Flip-Flop with Leaning Post	-	S	S	-				-	-		-		-		-	-	-	-			-	-	-	
Flooring, SeaDek (Head Compartment)	707			229	383		-	275	-		-		137		-		-	137	137	137	137	-	-	
Flooring, Seagrass	32-34.37	775	854	854	854	692	760	692	692	760	760	692	725	692	760	-	760	725	725	725	725	692	692	692
Oversized Cup Holders	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Freshwater Sink - Cockpit	-			-			S	S	-	S	S		S		-		-	S	S	S	S	-		S
Freshwater System	72		600	600	600																			-
Refrigerator - Cockpit	710				-					-		-	1437			-			-			-		143
Cool Touch Vinyl (Dark Colors Only)	- 10	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Bow Cushions / Seats (Removable)			S	S	S			-		-	3	-		-		-		-				-		-
Filler Cushion - Aft Walkthru	47			-				-	-		-	S	S		-		-	-	363	-	363	-	S	S
Filler Cushion Seat	60			-				-	-		-			198	198		198	-		-		-		
Filler Cushion - Aft Walkthru & Seat	77													525			525					S		
Filler Cushion - Bow / Cabin	84		-		500	460	525	525	460	525	525	346	346	346	403		346	346	346	346	346	S	S	5
Bow Filler Cushion (Center Console)	764	557	395	123	557	400	323	323	400	323	323	340	340	340	403		340	340	340	340	340	-		
Canvas T-Top	757	337	4614	4614	4614	-		-	-		-	-	-		-	-	-	-		-	-	-	_	
Fiberglass T-Top	760		4014	-014	7614						-				-									
Fiberglass T-Top Bottom Color 4	see footnote				383				22	1 4					-		0.20	10.20		2.23	722	0.00		
Raw Water Washdown	756	443	443	443	443								-		_									
Fishing Seat with Pedestal & Base (Bow)	752	371	371	371	371	-			-				-											
Trolling Motor Mount and Harness	751	363	363	363	363		-	-	7	-	-		-		-	-	-			-	-	-		
	751	303	303	303	303				-		-		·	-	-	-		-			-	S	S	5
Cabin Lights SS Butane Stove with Case & Auto Light																						-	S	5
Freshwater Sink - Cabin				-	-	-		-	-		-	•	-	-	-	-	-	-		-		-	S	-
Molded Fiberglass Cabin Liner	-				-						-		S	-	-			S	S	S	s	7.70	S	
Porta-Potti with Level Indicator	705/706		314	314	314	-	-	152	-		-		S	-	-	-	-	S	S	S	S	S	S	
Porcelain Head with Holding Tank	705/706	-	314	314	314		-	152	-					-	-									
		-		-		-			-		-	•		-	-	-	-							
Porta-Potti with Dockside Pumpout	38	-			-		-	338	-	•	-		194	-	-	-		194	194	194	194	194	194 443	
Gray Water Tank with Dockside Pumpout	44		-	-	-		-	-	-		-	-	_		-	-	705		_	-		_	_	7.
Automatic Fire Extinguishing System	19	- 047		- 047		047	- 047		- 047	- 047	- 047	S	705	705	- 047	•	705	- 047	705		705	S	S	70
Battery Charger (110V)	41	217	217	217	217	217 109	217	217	217	217	217	217	217	400	217	-	217	217	217	217	217	217	217	2
Battery On / Off Switch w/ Safety Key	36	109	109	109	109	109	109	109	109	109	109	109	109	109	109	-	109	109	109	109	109	109	109	10
Dual Battery System w/ VSR & Switch	30	298	298	298	298		298	298	-	298	298	298	298	-	-	-		298	298	298	298	-	298	2
Dual Battery System w/ VSR (CE option)	307	298	298	298	298		298	298	-	298	298	298	298	-	-	-	-	298	298	298	298	-	298	29
Power Trim and Tilt		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	5
Hydraulic Tilt Steering (Merc, Suzuki, Yamaha)		1346	1346	1346	1346	- 0	1346	1346		1346	1346		-	-	1346	-	-	1346		1346		-		
Power Steering (Engine Driven)	-	-	-		-	401	-		-	404	-	S	S	S	-	S	S	-	S	-	S	S	S	
Tilt Steering with Locking Detent	39	S	S	S	S	191	191	S	191	191	191	S	S	191	191	191	191	S	S	S	S	191	S	5
Hydraulic Steering (90-115 hp)	618	845	-	-	-	845	-	-	845	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tilt Steering For (90-115 hp)	619	137	-	-	-	137	-	-	137	-	-	-	-	-	-	-	-	-		-	-	-	-	
Engine Oil Drip Pan	98	-	-	-	-	-	-	-	-	-	-	158	158	158		158	158	-	158	-	158	158	158	1
Preferred Equipment Group 1	805	-	-	-	-	1206	1855	1855	1206	1855	1855	1478	1925	1409	1409	1494	1409	1478	1478	1478	1478	1409	1478	19
Stainless Steel Hardware Package 2	820	S	S	S	S	363	363	242	363	363	363	242	242	363	363	-	363	242	242	242	242	363	242	2

S Denotes Standard

- Denotes Not Available

1 Preferred Equipment Group items

vary by model and may include: - Bimini Top (Sunbrella)

- Bimini Top (Sunbrella) with SS Frame

- Deluxe Bolster Seat(s) - LED Cockpit Lighting - Stainless Steel Ski Tow - Fusion RA-55 Stereo BT-APP - Fusion SRX 400 BT-APP-WIFI

- Transom Mounted Tilt Switch

- Zero Torque Steering - Tilt Steering with Locking Detent - Stainless Steel Multi-Step Bow Ladder

Stainless Steel Hardware Package items vary by model and may include:
 Gunnel Molding (White/Stainless)
 SS Horn Cover
 SS Cup Holders

- SS Windshield Supports

- SS Grab Handles - SS Dash Rail

- SS Bimini Top Quick Connects

- Cabin Windows w/ SS Frame - SS Vent Covers

3 Fishing Package items vary by model and may include:

- Trolling Motor Mount (removable)
- Trolling Motor Harness and Plug
- Fishing Seat (bow)
- SS Rod Holders Aft (2 additional)
- Fish Storage Box (aft)

4 Fiberglass T-Top Bottom Colors Opt # 769 -- Bavarian

Opt # 769 -- Bavarian Opt # 771 -- Abaco Green Opt # 772 -- Ice Blue Opt # 773 -- Dove

Opt # 774 -- Black

Prices and specifications subject to

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options



Under Seat Storage (varies by model)



Custom Steering Wheel (style varies by model)



Freshwater Sink, Counter Top Area, and 25-quart Removable Cooler (235LR shown)



Tower (Folding Arch Style) and Top (Option #663)



Fishing Package (Option #802) Items vary by model. Refer to page 46 for complete package details.



Molded Fiberglass Cabin Liner with Storage, Butane Stove, and Porta Potti (225CR shown)



Tan Vinyl Interior

Coffee Vinyl Interior (a mixture of Tan and Onyx CoolTouch™ (no charge choice)



Onyx CoolTouch™ Vinyl Interior (no charge choice)



Cockpit Table with Floor Mount & Teak Table Upgrade (Options #76 & #94)



Ice Chest Under Walk-Thru Step (varies by model)



Cockpit Filler Cushions (250LR and 250CR)



Bow Filler Cushions (Option #84)



Fish Storage Box / Cooler



Bow Ice Chest (sizes and styles vary)

### CANVAS

CANVAS IS MADE OF HIGH	OPTION #	186CC	206CC	216CC	236CC	182SC	192SC	212SC	191DC	201DC	201DS	225LR	250LR	198LX	204LR	208LS	208LR	214LR	215LR	234LR	235LR	208CR	225CR	250CR
QUALITY SUNBRELLA MATERIAL						DECK	BOAT					SPOR	ГВОАТ				SPOR	T DECK	A				CUDDY	
Optional Canvas Color	66	152	152	152	152	152	152	152	152	152	152	152	152	152	152		152	152	152	152	152	152	152	152
Bimini Top	65	-	-	-	-	802	-	-	802	-	-	948	-	802	948	-	948	948	948	948	948	948	948	-
Bimini Top with SS Frame	62	928	1171	1171	1171	-	1448	1448	-	1448	1448	-	1448	-	-	-	-	-	-	-	-	-	-	1448
Bimini Top - Forward	64	-	-	40	-	-	840	840	-	-	-	-	-	-	-		-	-	-	-		-	-	-
Cockpit and Bow Cover	17	-	-	-	-	-	-	-	788	1055	1055	788	1055	788	788	788	788	1055	1055	1055	1055	-	-	-
Cockpit Cover	13	-	-	-	-	766	960	960	-	-	-	-	735	-	-	-	-	-	735	-	735	551	551	735
Cockpit Cover for Wake Tower	73	-	-	-	-	960	960	960	735	735	735	597	-	-	597	-	597	785	785	785	785	-	-	-
Cover - Console and Seat	754	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cover - Deluxe Leaning Post	768	-	-	420	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bow Cover	18	-	-	-	-	-	-	-	238	318	318	238	318	238	238	-	238	318	318	318	318	-	-	-
Full Canvas Set	4	-	-	-	-	-	-	-	-	-	-	-	1189	-	-	-	-	-	1114	-	1189	555	555	869
Side Curtains (front and both sides)	16	(-)	-	-	-	-	-	-		-	-	-	434	-	-		-	434	434	434	434	434	434	434
Walk-Thru Flap	14	-	-	-	-	-	-	-	109	109	109	109	109	109	109		109	109	109	109	109	-	-	-
Aft Bimini Extension Shade Top	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	482	482	482	482	-	-	-

NOTE: Option 4 includes a bow cover.

Denotes Standard Denotes Not Available

Prices and specifications subject to change. Only the most popular standard and optional equipment items are shown. For the current and complete list of items, visit stingrayboats.com/options



Bimini Top (shown in optional bavarian) with Windshield Connector (not shown) - Option #65



Wakeboard Tower Top (shown in optional black) - comes with Option #663 (see page 44)



Cockpit and Bow Cover (shown in optional black) - Option #17



Full Canvas Set (shown in optional black) - Option #4



Stand-up Forward Bimini Top (shown in optional black) -Option #64 - attaches to front of the standard deck boat Stand-up Bimini Top (192SC shown)



Bow Cover (shown in standard latte) - Option #18




Walk-Thru Flap (shown in optional black) - Option #14



Standard canvas color is latte. The other colors are an optional up-charge exchange.

Refer to the chart above for complete details.











# HULL GRAPHICS / GELCOAT COLORS

	# NOILION	186CC	206CC	216CC	236CC	182SC	192SC	212SC	191DC	201DC	201DS	225LR	250LR	198LX	204LR	208LS	208LR	214LR	215LR	234LR	235LR	208CR	225CR	250CR
						DECK	BOAT					SPORT	BOAT		2		SPORT	DECK	100				CUDDY	
Full Hull Color Band	50	515	645	645	645	515	645	645	515	645	645	645	845	645	645	-	645	645	645	645	645	645	645	845
Half Hull Color Band	51	-	-		-	-	-	-	-	-	-		-		-	385	-	-	-	-	-	-	-	:
Solid Hull Color	52	722	722	722	722	-	722	722	-	722	722	722	922	722	722	-	722	722	722	722	722	722	722	922
Hull Bottom Color (Black, Bavarian, Abaco, Ice Blue, Dove)	390, 393, 395-397	346	454	454	454	-	454	454	-	454	454	454	454	-	454	-	454	454	454	454	454	454	454	454
Hull Sweeps (Two Tone Hulls Only)	340	-	-	-	-	-	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0
Hyper Graphic (Red)	349	215	383	383	383	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0
Hyper Graphic (Blue)	346	215	383	383	383	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0
Hyper Graphic (Gray)	347	-	383	383	383	-	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0
Hyper Graphic (Green)	351	215	383	383	383	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0
Hyper Graphic (Orange)	350	215	383	383	383	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0
No Hyper Graphics	319	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0

Denotes Standard Denotes Not Available

Prices and specifications subject to change. Only the most popular standard and optional equipment items are shown. For the current and complete list of items, visit stingrayboats.com/options















Black

Dove

Bavarian Blue





Standard



Hyper Graphic (Red) - Option #349



Hyper Graphic (Blue) - Option #346



Hyper Graphic (Gray) - Option #347



Hyper Graphic (Green) - Option #351



Hyper Graphic (Orange) - Option #350



Hull Sweeps (Two Tone Hulls Only) - Option #340

## MODEL SPECIFICATIONS

		LENGTH	BEAM	BRIDGE CLEARANCE (with standard windshield)	DRY WEIGHT A (wf popular engine)	FUEL	WATER	ICE BOX / COOLER CAPACITY	LIVEWELL	MAX CAPACITY	MOLDED DEPTH (windshield base to keel)	MAX DEPTH (with standard windshield)	MAX DRAFT (drive down)	MAX DRAFT <sup>8</sup>	COCKPIT DEPTH (at helm)	SLEEPING	DEADRISE ANGLE
186CC		19 ft, 1 in	90 in	59 in	2300 lbs	34 gal		48+68 qt	26+17 gal	7 ppl / 1875 lbs	59 in	71 in	28 in	13 in	23 in		19°
18600		5.8 m	229 cm	150 cm	115 hp	129 L		45+64 L	98 <b>+64</b> L	7 ppl / 850 kg	150 cm	180 cm	71 cm	32 cm	58 cm		19°
206CC		20 ft, 1 in	100 in	63 / <mark>73</mark> in	2700 lbs	46 gal	13 gal	48+68 qt	26+17 gal	9 ppl / 2400 lbs	62 in	74 in	31 in	14 in	25 in		20°
20600		6.1 m	254 cm	160 / 186 cm	140 hp	174 L	49 L	45+64 L	98+ <mark>64</mark> L	9 ppl / 1088 kg	158 cm	188 cm	79 cm	36 cm	62 cm		20°
216CC		21 ft, 8 in	101 in	72 in	3150 lbs	57 gal	13 gal	74+68 qt	14+17 gal	10 ppl / 3050 lbs	68 in	85 in	32 in	15 in	25 in		21°
21600		6.6 m	257 cm	183 cm	200 hp	216 L	49 L	70+64 L	53+64 L	10 ppl / 1383 kg	173 cm	216 cm	81 cm	38 cm	62 cm		21°
236CC		23 ft, 8 in	101 in	72 in	3648 lbs	68 gal	13 gal	74+68 qt	14+17 gal	12 ppl / 3250 lbs	68 in	85 in	33 in	16 in	25 in		21°
23600	ь	7.2 m	257 cm	183 cm	250 hp	257 L	49 L	70+64 L	53+ <mark>64</mark> L	12 ppl / 1474 kg	173 cm	216 cm	84 cm	41 cm	62 cm		21°
182SC	DECK BOAT	19 ft, 1 in	90 in	39 in	2000 lbs	21 gal		25+22 qt	6 gal	9 ppl / 2025 lbs	46 in	48 in	28 in	13 in	27 in		19°
10230	ECK	5.8 m	229 cm	99 cm	90 hp	79 L		24+21 L	23 L	9 ppl / 918 kg	117 cm	122 cm	71 cm	32 cm	69 cm		19°
192SC		20 ft, 1 in	100 in	50 in	2600 lbs	46 gal	3+13 gal	67+25+45 qt	11 gal	10 ppl / 2225 lbs	55 in	63 in	32 in	15 in	28 in		20°
1925C		6.1 m	254 cm	127 cm	115 hp	174 L	11+49 L	63+24+43 L	42 L	10 ppl / 1009 kg	140 cm	160 cm	80 cm	37 cm	70 cm		20°
24222		21 ft, 11 in	102 in	50 in	3100 lbs	57 gal	3+13 gal	67+25+45 qt	11 gal	12 ppl / 2600 lbs	55 in	63 in	31 in	14 in	28 in		20°
212SC		6.7 m	259 cm	127 cm	150 hp	216 L	11+49 L	63+24+43 L	42 L	12 ppl / 1179 kg	140 cm	160 cm	79 cm	36 cm	70 cm		20°
		19 ft, 1 in	90 in	51 in	2000 lbs	21 gal		25+22 qt	6 gal	9 ppl / 2025 lbs	55 in	61 in	28 in	13 in	30 in		19°
191DC		5.8 m	229 cm	128 cm	90 hp	79 L		24+21 L	23 L	9 ppl / 918 kg	140 cm	155 cm	71 cm	32 cm	75 cm		19°
		20 ft, 1 in	100 in	60 in	2800 lbs	46 gal	3+13 gal	67+25+45 qt	11 gal	10 ppl / 2225 lbs	55 in	70 in	32 in	15 in	32 in		20°
1DC/DS		6.1 m	254 cm	152 cm	115 hp	174 L	11+49 L	63+24+43 L	42 L	10 ppl / 1009 kg	140 cm	177 cm	80 cm	37 cm	81 cm		20°
		19 ft, 9 in	94 in	47 in	2828 lbs	34 gal	6 gal	32+14 qt		9 ppl / 1450 lbs	47 in	59 in	32 in	18 in	31 in		19°
198LX		6.0 m	239 cm	119 cm	200 hp	129 L	23 L	30+13 L		9 ppl / 657 kg	119 cm	150 cm	81 cm	46 cm	79 cm		19°
		20 ft, 5 in	99 in	49 in	2490 lbs	34 gal	6 gal	32+14 qt	11 gal	9 ppl / 1715 lbs	48 in	62 in	31 cm	18 in	32 in		20°
204LR		6.2 m	250 cm	125 cm	115 hp	129 L	23 L	30+13 L	42 L	9 ppl / 778 kg	122 cm	158 cm	79 cm	46 cm	81 cm		20°
		20 ft, 8 in	99 in	49 in	2974 lbs	34 gal	6 gal	32+14 qt	11 gal	9 ppl / 1715 lbs	48 in	62 in	34 in	18 in	32 in		20°
8LS/LR		6.3 m	250 cm	125 cm	200 hp	129 L	23 L	30+13 L	42 L	9 ppl / 778 kg	122 cm	158 cm	86 cm	46 cm	81 cm		20°
Vetty en	Ų.	21 ft, 8 in	101 in	58 in	3114 lbs	46 gal	13 gal	25+17 qt	11 gal	11 ppl / 2167 lbs	58 in	72 in	32 in	17 in	34 in		21°
214LR	SPORT DECK	6.6 m	257 cm	147 cm	150 hp	174 L	49 L	24+16 L	42 L	11 ppl / 983 kg	147 cm	183 cm	81 cm	43 cm	86 cm		21°
	NT [	21 ft, 11 in	101 in	58 in	3705 lbs	46 gal	13 gal	25+17 qt	11 gal	11 ppl / 2167 lbs	58 in	72 in	34 in	17 in	34 in		21°
215LR	SPC	6.7 m	257 cm	147 cm	240 hp	174 L	49 L	24+16 L	42 L	11 ppl / 983 kg	147 cm	183 cm	86 cm	43 cm	86 cm		21°
117383113		23 ft, 8 in	101 in	58 in	3648 lbs	56 gal	13 gal	25+32 qt	11 gal	12 ppl / 2535 lbs	58 in	72 in	32 in	17 in	34 in		21°
234LR		7.2 m	257 cm	147 cm	250 hp	212 L	49 L	24+30 L	42 L	12 ppl / 1150 kg	147 cm	183 cm	81 cm	43 cm	86 cm		21°
		23 ft, 11 in	101 in	58 in	4105 lbs	56 gal	13 gal	25+32 qt	11 gal	12 ppl / 2535 lbs	58 in	72 in	34 in	17 in	34 in		21°
235LR		7.3 m	257 cm	147 cm	240 hp	212 L	49 L	24+30 L	42 L	12 ppl /1150 kg	147 cm	183 cm	86 cm	43 cm	86 cm		210
		22 ft, 11 in	100 in	52 in	3364 lbs	56 gal	6 gal	32+25 qt	72 L	10 ppl / 2080 lbs	51 in	58 in	33 in	18 in	33 in		20°
225LR	Þ	7.0 m	254 cm	132 cm	240 hp	212 L	23 L	30+24 L		10 ppl / 943 kg	130 cm	147 cm	84 cm	46 cm	84 cm		20°
	SPORT	25 ft	102 in	65 in	4340 lbs	68 gal	13 gal	32+32+25 qt		10 ppl / 2265 lbs	66 in	77 in	34 in	17 in	36 in		21°
250LR	S	7.6 m	259 cm	165 cm	240 hp	257 L	49 L	30+30+24 L		10 ppl / 1027 kg	168 cm	196 cm	86 cm	43 cm	91 cm		210
		20 ft, 8 in	99 in	49 in	3074 lbs											2+1	20°
208CR		20 π, 8 in 6.3 m	99 in 250 cm			34 gal 129 L	6 gal	25 qt 24 L		9 ppl / 1715 lbs	51 in	64 in	34 in 86 cm	18 in 46 cm	34 in		
	<u>&gt;</u>			125 cm	200 hp		23 L			9 ppl / 778 kg	130 cm	163 cm			86 cm	2+1	20°
225CR	спрру	22 ft, 11 in	100 in	55 in	3539 lbs	56 gal	6 gal	25 qt		10 ppl / 2080 lbs	54 in	61 in	33 in	18 in	36 in	2+1	20°
	Ö	7.0 m	254 cm	140 cm	240 hp	212 L	23 L	24 L		10 ppl / 943 kg	137 cm	155 cm	84 cm	46 cm	91 cm	2+1	20°
		25 ft	102 in	65 in	4192 lbs	68 gal	13 gal	32+25 qt		10 ppl / 2265 lbs	66 in	77 in	34 in	17 in	36 in	2+2	21°

Specifications may change at any time. For current information, visit StingrayBoats.com/specifications Items listed in red are optional

### PERFORMANCE OPTIONS

,	,				225LR	250LR	198LX	208LS/LR	215LR	235LR	208CR	225CR	250CR
					SPORT	BOAT		SPORT	DECK			CUDDY	
			lengt	h overall	22' 11"	25'	19' 9"	20' 8"	21' 11"	23' 11"	20' 8"	22' 11"	25'
			fuel	capacity	56	68	34	34	46	56	34	56	68
		c	dry weight, i	no motor	2350	3388	1814	1960	2690	3090	1960	2525	3575
		max	speed with	SS prop	•	•	•	•	•	•	•	•	•
			standard	propeller		•	•		•			•	•
	engine	prop hp	drive type	motor weight									
ı	4.5 L MPI	200	alpha 1	826	47 B	42 A	52 C	49 C	48 C	45 B	49 C	47 B	42 A
1	4.5 L MPI	250	alpha 1	826	54 B	47 A		56 C	52 B	50 A	56 C	54 B	47 A
1	4.5 L MPI	250	bravo 3	891	54 I	48			52 I	50 I		54 I	48
	6.2 L MPI	300	bravo 3	1012	60 K	54 1				55 I		59 K	53 I
ı	4.3G DI	200	SX	839	49 G	42 E	52 G	50 G	48 G	45 F	50 G	49 G	42 E
J	4.3G DI	240	SX	839	53 G	47 F		55 X	51 G	49 F	55 X	52 G	47 F
١	4.3G DI	240	DP	899	53 G	47 F			51 G	49 F		52 G	47 F
	4.3G DI	280	DP	899	56 N	50 M			54 M	53 N		55 N	49 M
1													

#### PROPELLER OPTIONS

vc	LVO SX	VO	DLVO DUO PROP	FRONT & REA	R SET PART#
Ε	17" Aluminum	L	F4 SS Duo Prop	3851494-9	
F	19" Aluminum	M	F5 SS Duo Prop	3851495-6	
3	21" Aluminum	N	F6 SS Duo Prop	3851496-4	
X	23" Aluminum	0	F7 SS Duo Prop	3851497-2	
ME	ERCURY	МЕ	RCURY BRAVO 3	EPONT DART #	REAR PART #
Α.	17" Aluminum	Н	22.5" SS Bravo 3	48-8M8022400	48-8M8022410
3	19" Aluminum	1	24" SS Bravo 3	48-8M8022420	48-8M8022430
С	21" Aluminum	J	26" SS Bravo 3	48-8M8022440	48-8M8022450
D	23" Aluminum	K	28" SS Bravo 3	48-8M8022460	48-8M8022470

\*Only EPA approved engines are available in the USA. See your dealer for details. Specifications are subject to change at any time without notice or obligation. To avoid disappointment at the time of purchase, please check with your STINGRAY Dealer for current information and specifications.

Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions will vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may vary depending on many factors, including driver, weather, altitude, load, condition of propeller, lower unit, and boat bottom. Matching of your boat and use conditions to the proper propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be an absolute recommendation.

MERCURY OUTBOARD 16" SS

17" SS

19" SS

21" SS 23" SS

AC 18" SS

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using a lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected at sea level with light load, 70° F temperature, and the best performing SS propeller.

FOR THIRD PARTY PERFORMANCE COMPARISONS, VISIT STINGRAYBOATS.COM/PERFORMANCE

				186CC	206CC	216CC	236CC	182SC	192SC	212SC	191DC	201DC/DS	204LR	214LR	234LR
							D	ECK BO	AT				SP	ORT DE	ск
		leng	gth overall	19' 1"	20' 1"	21' 8"	23' 8"	19' 1"	20' 1"	21' 11"	19' 1"	20' 1"	20' 5"	21' 8"	23' 8"
		fue	l capacity	35	46	57	68	21	46	57	21	46	34	46	56
	d	ry weight,	no motor	1830	2475	2669	3143	1660	2257	2613	1720	2290	2065	2629	3046
	max s	speed with	h SS prop	•	•	•	•	•	•	•	•	•	•	•	•
		standard	propeller	•	•	•			•	•	•	•	•	•	
	engine	prop hp	motor weight												
Г	90 FS	90	373					41 A			41 A				
ı	115 FS	115	373	45 C	41 B			48 C	42 B		45 C	41 B	44 B		
Γ	150 FS	150	455		47 W	46 V	44 AB		50 W	46 W		49 W	52 Y	48 AC	44 V
ı	200 FS	200	475		50 W	50 V	45 AB			53 AC		55 Y		53 AC	47 V
ı	250 FS	250	505				53 AC								53 AC
ı	F90	90	380	41 P				43 P			41 P				
ı	F115	115	425	46 Q	41 P			47 Q	42 P		46 Q	41 P	44 P		
١	F150	150	487		47 R	47 R			50 S	46 R		49 S	53 T	48 R	44 R
	F200	200	489		53 S	50 S	46 R			51 S		54 T		50 S	48 R
ı	F250	250	575				53 GG								54 G
i	DF90	90	352					42 CC			41 CC				
Г	DF115	115	412	47 EE	38 CC			48 EE	41 CC		47 EE	40 CC	42 CC		
ı	DF140	140	412	50 EE	42 DD				43 CC			43 CC	44 CC		
l	DF150	150	522		47 LL	47 KK	42 JJ		49 LL	46 KK		49 LL	52 MM	47 KK	
	DF175	175	529		50 MM	47 LL	44 KK		51 MM	49 LL		51 MM		47 LL	45 LI
ľ	DF200	200	529		53 MM	52 LL	47 KK			52 MM		54 MM		52 LL	50 LI
	DF250	250	606				53 LL								55 LL

All outboard engines shown are four-stroke models and not available in every country.	
For complete details, visit Stinger, Boots com as shoots with your dealer	

	, , , , , , , , , , , , , , , , , , , ,		
YAN	IAHA OUTBOARD	SUZUK	OUTBOARD
Р	17" (14) Aluminum	BB	17" Aluminum
Q	19" (16) Aluminum	CC	19" Aluminum
R	17" SS	DD	21" Aluminum
S	18" SS	EE	23" Aluminum
Т	19" SS	JJ	17" SS
U	21" SS	KK	19" SS
FF	17" Saltwater	LL	21" SS
GG	18" Saltwater	MM	23" SS
нн	19" Saltwater		



250CR CUDDY

1

225CR CUDDY

38

208CR CUDDY

WARRANTY INFORMATION All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

**ABOUT THIS BROCHURE** Only a partial list of standard equipment is shown; some boats are shown with optional and third-party accessories. Styling, design, equipment, prices, colors, and construction are subject to change without notice or obligation. To avoid disappointment, please check with your Stingray dealer or visit StingrayBoats.com for current information at the time of purchase.

### FIND US ONLINE

stingrayboats.com mystingray.com stingrayboats.com/store

facebook.com/stingrayboats twitter.com/stingrayboats instagram.com/stingrayboats youtube.com/stingrayboats



STINGRAY BOATS 625 Railroad Avenue, Hartsville SC 29550 | 843-383-4507