





# STINGRAY, Legendary performance. Unsurpassed value. Boots

Stingray Boats began over 40 years ago with two molds, a few skilled craftsmen, and a passion to build great performing boats. That passion has endured and continues today. Boatbuilding is not just a business here at Stingray; it's a part of who we are. Building lifelong memories one boat at a time!

Stingray is a privately owned, family-run company that focuses on building quality, not quantity. We also provide our customers with the assurance that they are getting the most boat for the best price. This has been the driving force of Stingray for over four decades and has provided us with the honor of having two-time, three-time, and even four-time Stingray boat owners. It is this loyal following of families who love boating that will continue to drive our passion to keep building great boats for many years to come.

At Stingray, we know that our customers lead busy lives and want to make the most of their free time and money on the water. With that in mind, we take advantage of our performance history and the current market trends and combine that with our passion for building great boats. Stingray's motto is performance, quality, and value at a price more people can afford.











### **ENVIRONMENTALLY RESPONSIBLE**

Being a leader in technology is more than just a philosophy — it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stacked emissions are not just buzzwords — they are measured goals of each employee. Our commitment goes beyond that which is mandated or regulated — it is an internal philosophy to do our part to protect the environment for future generations. Consider a few of the things that we are doing to protect our planet:

**USE OF FOUR-CYCLE ENGINES:** Stingray uses only three-star rated, four-cycle engines, which are the cleanest and most fuel-efficient available for marine use. Better fuel efficiency translates into less fuel consumption. Three-star engines can be 4x to 10x cleaner than two-cycle outboards, which means less pollution to our environment.



**OZONE-FRIENDLY FLOTATION FOAM:** Stingray uses non-ozone deleting flotation foam by BASF. It is free of chlorofluorocarbons — gases that are depleting the Earth's ozone layer. Ask about the use of zero-ozone deleting (zone 3) foam when considering boating brands.



**LOW VOC GELCOATS AND RESINS:** Stingray was the first boat manufacturer to convert to the use of low styrene laminating resins and gelcoats. The combination of these low VOC materials, coupled with the latest in low-pressure, high-temperature spray equipment, has reduced Stingray's VOC stacked emissions by over 55%.



**WASTE REDUCTION / RECYCLING:** Stingray has a recycling program for most waste materials including, but not limited to, cardboard, composites, aluminum, pallets, and metal drums. In cardboard alone, Stingray recycles over 163,000 pounds per year.


**COMMITTED:** We want Stingray owners not only to have fun on the water but also to know that they are helping protect the environment at the same time.

### FINANCIALLY SOLID

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on strong support for years to come. We are proud of our debt-free status — a claim that few builders can make!

### **VALUE & QUALITY-ORIENTED**

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray is in excellent company with Bryant, Chaparral, Formula, Grady-White, MasterCraft, Monterey, Nautique, Regal, Sportsman, Tiara Yachts, and Tigé. This is another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.



### **Center Consoles**

186 CC6	j
206 CC8	
216 CC 10	)
236 CC 12	,

### **Deck Boats**

2	SC	14
	SC	
12	SC	18
2	SC	20
1	DC	22
)1	DS	24
1	DC:	26

### Sport Decks

98 LX	28
04 LR	30
08 LR	32
14 LR	34
15 LR	36
35 LR	38

### Sports Boats

225 SE	40
250 LR	42

## Cuddy Cabins

08 CR	44
25 CR	46
50 CR	48

### **Dual Consoles**

269 DC.....50





# **Z-PLANE HULL**

The Stingray Z-plane hull is unparalleled in the industry. It is up to 30% more efficient than other boat hulls. Developed on a CAD (Computeraided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight-line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry-leading top-end, and smooth handling at all speeds.

# **TECHNOLOGY DRIVEN**

For the past four decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency (i.e., computer-aided designs, mutli-axis 3D milling machines, water jet cutting machines, and CNC routers).

**COMPUTER-AIDED DESIGN AND MANUFACTURING**: Every Stingray begins as a three-dimensional computer model. We "build" the boat on-screen and carefully scrutinize each component for size and fit, making all of the necessary adjustments before we ever commit the design to fiberglass. We even use a virtual human to check for legroom and headroom — and to be sure that all of the controls are located comfortably within reach. The information from this 3D model is sent to the next step in the process: 3D milling.

**MULTI-AXIS 3D MILLING MACHINE**: With information available from a 3D computer model, milling machines can produce a full-size model in a matter of hours — a task that would take weeks otherwise. With unequaled precision, the running surface of the hull is cut to the exact specifications. Our master craftsmen then provide the mirror finish that is a hallmark of Stingray quality.

ROBOTIC LAMINATION FACILITY: In our lamination building, a custom-designed overhead rail system was developed just for Stingray. Parts under construction are moved from one bay to the next for layup and curing. This system also keeps track of our in-process fiberglass parts while optimizing mold usage and improving productivity. Process automation also increases worker safety, helps maximize efficiency, and improves quality.

WATER JET CUTTING MACHINES: Many parts on a Stingray are cut using one of our high-pressure water jet machines. A stream of water no thicker than a human hair slices quickly and neatly through a variety of materials much easier than could be done by hand. Materials such as sea grass, foam, vinyl, canvas, rubber, and fiberglass are quickly transformed into precision quality parts.

**CNC ROUTERS**: Computerized numeric-controlled routers are used to cut various sheet goods into high quality parts. The computer allows us to "nest" a group of parts efficiently to minimize waste. Because the process is computer controlled, each part is dimensionally identical from one run to the next and can be finished much faster and less expensive than those produced by hand.



CE CERTIFICATION: Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe and Asia. Stingray boats destined for these countries must meet stringent standards prescribed by the Consultants Europe (CE) and bear the CE mark.



NMMA/USCG CERTIFICATION: All Stingray boats meet or exceed National Marine Manufacturers Association (NMMA) and U.S. Coast Guard (USCG) certification requirements for safety, such as horsepower, load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.



CSI AWARD: Annually, the Marine Industry CSI Awards program honors participating manufacturers that actively measure customer satisfaction and pursue continuous improvement to better serve the consumer. This measurement is based on responses provided by customers purchasing a new boat and/or engine (more than 155,000 last year alone). Over the years, Stingray has acquired numerous CSI awards for achieving and maintaining an independently measured standard of excellence of 90 percent or higher in initial customer satisfaction over an annual award period.







### WARRANTY

Every Stingray boat is backed by a comprehensive warranty for peace of mind.

LIMITED LIFETIME TRANSFERABLE STRUCTURAL HULL WARRANTY: Stingray Boat Co. (hereafter "STINGRAY") warrants the HULL against structural defects in material and workmanship for a period of ten (10) years from the date of purchase or eleven (11) years from the date of manufacture, whichever period elapses first. The warranty provided in this section is to the original retail owner only and applies only if the boat is purchased from an authorized STINGRAY Dealer. During the warranty period described above, STINGRAY will repair or replace, at its option, the fiberglass HULL if it is unfit or unsafe for general use as a pleasure craft under normal conditions and, in Stingray's discretion, is determined to be structurally defective in material or workmanship. For purposes of this warranty, the HULL is defined as the part of the boat in contact with the water when at rest. The warranty provided in this section is subject to all limitations and conditions contained herein. The remaining term of this HULL Warranty, up to five (5) years, may be transferred to the second owner if, within 60 days of purchase, the new owner registers the transfer with an authorized STINGRAY Dealer and pays a seventy-five US dollar (\$75 USD) transfer fee. Visit stingrayboats.com/transfer for further details on transferability.

3-YEAR LIMITED OSMOTIC HULL BLISTER WARRANTY: STINGRAY warrants against hull blistering caused by osmosis that is discovered and reported to STINGRAY during the first 3 years of ownership (subject to the prorated schedule below). The warranty provided in this section applies to the original retail owner only and is VOID if the original factory gelcoat surface has been altered by excessive sanding, scraping, sandblasting, or accident repair. A marine barrier coating with proper surface preparation is required if the boat is bottom painted or if the boat is left in fresh or saltwater for more than 60 days in any 90 day period. In the event of osmotic blistering, STINGRAY will, at its option, repair or cause to be repaired any hull damage and apply a layer of marine barrier coating to the affected surface area(s). Osmotic hull blisters are defined as those blisters, larger than one-eighth inch in diameter and with a depth greater than one-sixteenth inch, which occur on the hull below the waterline. Repairs will be performed (at STINGRAY'S discretion) by the selling dealer, a designated service center, or the STINGRAY factory. The following prorated schedule of parts and labor will be covered by STINGRAY: Blistering discovered and reported to STINGRAY less than one (1) year from date of purchase - 100%; between one (1) and two (2) years from date of purchase - 66%; between two (2) and three (3) years from date of purchase - 33%. All osmotic hull repairs must be pre-approved by STINGRAY prior to any work being performed. Transportation cost is the boat owner's responsibility. Reimbursement shall be limited to one repair, not to exceed eighty US dollars (\$80 USD) per foot of hull length resting below the waterline prior to prorating.

1-YEAR LIMITED GENERAL WARRANTY: STINGRAY boats are warranted to the original owner to be free of defects in materials or workmanship for a period of one (I) year from the date of purchase (not to exceed two (2) years from date of manufacture) subject to all limitations and conditions contained herein.

WARRANTY INFORMATION: All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.











and quickly fold down for use as casting platforms and for entering and exiting.
The forward bench lifts to reveal

self-bailing cockpit.

The optional bimini top shields passengers from the sun and elements; this model also has a

Two rear seats lift up for seating

- a 17-gallon cooler that can be upgraded to a livewell.
  The main helm seat lifts to reveal a conveniently located 26-gallon livewell; built-in rod storage
- a conveniently located 26-gallon livewell; built-in rod storage compartments can be found on both sides of the boat, plus additional rod storage slots are located aft and flanking each side of the console.
- The 186 CC offers ample space for maneuvering about, plus seating for seven; the bow area boasts a large foredeck that includes a cooler and storage compartment; a bow fishing seat and pedestal are optional.





BEAM **90"** 228.6 cm FUEL CAPACITY

34 GAL

129 L

AVG DRY WEIGHT

2,300 LB

w/115 HP Engine

MAX DRAFT (Drive Up)

12.5"
31.8 cm

MAX CAPACITY
7 PPL / 1,875 LB
850 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



More information at StingrayBoats.com/186CC
















- Other features include an optional freshwater sink amidships, rod storage, self-bailing cockpit, a built-in tackle box, and more.
- The deluxe console is standard on 206 models and above; beneath the console is a storage compartment that can be upgraded to a head compartment with the optional Porta Potti.
- Lots of walk-around space makes it easy to quickly move around the boat; two rear seats lift up for seating and quickly fold down for use as casting platforms; the helm seat has an adjustable seat/leaning post and lifts to reveal a 26-gallon livewell.



More information at StingrayBoats.com/206CC



BEAM 100" 254.0 cm FUEL CAPACITY

46 GAL

174 L

APACITY AVG DRY WEIGHT **GAL**4 L

AVG DRY WEIGHT **2,700** LB

w/140 HP Engine

MAX DRAFT (Drive Up)

35.6 cm

MAX CAPACITY

9 PPL / 2,400 LB

1,088 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.









- The bow area is roomy with lots of storage space beneath the seats; for fishing, unsnap the cushions and stow them; a forward bench covers the standard 17-gallon cooler (can be upgraded to a livewell).
- The helm area features flip-up bolsters, stainless steel beverage holders, a 12-volt accessory outlet, twin USB chargers, a full instrument panel, a large space to mount third-party electronics, rod holders, and a 74-quart Engel cooler; beneath the console is a storage compartment that can be upgraded to a head compartment with optional Porta Potti.
- Lots of walk-around space makes it easy to quickly move around the boat; two rear seats lift up for seating and quickly fold down for use as casting platforms; there are storage areas beneath the seats and a livewell that can be upgraded with a recirculating/aeration option.
- Other features include an optional freshwater sink amidships, multiple rod holders throughout the boat, a built-in tackle box, a fold-out waste basket, self-bailing cockpit, and much more; whether it's fishing or spending time with the family, the 216 CC is loaded with amenities.



BEAM 101" 256.5 cm

•

FUEL CAPACITY

57 GAL
216 L

AVG DRY WEIGHT

3,150 LB

w/200 HP Engine

MAX DRAFT (Drive Up)

15"
38.1 cm

STINGRAY

MAX CAPACITY

10 PPL / 3,050 LB

1,383 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



More information at StingrayBoats.com/216CC









- Large bow features forward-facing lounges, padded seatbacks, stainless grab rails, easy entry access, and storage bins; dual cabinets with countertops (fold-down faucet and sink starboard) are standard; a water washdown is optional.
- A leaning post is outfitted with custom-molded flip-up bolsters and a 74-quart Engel cooler.
- A forward-facing stern bench seat features flip-up seats; the center cushion can be removed to create a casting platform; below the platform is a 14-gallon livewell.
- A bench forward of the console features padded seating, stainless steel grab handles, and a cooler that can be upgraded to a livewell.
- An onboard changing compartment can be upgraded to a head compartment with the optional Porta Potti.
- windshield, stainless grab handles and cup holders, a storage nook, USB and 12-volt outlets, backlit switches, a large flat space for a GPS or other third-party electronic display,
- Self-bailing cockpit

• The helm includes a tempered glass and much more.

More information at StingrayBoats.com/236CC

LENGTH 23'8" 7.2 m

BEAM 101" 256.5 cm

FUEL CAPACITY

**68** GAL 257 L

AVG DRY WEIGHT 3,648 LB

w/250 HP Engine

MAX DRAFT (Drive Up) 16"


40.6 cm


MAX CAPACITY 12 PPL / 3,250 LB

Photos shown may contain optional equipment. Contact your local dealer for complete model details.









- The optional ski tow cage is perfect for those watersport activities you and your family can enjoy together out on the waterways.
- And for storing and accessing those watersport toys, there's a convenient storage compartment with an

• Stretch your legs in the bow with port and starboard seating with backrests, or use the optional bow filler cushion to convert to a comfortable lounging area.

- on the transom aft.
- oversized door in the floor.

LENGTH 17'3" 5.3 m

BEAM 90" 228.6 cm FUEL CAPACITY 21 GAL 79 L

AVG DRY WEIGHT 1,900 LB w/90 HP Engine

MAX DRAFT (Drive Up) 11.5" 29.2 cm

MAX CAPACITY 7 PPL / 2,000 LB

Photos shown may contain optional equipment. Contact your local dealer for complete model details.

More information at StingrayBoats.com/172SC










- The 182 SC bow features wide lounge seating with reclined backrests (filler cushions are optional), a large self-draining cooler to keep your drinks and snacks cool for the day, ample cupholders, and under seat storage compartments for storing gear while underway.
- A low profile dash design optimizes visibility and creates a sporty look that is further complemented with a sport bucket seat for the captain.
- A roomy layout is enhanced with lots of storage, including a large floor storage locker for a wakeboard or other gear; a 25-quart removable cooler for bringing pre-chilled drinks aboard is conveniently hidden under the rear lounge seat.
- around seating for your passengers to stretch out and enjoy the ride; a rear-facing lounge seat allows your co-captain to keep an eye on tubers and wakeboarders.



LENGTH 19'1" 5.8 m

BEAM 90" 228.6 cm

FUEL CAPACITY 21 GAL

AVG DRY WEIGHT 2,050 LB 79 L w/115 HP Engine

MAX DRAFT (Drive Up) 12.5" 31.8 cm

MAX CAPACITY 9 PPL / 2,025 LB 918 kg


Photos shown may contain optional equipment. Contact your local dealer for complete model details.

More information at StingrayBoats.com/182SC















cockpit or bow; the optional forward bimini provides shade from the sun; in addition to the convenient aft entry, the 192 SC features port side steps for easy entry.



• A freshwater sink and removable trash can are conveniently located amidships for easy access by

LENGTH 20'1" 6.1 m

BEAM 100" 254.0 cm

**FUEL CAPACITY 46** GAL 174 L

AVG DRY WEIGHT 2,600 LB w/115 HP Engine

MAX DRAFT (Drive Up) 14.5" 36.8 cm

MAX CAPACITY 10 PPL / 2,225 LB 1,009 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.




More information at StingrayBoats.com/192SC












- A freshwater sink is conveniently positioned amidships; a trash receptacle compartment is covered below.
- The helm station boasts a custom lowprofile dash with room for accessories and a sporty windshield visor.
- An open floor plan for easy movement on deck; hidden storage in the sideentry steps, beneath the seats, and below the floor provides plenty of room to store necessities, leaving room for family and friends.
- convenient with the roomy onboard changing compartment; for added passenger convenience, the changing compartment can be upgraded to a head compartment with a Porta Potti; the compartment also houses the cockpit table.





More information at StingrayBoats.com/212SC

LENGTH 21'11"

6.7 m

BEAM 102" **FUEL CAPACITY 57** GAL 216 L

AVG DRY WEIGHT 3,100 LB w/150 HP Engine

MAX DRAFT (Drive Up) 14" 35.6 cm

MAX CAPACITY 12 PPL / 2,600 LB

contain optional equipment. Contact your local dealer for complete model details.













- Our Onyx CoolTouch<sup>™</sup> vinyl by Syntec<sup>®</sup> Industries has been tested and shown to be cooler than standard neutral colored vinyl, increasing passenger comfort.
- A convenient step-thru ensures
   easy boarding; and open layout with
   L-shaped seating provides lots of
   seating and legroom for everyone
   aboard; under-seat and in-floor
   storage spaces provide room for
   stowing gear and supplies.
- The bow features padded lounge seats with canted backrests, a large ice chest, easily removable cushions that reveal roomy storage compartments, convenient cupholders, and twin speakers.
- A full windshield provides protection from the wind; sporty bucket seats are provided for captain and aco-captain; a sporty dash panel houses easy-to-read gauges.
- Optional fishing package also available.



More information at StingrayBoats.com/191DC

19' 1"

BEAM **90"** 228.6 cm

fuel capacity

21 gal

CAPACITY AVG DRY WEIGHT

1 GAL
79 L
2,000 LB
w/115 HP Engine

MAX DRAFT (Drive Up)

12.5"
31.8 cm

9 PPL / 2,025 LB

contain optional equipment. Contact your local dealer for complete model details.

Photos shown may











- A deep bow is great for families; add optional filler cushions to create a sun pad; the forward platform features a two-step ladder, anchor, and a large, insulated ice chest.
- A molded-in cockpit sink is upgraded to a single-tap faucet when the optional pressurized water system is ordered.
- An oversized non-skid lid, held open by a gas-assist strut, provides access to floor storage.
- Wrap-around seating makes it convenient for setting up the cockpit table for snacks (optional teak table shown).
- Storage throughout provides lots of areas for gear and supplies.
- Twin bucket seats with flip-up bolsters provide comfort for both the captain and co-captain; there is a 25-quart removable cooler for bringing pre-chilled drinks aboard.





LENGTH 20'1" 6.1 m

BEAM **FUEL CAPACITY** 100" 46 GAL 254.0 cm 174 L

AVG DRY WEIGHT 2,800 LB

w/115 HP Engine

MAX DRAFT (Drive Up) 14.5" 36.8 cm

MAX CAPACITY 10 PPL / 2,225 LB

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



More information at StingrayBoats.com/201DS


















- The low-profile, soft-touch vinyl bow provides increased visibility and reduces glare when underway; a self-bailing, full fiberglass liner for easy cleanup, and the ease of maintenance of outboard propulsion.
- Custom wakeboard tower outfitted with Sunbrella® canvas top.







More information at StingrayBoats.com/231DC

LENGTH 23'8" 7.2 m

BEAM 101" 256.5 cm

**FUEL CAPACITY 56** GAL

AVG DRY WEIGHT 3,648 LB 212 L w/250 HP Engine

MAX DRAFT (Drive Up) 17"

12 PPL / 2,535 LB 43.2 cm

Photos shown may contain optional equipment. Contact your local dealer for complete model details.













- The contoured bow features a non-skid stepthru that doubles as a lid for a slide-out ladder and locker for anchor storage; the step in the bow is a lid that opens to reveal an ice chest; seat backs pop open to reveal storage beneath.
- Twin sport bucket seats can be upgraded to a helm bucket with twin bucket bolsters.
- An oversized non-skid lid, held open by a gas-assist strut, provides access to floor storage.
- A convenient walkway leads from the swim platform; insert the optional filler cushion to create a full-width sundeck.
- A canvas top is a convenient option for those sunny days on the water.



Photos shown may contain optional equipment. Contact your local dealer for complete model details.

LENGTH 19'9"

BEAM **94**" 238.8 cm FUEL CAPACITY

34 GAL

129 L

2,828 LB w/200 HP Engine

MAX DRAFT (Drive Up)

18"
45.7 cm

9 PPL / 1,450 LB


StingrayBoats.com/198LX

More information at










- A low profile dash, with easy to read gauges, increases visibility; an attractive storage area surrounded by stainless steel railings holds small accessories in place.
- Multiple coolers (bow and cockpit) make it easy for passengers to have drinks at their fingertips.
- Optional dual, custom sport bucket seats offer flip-up seating; optional premium seagrass flooring feels good underfoot for kids, adults, and dogs; it's also easy to clean.
- A deep bow and curved seating provide optimal comfort; sport deck models feature a two-step ladder and anchor locker.



Photos shown may

equipment. Contact

your local dealer for

contain optional



LENGTH 20'5" 6.2 m

BEAM 98.5" 250.2 cm

**FUEL CAPACITY 34** GAL 129 L

AVG DRY WEIGHT 2,490 LB w/115 HP Engine

MAX DRAFT (Drive Up) 18"

45.7 cm

MAX CAPACITY 9 PPL / 1,715 LB



More information at StingrayBoats.com/204LR











Photos shown may

equipment. Contact

your local dealer for

complete model details.

contain optional







- The wide beam provides roomy interiors and sport boat handling.
- A low profile dash, with easy to read gauges, increases visibility; an attractive storage area surrounded by stainless steel railings holds small accessories in place.
- Multiple coolers (bow and cockpit) make it easy for passengers to have drinks at their fingertips.
- Optional dual, custom sport bucket seats offer flip-up seating; optional premium seagrass flooring feels good underfoot for kids, adults, and dogs; it's also easy to clean.
- A deep bow and curved seating provide optimal comfort; sport deck models feature a two-step ladder and anchor locker.

More information at StingrayBoats.com/208LR

LENGTH **20'8"** 

BEAM F 98.5" 250.2 cm

FUEL CAPACITY

34 GAL

129 L

AVG DRY WEIGHT

2,974 LB

w/200 HP Engine

MAX DRAFT (Drive Up)

18"
45.7 cm

MAX CAPACITY

9 PPL / 1,715 LB

778 kg

32

33











- Turn the standard roomy bow into a giant lounging area with optional bow filler cushions; a large entryway platform houses a boarding ladder and anchor locker storage.
- An entertainment center is complete with a freshwater system, removable Igloo cooler, and a stylish counter.
- When it's time for snacks, the cockpit table (optional teak table) can be set up quickly in either the bow or cockpit.
- A spacious head compartment (which doubles as a changing room) is equipped with built-in shelving, a recessed toilet paper holder, LED lighting, and an opening port window.



More information at StingrayBoats.com/214LR

LENGTH **21'8"** 

BEAM **101"** 256.5 cm FUEL CAPACITY

46 GAL

174 L

AVG DRY WEIGHT MAX DRAFT (Drive Up)

3,114 LB 17"

w/150 HP Engine 43.2 cm

MAX CAPACITY

11 PPL / 2,167 LB

983 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



AVG DRY WEIGHT **FUEL CAPACITY** 46 GAL 3,705 LB

174 L

w/240 HP Engine

MAX DRAFT (Drive Up) 17" 43.2 cm

MAX CAPACITY 11 PPL / 2,167 LB

Photos shown may contain optional equipment. Contact your local dealer for complete model details.





- Turn the standard roomy bow into a giant lounging area with optional bow filler cushions; a giant entryway platform houses a boarding ladder and anchor locker storage. • An entertainment
- center is complete with a freshwater system, removable Igloo cooler, and a stylish counter.
- When it's time for snacks, the cockpit table (optional teak table) can be set up quickly in either the bow or cockpit.
- A spacious head compartment (which doubles as a changing room) is equipped with built-in shelving, a recessed toilet paper holder, LED lighting, and an opening port light window.



More information at StingrayBoats.com/215LR

21'11"

6.7 m

101"

256.5 cm















- A pressurized bow shower is conveniently located to wash off dirt and sand before re-entering the boat.
- The optional wake tower with Sunbrella<sup>™</sup> canvas top provides the perfect amount of shade for a fun day on the water.
- A standard full fiberglass liner makes for easy cleanup at the end of the day; add the optional premium seagrass flooring, a blend of ruggedness and beauty, to provide greater comfort underfoot.
- The onboard head compartment features a Porta Potti and doubles as a changing room on the water.
- L-shaped seating and a large sundeck provide a roomy area for lounging and sunbathing, with ample storage space.
- An onboard entertainment center is complete with a freshwater sink, removable cooler, and an attractive countertop — it's the perfect setup for entertaining.

LENGTH 23' 11" 7.3 m

BEAM 101" 256.5 cm

FUEL CAPACITY

**56** GAL 212 L

AVG DRY WEIGHT MAX DRAFT (Drive Up) 17" 4,105 LB w/240 HP Engine

MAX CAPACITY 12 PPL / 2,535 LB 43.2 cm 1,150 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.

More information at StingrayBoats.com/235LR















• The curved bow (shown with onyx



- The spacious interior creates room for up to 10 people with ample storage space throughout.
- A convenient walk-thru companionway is revealed when the center cushions are removed; the center cushions quickly reattach to create a full-width sundeck, as well as a full bench seat below; both the captain and co-captain seats are sport bucket seats with flipup seats that quickly adjust to an up or down position.
- Attractive gauges are housed beneath a low-profile brow for increased visibility; an area surrounded by stainless rails can be used to hold small accessories in place.



LENGTH 22' 11"

BEAM 100" 254.0 cm

FUEL CAPACITY

**56** GAL 212 L

AVG DRY WEIGHT MAX DRAFT (Drive Up) 3,364 LB 18"

45.7 cm

w/240 HP Engine

MAX CAPACITY 10 PPL / 2,080 LB

Photos shown may contain optional equipment. Contact your local dealer for complete model details.





More information at StingrayBoats.com/225SE



















- A freshwater system, stainless steel sink, and attractive countertop make up the entertainment area amidships; the optional 12-volt Isotherm refrigerator upgrades an already luxurious interior.
- Lift the hatch just forward to the bow seating to reveal the anchor locker storage area.
- A wide U-shaped design provides ample seating room and keeps everyone near the action in the cockpit; filler cushions can be quickly set up to convert the seating area into an oversized sun pad or a
- adds convenience for a day or night
- factory-installed electronics.



More information at StingrayBoats.com/250LR

LENGTH 25' 7.6 m

BEAM 102" 259.0 cm

**FUEL CAPACITY 68** GAL 257 L

AVG DRY WEIGHT 4,340 LB w/240 HP Engine

MAX DRAFT (Drive Up) 17" 43 cm

MAX CAPACITY 10 PPL / 2,265 LB 1,027 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.
















• Optional coffee interior provides a



- A folding door opens to reveal a wide opening to the cabin area; cupholders and speakers are abundant, adding to passenger comfort and convenience.
- A wide-body design means an extra roomy cabin; there's plenty of room to stretch out and sleep overnight on the water; lift the cushions to reveal the Porta Potti.
- interior lighting, a mirror, built-in
- of the bow; pop the deck hatch to easily access the bow anchor locker storage, or to provide a little extra air to the cabin.





More information at StingrayBoats.com/208CR

LENGTH 20'8" 6.3 m

BEAM 99" 250.2 cm FUEL CAPACITY **34** GAL

AVG DRY WEIGHT 3,074 LB w/200 HP Engine 129 L

MAX DRAFT (Drive Up) 18"

45.7 cm

MAX CAPACITY 9 PPL / 1,715 LB

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



w/240 HP Engine

46 cm









Photos shown may


equipment. Contact

your local dealer for

complete model details.

contain optional


943 kg



• A step-down cabin entry leads

- A convenient walk-thru companionway is revealed when the center cushions are removed; if you need extra seating, just quickly reattach the center cushion.
- Sport bucket seats with flip-up bolsters provide comfort for both the captain and co-captain.
- Built-in fiberglass steps lead to a non-skid foredeck for easy access when docking or dropping anchor; solid cabin doors provide privacy when sleeping.







More information at StingrayBoats.com/225CR

7 m


254.0 cm

212 L

225 CR CUDDY CABIN







- Wrap-around seating provides room for your passengers to stretch out and enjoy the ride; sport bucket seats with flip-up bolsters provide comfort for the captain and co-captain.
- An ice chest and entertainment center are amidships for easy access when the cocktail table is set up for drinks and snacks; an optional 12-volt Isotherm refrigerator upgrades the the freshwater sink.
- design that reserves room for an aftermarket plotter; switches and controls are at the captain's fingertips and finished with a sporty steering wheel.

25-quart removable cooler below The helm features a split-console

> More information at StingrayBoats.com/250CR

LENGTH 25' 7.6 m

BEAM 102" 259.0 cm

**FUEL CAPACITY** 68 GAL 257 L

AVG DRY WEIGHT 4,192 LB w/240 HP Engine

MAX DRAFT (Drive Up) 17" 43 cm

MAX CAPACITY 10 PPL / 2,265 LB

Photos shown may contain optional equipment. Contact your local dealer for complete model details. 250 CR CUDDY CABIN















- This magnificent dual console is completely versatile and can be utilized for any activities you and your family want to enjoy. The optional hardtop provides immense shade and protection from the elements and is available with six different underside color options.
- As you walk through the safety glass windshield from the helm, extremely comfortable seating awaits you in the bow. Upgrade with the optional bow filler cushion for complete lounging.
- Available seating in the cockpit is ample, as is the room to fight the fish should you choose to take the crew out for the prize catch. And you can keep those prize catches in the insulated fish/storage box located aft.
- The enclosed, lighted head offers a Porta-Potti, or can be upgraded with dockside pump out or even a porcelain head with holding tank and pump out.



More information at StingrayBoats.com/269DC

LENGTH **27' 11"** 

BEAM 102" 259.0 cm

STINGRAY

269 DC DUAL CONSOLE

FUEL CAPACITY

135 GAL

511 L

DRY WEIGHT **6,400** LB

w/Twin 200 HP Engines

MAX DRAFT (Drive Up)

18"

45.7 cm

MAX CAPACITY
Yacht Certified
12 ppl

contain optional
equipment. Contact
your local dealer for
complete model details.

Photos shown may

# **STANDARDS & OPTIONS**

			CENTER (	CONSOLES	i				ECK BOAT	S					SPORT	DECKS			SPORT	BOATS	CL	IDDY CABI	NS	DUAL
	# NOLLHON	186 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	191 DC	201 DS	231 DC	198 LX	204 LR	208 LR	214 LR	215 LR	235 LR	225 SE	250 LR	208 CR	225 CR	250 CR	269 DC
Preferred Equipment Group	805	-	-	-	-	-	1206	1855	1855	1206	1855	1478	1409	1409	1409	1478	1478	1478	1478	1925	1409	1478	1925	-
Stainless Steel Hardware Package	820	S	S	S	S	363	363	414	414	363	414	414	414	414	414	414	414	414	414	414	414	414	414	S
Fishing Package	802		-	-	-	642	642	642	642	642	642	642	-	-	-	-	-	-	-	-	-	-	-	
Galley Entertainment Package	804		-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	6152
Canadian-IMCI Certification Package	89	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152
CE Cert Package no/Shipping Cradle	91	718	-	-	-	718	718	718	718	718	718	718	718	718	718	718	718	718	718	718	718	718	718	718
CE Cert Package w/Shipping Cradle	90	1034	-	-	-	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034	1034
Hydraulic Tilt Steering (70-140HP)	617	968	968	-	-	968	968	968	-	968	968	-	-	968	-	-	-	-	-	-	-	-	-	
Hydraulic Tilt Steering Suzuki (70-140HP)	618	968	968	-	-	968	968	968	-	968	968	-	-	968	-	1346	-	-	-	-	-	-	-	
Hydraulic Tilt Steering upgrade Merc #1	622	1346	1346	1346	1346	-	-	1346	1346		1346	1346		1346	-	1346	-		-	-	-	-	-	1346
Hydraulic Tilt Steering upgrade Suz #1	623	1346	1346	-	1346		-	1346	1346		1346	1346	-	1346	-	1346	-	-	-	-	-		-	1346
Hydraulic Tilt Steering upgrade Suz #2	624	1346	1346	1346	1346	-	-	1346	1346		1346	1346	-	1346	-	1346	-	-	-	-	-	-	-	1346
Hydraulic Tilt Steering upgrade Yam #1	620	1346	1346	1346		-	-	1346	1346		1346	1346	-	1346	-	1346	-	-	-	-	-	-	-	1346
Hydraulic Tilt Steering upgrade Yam #2	621	1346	1346	1346	1346	-	-	1346	1346		1346	1346	-	-	-	1346	-	-	-	-	-	-	-	1346
Sea Star Power Assist Steering	625				2922	-	-					2922									-	-		S
Power Pole Blade 10 ft White	673				3845	_	-		_		-	-			-	-	-		-	-	-	_	_	
Optimus Joystick w/ Autopilot	626			_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	16152
Windlass, Road (200 ft) and Anchor	311		_			_	_		_	_		_			_		_		_	_	_		_	1537
LED Docking Lights - Stainless Steel	313	357	357	s	s	_	357	357	357	357	357	S	357	357	357	S	S	s	357	357	357	357	357	357
Stainless Steel Sport Trim Tabs (fixed)	57						-	-	-		-		-	-	151				-	-	151	-	-	
Tilt Steering w/ Locking Detent	39	S	S	S	S	191	191		S	191		S	191		191	S	S	S	S	S	191	S	S	S
Trim Tabs with LED Indicator - Electric	68			S	S	151	151		-			1034	101		131	1034	1034	1034	1034	1034	151	1034	1034	S
<u> </u>	58	-										1034				1034	1034	1034	1034	1034	-	1034	1034	3537
ZipWake Interceptors Auto Ride Leveling  Battery Charger	41	217	217	217	217	217	217	217	217	217	217	217		217	217	217	217	217	217	217	217	217	217	814
Battery On/Off Switch	36	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	137	014
Dual Battery System w/ VSR & Switch	30	329	329	329	329	137	137	329	329	137	329	329	137	137	137	329	329	329	329	329	137	329	329	S
	307	329	329	329	329			329	329		329	329				329	329	329	329	329		329	329	
Dual Battery System w/ VSR for CE option		329	329	329	329	-	-	329	329	•	329	329		-		329			329 S		S	329 S		
Automatic Fire Extinguishing System  Gray Water Tank with Dockside Pump Out	19	-	-	-	-	-	-	-	-	•	-	-	705	-	705	-	705	705		705		443	705	
		-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	443	-	
Porcelain Head w/Holding Tank w/Pump O		-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1383
Porta Potti with Dockside Pump Out	38	-	-	-		-	-	-	338	-	-	S	-	-	-	194	194	194	-	194	194	194	-	229
Porta Potti (Center Console) Canada w/ Pum		-	414	414	414	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Porta Potti w/ Level Indicator	705	-	-	-	-	-	-	-	152	-	-	S	-	-	-	S	S	S	-	S	S	S	-	S
Porta Potti w/ Indicator (Center Console)	706	-	314	314	314	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	
Engine Oil Drip Pan	98	-	-	-	-	-	-	-	-	-	-	-	158	-	158	-	158	158	158	158	158	158	158	-
Yamaha 6YC Display	739	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1383
Yamaha Command Link Gauges	740	1075	1075	1075	1075	1075	1075	1075	1075	1075	1075	614	-	-	-	-	-	-	-	-	-	-	-	-
Suzuki Digital Display	741	922	922	922	922	-	-	-	-	•	-	460	-	-	-	-	-	-	-	-	-	-	-	922
Mercury Digital Display	742	1383	1383	1383	1383	-	-	-	-	-	-	922	-	-	-	-	-	-	-	-	-	-	-	1383
Garmin Striker 4 & Transducer	789	-	-	-	-	460	460	-	-	460	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garmin 742xs & Transducer	790	1691	1691	1691	1691	-	-	1691	1691	-	1691	1691	-	-	-	-	-	-	-	1691	-	-	1691	1691
Garmin 942xs & Transducer	791	2152	2152	2152	2152		-	-		-	-	-	-	-	-	-	-	-	-	-	-		-	2152
Garmin 1242xsv & Airmar B150M Chirp	792	-	-	5845	5845	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5845
Second Garmin 742xs	796	-	1229	1229	1229	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1229
Second Garmin 942xs	797	-	1691	1691	1691	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garmin 110 VHF w/ Antenna and Mount	733	-	-	-	922		-	-		-	-	-	-	-	-	-	-	-	-	-	-		-	922
Blue LED PKG w/ Underwater Lights	314	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	-

<sup>1</sup> Preferred Equipment
Group items vary by
model and may
include:
- Birnini Top
(Sumbrella)
- Birnini Top
(Sumbrella)
- Birnini Top
(Sumbrella)
- Deluxe Bolster
- Seat(s)
- LED Cockpit Lighting
- SS Ski Tow
- Fusion RA-55 Stereo
BT-APP
- Fusion SRX 400
BT-APP-WIFI
- Transom Mounted
- Tits Switch
- Zero Torque Steering
- Titl Steering with
- Locking Detent
- Stainless Steel Multi
- Stainless Steel Multi
- Step Bow Ladder

- 2 Stainless Steel Hardware Package items vary by model and may include:
  - Gunnel Molding
  [White/Stainless]
  - SS Horn Cover
  - SS Cup Holders
  - SS Windshield Supports
  - SS Grab Handles
  - SS Dash Rail
  - SS Bimini Top Quick Connects - Cabin Windows w/ SS Frame - SS Vent Covers
- 3 Fishing Package itams vary by model and may include: Trolling Motor Mourt (removable) Trolling Motor Harness and Plug Fishing Seat (bow) SS Rod Holders Aft (2 additional) Fish Storege Box (aft)
- S Denotes Standard - Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

# **STANDARDS & OPTIONS**

	#		CENTER	CONSOLES					ECK BOAT						SPORT	DECKS			SPORT	BOATS	CL	JDDY CAB	INS	DUAL
	OPTION	186 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	191 DC	201 DS	231 DC	198 LX	204 LR	208 LR	214 LR	215 LR	235 LR	225 SE	250 LR	208 CR	225 CR	250 CR	269 DC
y Speaker Grills	316	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	-
ital Depth Finder w/ Depth Alarm	48	-	-	-	-	375	375	375	375	375	375	-	375	375	375	375	375	375	375	375	375	375	375	-
nature Speaker Upgrade WHITE (Blue lit w/ 314)	727	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	s
nature Speaker Upgrade SILVER (Blue lit w/ 314	724	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	660	s
670 Stereo Upgrade - w/ Remote	728	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	537	-	537	537	-	-
sion 500W 4 Channel Amplifier	729	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	614	s
sion 1400W 4 Channel Digital Amplifier	730	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765	765
sion 2000W Premium Upgrage	734	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1845
frigerator - Cockpit	710	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1437	-	-	1437	-
olling Motor Mount & Harness	751	363	363	363	363	-	-	-	-	-	-	363	-	-	-	-	-	-	-	-	-	-	-	-
ad Floor SeaDek	707	-	-	229	383	-	-	-	275	-	-	229	-	-		137	137	137	-	137	-	-	-	s
aDek On Sponsons Grey	711	398	537	645	-	-	398	552	-	398	-	614	-	645	-	660	614	660	0	614	-	722	-	-
aDek Flooring Grey	712	1691	2257	2675	-	-	1322	1583		1537		2142		1614		1768	1768	1798	0	1845	-	1229	-	
aDek On Sponsons Mocha	713	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	0	-	-	-	-	-
aDek Flooring Mocha	714	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-
w Cushion Filler (Center Console)	764	557	557	123	557	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
er Cushion - Aft Walk-thru	47	-	-	-	-	-	-	-	-	-	-	-		-	-	-	363	363	s	S	-	s	s	-
er Cushion - Aft Seat	60	-	-	-	-	-	-	-	-	-	-	-	198	198	198	-	-	-	-	-	-	-	-	-
er Cushion - Aft Walk-thru and Seat	77	-	-	-	-	-	-	-	-	-	-	-	525	-	525	-	-	-	-	-	S	-	-	-
r Cushion - Bow / Cabin	84	-	-	-		460	460	525	525	460	525	346	346	403	346	346	346	346	346	346	S	S	S	346
ter Front Bow Cushion	54	-	-	-	-	-	-	126	126		126	-		-	-	126	126	126	-	-	-	-	-	-
novable Back Rest	78	-	-	-	-	-	-	306	-	-	-	-	-	-		-	-		-	-	-	-	-	-
Bucket Seats w/ Bolster	82	-	-	-		-	-	-		445	s	s	452	S	S	s	s	S	S	s	S	S		-
Bucket Seat w/ Bolster	26	-	-	-	-	226	-	-	S	226	-	-	226		-	-	-	-	-	-	-	-	-	-
ing Seat Base Only (bow)	762	65	65	65	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
ning Seat with Pedestal & Base (bow)	752	371	371	371	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ster Seats for Leaning Post	775	-	460	460	S	-			-	-	-	-			-	-	-	-	-	-	-		-	-
5LR Tall Windshield Exchange	715	-	-	-	-	-			-	-	-	-	-		-	-	-	-	77	-	-	-	-	-
ning Post with Cooler	767	-	1291	S	s	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
gel Cooler Seat Extension	768		-	-	-	-	-	-	-		-	-		-	-	-	-	-	-	-	-	-	-	922
oring - Seagrass (Standard Layout)	32	775	-	854	854	-	692	760	692	692	760	725	692	760	760	725	725	725	-	725	692	692	692	-
oring - Seagrass (Optional Layout #1)	33	-	854		-		-	-	-				-						-	-	-	-	-	
oring - Seagrass (Optional Layout #2)	34	-	854	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
oring - Seagrass (T-top Layout #3)	37	-	854	854	854	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-
ke Tower, Folding, W/ Top	663	4454	-	-	-	-	3838	3838	3838	3838	3838	5677		5677	5677	5677	5677	5677	5677	-	-	-	-	-
stable Pedestals for 2 Bucket Seats	83	-	-	-	-	-	-	-	-	-	-	177	-	-	-	177	177	177	-	177	-	177	177	-
ward Livewell Center Console	766	443	443	443	443	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well / 2 Stainless Steel Rod Holders	750	-	-		-	525	525	525	525	341	525	525		525	-	-	-	-	-	-	-	-	-	-
Vater Washdown	756	443	443	443	443	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	443
ulate/Aeration Pump - Aft Livewell	755	338	338	338	338	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e Storage and Trash Can Pull Out	763	-		S	S									-					-		-	-		
nless Steel Ski Pole (removable)	670	517	517	517	517	-	517	517	517	517	517	-		517	-	517	-	-	-	-	-		-	-
ow Cage	672	-	-		-	537			-	-		-			-	-	-	-	-	-	-		-	-
inless Steel Ski Pole (Pop Up)	671	-	-		-	-	-	-	-	-		845	-		-	-	-	-	-	-	-	-	-	922
shwater System	72	-	600	600	600														-		-	-		S
essurized Transom Shower	69	-	-		-	-	-	-	-	-		-	-	-		-	-		-	S	-	-	S	-
SSUITZEU Transom Snower																								

S Denotes Standard Denotes Not Available

Number entry represents price in dollars (\$USD).

# **STANDARDS & OPTIONS**

	#		CENTER	CONSOLES	3				DECK BOAT	S					SPORT	DECKS			SPORT	BOATS	Cl	JDDY CAB	INS	0
	OPTION	186 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	191 DC	201 DS	231 DC	198 LX	204 LR	208 LR	214 LR	215 LR	235 LR	225 SE	250 LR	208 CR	225 CR	250 CR	ı
Cockpit Table Mount(s)	74	-	-	-	-	-	-	0	-	-	0	-	0	0	-	-	-		-	-	-	-	-	
Cockpit Table with Offset Leg	76	-	-	-	-		-	363	S	-	363	-	363	363	S	S	s	S	s	S		S	s	
Cockpit Table with Side Mount(s)	806		-	-	-		-	-	-	-	-	s	-	-	-	-	-	-	-	-		-	-	
Feak Cockpit Table (upgrade)	94	-	-	-	-	-	-	320	320	-	320	320	320	320	320	320	320	320	320	320	-	320	320	
Canvas T-Top	757	-	4614	4614	4614	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	
iberglass T-Top	760	-	-	7614	7614		-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	
Oual Console Hard Top	758		-	-	-		-	-	-		-	-	-	-	-	-	-	-	-	-		-	-	
Fiberglass Hard Top Bottom Color (see note 4)		-	-	537	537	-	-	-	-		-	-				-	-	-	-	-	-		-	
Valk-thru Door			-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3-Year Hull Blister Protection Plan		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Aerated Livewell 800gph (aft)		S	S	S	S		-	-	-		-	-	-	-	-	-	-	-	-	-		-	-	Т
Backlit Instruments & Circuit Breakers		S	S	S	s	S	S	s	S	S	S	s	s	s	S	S	s	S	s	S	S	S	S	
Bilge Pump 1100 GPH Auto/Man		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Bilge Pump 2000 GPH Auto/Man		-	-		-	-			-	-		-	-	-	-	-	-		-		-	-	-	
Bow Anchor Locker			s	-				S	S		s	s	S	S	S	S	S	s	S	S	S	S	s	
low Cushions/Seats (removable)			S	S	S		-	-	_		-	_	_	_	-	-	_	-	_	-		_		t
low Storage			_	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
abin Lights			-		-		_				-	_		-		-	-				S	S	S	t
Cabin Windows w/ Stainless Steel Frame					-				S			-									S			
ertifications: NMMA, USCG		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
coler 25 qt Igloo (removable)						S	S	S	S	s	S	S				S	s	S	S	S	S	S	s	Ŧ
Cooler/Storage Box with Overboard Drain		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			s	
Dash Accessory Plug 12V w/ Dual USB Ports		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	s	S	S	
																					S	S	S	
Deck Hatch (aluminum) with Screen								s	S		s	S	s	s	S	S	s	s	s	s	s	S	S	
		-	-	-	-	-	-	5		-		S		3		S	S	S				3	3	H
Inclosed Head & Lighting				-	-		-	-	S											S		-	-	
xclusive Z-Plane Hull		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	H
ire Extinguisher Holder Insert		-	-	-	-	-	-	S	S	•	•	S		•		S	S	S	-	S		-	S	
Fire Port		-	-	-	-	-	-	-		-	-	•	S	-	S	-	S	S	-	-	S	-		
nsulated Fish/Storage Box (aft)		•	-	-	-	-	-	S	S	-	-	-	-	-	-	-	-	-	-	-	•	•	-	4
Floor Storage w/ Oversized Door		-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	
reshwater Sink (cabin)		-	-	-	-	•	-	•	-	•	•	-	-	•	-	•	•	-	-	-	•	S	-	
reshwater Sink (head)		-	-	-	-	-	-	-	-	-	-	S	-	-	-	-	-	-	-		-	-	-	
reshwater Sink (cockpit)		•	-	-	-	•	-	S	S	-	S	S	-	-	-	S	S	S	•	S	•	-	S	
lelm Seat Flip-flop w/ Leaning Post		S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
gnition Switch w/ Stereo Acc. Position		-	-	-	-	•	-	-	-	-	-	-	S	-	S	-	S	S	S	S	S	S	S	
ntegrated Electric Horn		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
calian Steering Wheel		-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Deluxe Stainless Steering Wheel		S	S	S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
imited Lifetime Hull Protection Plan		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	4
ockable Cabin Doors		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	
usion RA770 BT-APP-WIFI		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	
usion RA670 BT-APP-WIFI		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	S	
usion RA-55 Stereo BT-APP		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S	-	
May Qualify for 2nd Home Tax Deduction		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	
Volded Fiberglass Cabin Liner		-	-	-	-	-	-	-	-	-	-	S	-	-	-	S	S	S	-	S	-	S	-	
Nano-Block Stain Resistant Vinyl		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	

<sup>4</sup> Fiberglass T-Top
Bottom Colors:
Opt # 769 - Bavarian
Opt # 771 - Abaco Green
Opt # 772 - Oyster
Opt # 772 - Dove
Opt # 774 - Black
Opt # 776 - Seaside Blue

- S Denotes
- Standard - Denotes Not Available

Number entry represents price in dollars (\$USD).


Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

# **STANDARDS & OPTIONS**

	#		CENTER	CONSOLE	3			[	DECK BOAT	rs					SPORT	DECKS			SPORT	BOATS	Cl	JDDY CAB	INS	DUAL	
	# NOILHO	186 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	191 DC	201 DS	231 DC	198 LX	204 LR	208 LR	214 LR	215 LR	235 LR	225 SE	250 LR	208 CR	225 CR	250 CR	269 DC	
pening Cabin Windows w/ Screen (1 ea)		-	-	-	-	-	-	-	-	-	-	S	-	-	-	S	S	S	-	S	-	-	-	-	
Opening Cabin Windows w/ Screen (2 ea)		-	-	-	-	-		-	-	-	-	-	-	-	-	-		-	-	-	-	S	S	-	
Oversized Cup Holders		S	S	S	S	S	S	S	S	S	S	S	s	S	s	s	S	s	s	S	S	S	S	S	
Porcelain Head w/ Holding Tank		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	
Thru Hull Windlass Holder		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		S	
Power Steering (Engine Driven)		-		-			-				-		S		S	-	S	S	S	S	S	S	S	-	
Power Trim and Tilt		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	
Engel Cooler (74 qt)		-	-	S	S	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-		-	
Removable Cooler (48 qt)		S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	
Safety Glass Windshield			S	s	s	-		-	-	s	S	S	s	S	s	s	S	S	S	s	s	S	S	S	
Self Bailing Cockpit		s	S	s	s	-	-	s	S	-	S	S	-	-	-	S	S	S	-	s	-	-	S	S	
Stainless Steel Butane Stove w/ Case and Auto Light		-	-	-	-	-		-	-	-	-	-	-	-	-	-		-	-	-	-	S	S	-	
Stainless Steel Rod Holders		s	S	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stainless Steel Spring Line Cleats		S	S	s	s	-	S	s	s	s	S	s	S	S	S	S	S	S	s	s	s	S	S	S	
Stainless Steel Bow Rails			-	-	-			-		-	-		-	-	-	-			-	-	S	s	S	s	5
Stainless Steel Multi-Step Aft Ladder		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Stainless Steel Pull-Up Cleats		s	s	S	S	S	-	-		-	-		-	-	-	-	-		-	-	-	-	-	s	
Stainless Steel Rod Holders w/ Drain		S	S	S	S	-		-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	S	
Stainless Steel Ski Tow		-	-	-	-	-	-		-	-	-	-		-	S		S	S	S	S	S	S	S	-	ľ
inted Windscreen		-	-	-	-	S	S	S	S	-		-	-	-	-	-	-		-	-	-			-	i
White Gunnel Molding with Stainless Steel Insert			-	-	-	-	-	-	S	-	-	S	-	-	-	s	S	S	S	S	-	s	S	S	F
Windshield w/Side Vent Windows			-			-		-	-	-	-	S	-	S	S	s	S	S	S	S	-	s	S	-	8
No Feedback Steering		s	S	S	S	S	S	S	S	S	S	S	-	S	-	S	-	-	-	-	-	-	-	-	t
Deluxe Console			S	S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	į

- Standard Denotes Not Available
- Number entry represents price in dollars (\$USD).







Bow Filler Cushions (Option #84)



Sport Bucket Seat with Flip-Up Bolster



Cockpit Table with Floor Mount (Option #76)



Stainless Steel Port Windows





Under Seat Storage (varies by model)



# **CANVAS OPTIONS**

5	#		CENTER O	CONSOLES					ECK BOAT	s					SPORT	DECKS			SPORT	BOATS	CL	DDY CAB	NS	DUAL
	OPTION	186 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	191 DC	201 DS	231 DC	198 LX	204 LR	208 LR	214 LR	215 LR	235 LR	225 SE	250 LR	208 CR	225 CR	250 CR	269 DC
Optional Canvas Color	66	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152	152
Bimini Top (Sunbrella)	65	-	-	-	-	802	802	-	-	802	-	948	802	948	948	948	948	948	-	-	948	948	-	-
Bimini Top (Sunbrella) w/ Stainless Steel Frame	62	928	1171	1171	1171	-	-	1448	1448	-	1448	-	-	-	-	-	-	-	-	1448	-	-	1448	-
Bimini Top - Forward	64	-	-	-	-	-	-	840	840	-	-		-	-		-	-	-		-				
Aft Bimini Extension Shade Top	67	-	-	-	-	-	-		-	-	-		-	-	-	482	482	482	-	-				
Fwd Extension Shade Top Kit (Black ONLY)	725	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		-		-	-	614
Aft Extension Shade Top Kit (Black ONLY)	726	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-		-		-	-	614
Full Canvas Set	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1114	1189	-	1189	555	555	869	-
Mooring T-Top Cover (Carver Covers Sun-dura)	11	-	-	828	923	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mooring Cover (Carver Covers)	12	491	585	-	-	-	-	-	-	-	-		-	-	-	-	-	-	509	-	-			
Mooring Cover Wake Tower (Carver Covers)	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	509	-	-	-	-	-
Cockpit and Bow Cover (Sunbrella)	17	-	-	-	-	-	-	-	-	788	1055	1055	788	788	788	1055	1055	1055	788	1055	-	-	-	-
Cockpit Cover (Sunbrella)	13	-	-	-	-	766	766	960	960	-	-	-	-	-	-	-	735	735	-	735	551	551	735	-
Cockpit Cover and Bow Cover (Black ONLY)	23	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		-		-	-	1998
Cockpit Cover and Bow Cover (225)	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	512	-	-	-	-	-
Cockpit Cover-Wake Tower (Sunbrella)	73	-	-	-	-	-	-	960	960	735	735	785	-	597	597	785	785	785	-	-	-	-	-	-
Bow Cover and Cockpit Cover - Wake Tower	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	788	-	-	-	-	-
Cover - Console and Seat (Sunbrella)	754	402	-	537	537	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bow Cover (Sunbrella)	18	-	-	-	-	-	-	-	-	238	318	318	238	238	238	318	318	318	-	318	-	-	-	460
Side Curtains (Front and Both Sides)	16	-	-	-	-	-	-	-	-	-	-	434	-	-		434	434	434		434	434	434	434	-
Spray Curtains Front/Sides (Black ONLY)	24	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-				5383
Rear Drop Curtain (Black ONLY)	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1229
Spray Shield w/ Gull Wings (Black ONLY)	21	-	-		2922	-	-	-	-	-	-	-	-	-			-			-		-	-	-
Walk-thru Flap (Sunbrella)	14	-	-	-	-	-	-	-	-	109	109	109	109	109	109	109	109	109	109	109	-	-	-	-

NOTE: Option 4 includes a bow cover.

S Denotes Standard - Denotes Not

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

# Bimini Top (shown in optional black) -







Bow Cover (shown in standard latte)



black) - Option #14



Walk-Thru Flap (shown in optional Cockpit and Bow Cover (shown in optional black) - Option #17



Full Canvas Set (shown in optional black) - Option #4

NAVY BLACK BAVARIAN

Standard canvas color is latte. The other colors are an optional up-charge exchange. Refer to the chart above for complete details. Color samples for representation purposes only — actual colors may vary. Color options are subject to change.


# HULL GRAPHICS / GELCOAT COLOR OPTIONS

	#		CENTER O	CONSOLES					DECK BOAT	s					SPORT	DECKS			SPORT	BOATS	CL	IDDY CABI	NS	DUAL
	OPTION	186 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	191 DC	201 DS	231 DC	198 LX	204 LR	208 LR	214 LR	215 LR	235 LR	225 SE	250 LR	208 CR	225 CR	250 CR	269 DC
Solid Deck And Hull (selected color)	1	-	-	-		-	-	-	-	-	-			-	-	-	-	-	1962	-		-	-	-
Hull, Bottom Color - Black	390	346	454	454	454	-	-	454	454	-	454	454		454	454	454	454	454	454	454	454	454	454	1075
Hull, Bottom Color - Bavarian	395	346	454	454	454	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1075
Hull, Bottom Color - Abaco Green	396	346	454	454	454		-	-	-		-			-			-	-	-				-	1075
Hull, Bottom Color - Oyster	393	346	454	454	454		-	-	-	-	-		-	-			-	-	-			-	-	1075
Hull, Bottom Color - Dove	397	346	454	454	454	-	-	-	-	-	-			-		-	-	-	-			-	-	1075
Hull, Bottom Color - Seaside Blue	398	346	454	454	454	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1075
Hull, Bottom Color - Red	394	346	454	454	454	-	-	-	-	-	-			-		-	-	-	-			-	-	1075
Hull, Full Color Band	50	515	645	645	645	515	515	645	515	515	645	645	645	645	645	645	645	645	645	845	645	645	845	845
Hull, Solid Hull (selected color)	52	722	722	722	722	-	-	722	722	-	722	722	722	722	722	722	722	722	722	922	722	722	922	1229
No Hyper Graphics	319	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Red)	349	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Blue)	346	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Grey)	347	-	-	-		-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Green)	351	-	-	-		-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Orange)	350		-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-

S Denotes Standard Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.



Color samples for purposes only actual colors may vary. Color options are subject to

# 2021 MODEL SPECIFICATIONS

			CENTER C	ONSOLES					DECK BOATS	i					SPORT	DECKS			SPORT	BOATS	С	UDDY CABIN	IS	DUAL
		186 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	191 DC	201 DS	231 DC	198 LX	204 LR	208 LR	214 LR	215 LR	235 LR	225 SE	250 LR	208 CR	225 CR	250 CR	269 DC
Engine Type		0/B	O/B	O/B	O/B	O/B	0/B	0/B	O/B	O/B	O/B	0/B	I/B	0/B	I/B	0/B	I/B	I/B	I/B	I/B	I/B	I/B	I/B	0/B
Length Overall	ft m	19' 1" 5.8	20' 1" 6.1	21' 8" 6.6	<b>23' 8"</b> 7.2	17'3" 5.3	19' 1" 5.8	<b>20' 1"</b> 6.1	21' 11" 6.7	19' 1" 5.8	20' 1" 6.1	<b>23' 8"</b> 7.2	<b>19' 9"</b> 6.0	<b>20' 5"</b> 6.2	<b>20' 8"</b> 6.3	21' 8" 6.5	21' 11" 6.7	23' 11" 7.3	22' 11" 7.0	25' 0" 7.6	20' 8" 6.3	22' 11" 7.0	25' 0" 7.6	27' 11" 8.5
Beam	in cm	90.0	100.0 254.0	101.0 256.5	101.0 256.5	90.0 228.6	90.0	100.0 254.0	102.0 259.1	900	100.00 254.0	101.0 256.5	94.0 238.8	98.5 250.2	98.5 250.2	101.0 256.5	101.0 256.5	101.0 256.5	100.0 254.0	102.0 259.0	98.5 250.2	100.0 254.0	102.0 259.0	102.0 259.0
Bridge Clearance (Standard Windshield)	in	59.0 149.9	63 (73) 160 (186)	<b>72.0</b> 182.9	<b>72.0</b> 182.9	<b>41.0</b> 104.1	39.0 99.1	50.0 127.0	50.0 127.0	<b>50.5</b> 128.3	60.0 152.4	58.0 147.3	<b>47.0</b> 119.4	49.0 124.5	<b>49.0</b> 124.5	58.0 147.3	58.0 147.3	58.0 147.3	<b>52.0</b> 132.1	65.0 165.0	<b>49.0</b> 124.5	55.0 140.0	65.0 165.0	75.0 190.5
Bridge Clearance Ttop/Hardtop w/o	in	-	96.0	96.0	96.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	105.0
External Options	cm	-	243.8	243.8	243.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266.7
Average Dry Weight <sup>a</sup>	lbs	2300	2700	3150	3648	1900	2050	2600	3100	2000	2800	3648	2828	2490	2974	3114	3705	4105	3364	4340	3074	3539	4192	6400
(/	eng gal	115 HP	140 HP	200 HP 57	250 HP 68	90 HP 21	115 HP 21	115 HP 46	150 HP	90 HP 21	115 HP 46	250 HP 56	200 HP	115 HP	200 HP	150 HP 46	240 HP 46	240 HP 56	240 HP 56	240 HP 68	200 HP	240 HP 56	240 HP 68	Twin 200
Fuel Capacity	L	129	174	216	257	79	79	174	216	19	174	212	129	129	129	174	174	212	212	254	129	212	257	511
	gal	-	13	13	13	-	-	3 (13)	3 (13)	-	3 (13)	13	6	6	6	13	13	13	6	13	6	6	13	19
Water Capacity	L	-	49	49	49	-	-	11 (49)	11 (49)	-	11 (49)	49	23	23	23	49	49	49	23	49	23	23	49	72
Ice Box/Cooler Capacity	qt	48+68	48+68	74+68	74+68	25+22	25+22	67+25+45	67+25+45	25+22	67+25+45	25+32	32+14	32+14	32+14	25+17	25+17	25+32	32+25	32+32+25	25	25	32+25	60+16+185
ice Box/ Cooler Capacity	L	45+64	45+64	70+64	70+64	24+21	24+21	63+24+43	63+24+43	24+21	63+24+43	24+30	30+13	30+13	30+13	24+16	24+16	24+30	30+24	30+30+24	24	24	30+24	57+15+80
Livewell Capacity	gal	26+17 98+64	26+17 98+64	14+17 53+64	14+17 53+64	6 23	6 23	11 42	11 42	6 23	11 42	11 42	-	11 42	11 42	11 42	11 42	11 42	-	-		-	-	15 57
	ppl/lb	7/1875	9/2400	10/3050	12/3250	7/2000	9/2025	10/2225	12/2600	9/2025	10/2225	12/2535	9/1450	9/1715	9/1715	11/2167	11/2167	12/2535	10/2080	10/2265	9/1715	10/2080	10/2265	
Max Capacity	ppl/kg	7/850	9/1088	10/1383	12/1474	7/907	9/918	10/1099	12/1179	9/918	10/1099	12/1150	9/657	9/778	9/778	11/983	11/983	12/1150	10/943	10/1027	9/778	10/943	10/1027	Yacht Cert
Max Engine Power	HP	150	200	200	300	90	115	175	200	115	175	250	-	150	-	225	-	-	-	-	-	-	-	400
Molded Depth	in	59.0	62.0	68.0	68.0	49.5	46.0	55.0	55.0	55.0	55.0	58.0	47.0	48.0	48.0	58.0	58.0	58.0	51.0	66.0	51.0	54.0	66.0	72.5
(Windshield Base to Keel)	cm	149.9	157.5	172.7	172.7	125.7	116.8	139.7	139.7	139.7	139.7	147.3	119.4	121.9	121.9	147.3	147.3	147.3	129.5	168.0	129.5	137.0	168.0	184.2
Max Depth (w/Standard Windshield)	in	71.0	74.0	85.0	85.0	56.0	48.0	63.0	63.0	61.0	69.5	72.0	59.0	62.0	62.0	72.0	72.0	72.0	58.0	77.0	64.0	61.0	77.0	91.7
(II/ Osamaai a TTIIIaaiiia)	cm in	180.3 12.5	188.0 14.0	215.9 15.0	215.9 16.0	142.2 11.5	121.9 12.5	160.0 14.5	160.0 14.0	154.9 12.5	176.5 14.5	182.9 17.0	149.9 18.0	157.5 18.0	157.5 18.0	182.9 17.0	182.9 17.0	182.9 17.0	147.3 18.0	196.0 17.0	162.6 18.0	155.0 18.0	196.0 17.0	232.9
Max Draft" (Drive Up)	cm	31.8	35.6	38.1	40.6	29.2	31.8	36.8	35.6	31.8	36.8	43.2	45.7	45.7	45.7	43.2	43.2	43.2	45.7	43.0	45.7	46.0	43.0	45.7
Barrell (Barrell	in	-	9.5	10.0	10.0	12.5	11.5	10.0	10.0	11.5	14.0	17.0	15.0	16.0	16.0	17.0	17.0	17.0	20.0	17.0	27.0	28.0	32.0	18.0
Bow Depth (Bow to Cushion Top)	cm	-	24.1	25.4	25.4	31.8	29.2	25.4	25.4	29.2	35.6	23.2	38.1	40.6	40.6	43.2	43.2	43.2	50.8	43.0	68.6	71.0	81.0	45.7
	in	21.5	23.3	24.0	24.0	30.6	26.4	26.2	26.4	26.4	30.0	33.0	32.0	31.5	31.5	33.0	33.0	33.0	34.0	39.0	45.0	49.0	58.0	38.8
Bow Depth (Max Depth)	cm	54.6	59.2	61.0	61.0	77.7	67.1	66.6	67.1	67.1	76.2	83.8	81.3	80.0	80.0	83.8	83.8	83.8	86.4	99.0	114.3	124.0	147.0	98.6
Bow Length (Max Length)	in	55.0	60.0	73.0	73.0	58.5	65.0	65.0	65.0	65.0	56.0	59.0	55.2	55.2	55.2	59.0	59.0	59.0	59.0	68.0	66.0	81.0	68.0	67.0
3, 4, 5, 7	cm	139.7	152.4	185.4	185.4	148.6	165.1	165.1	165.1	165.1	142.2	149.9	140.2	140.2	140.2	149.9	149.9	149.9	149.9	173.0	167.6	206.0	173.0	170.2
Cockpit Depth (At Helm)	in	23.0	24.5	24.5	24.5	30.0	27.0	27.5	27.5	29.5	32.0	34.0	31.0	31.8	31.8	34.0	34.0	34.0	33.0	36.0	34.0	36.0	36.0	39.0
	cm in	58.4 70.0	62.2 84.0	62.2 84.0	62.2 84.0	76.2 69.0	68.6 73.0	69.9 84.0	69.9 84.0	74.9 73.0	81.3 84.5	86.4 <b>81.0</b>	78.7 77.0	80.8 81.0	80.8 81.0	86.4 81.0	86.4 81.0	86.4 81.0	83.8 81.0	91.0 79.0	86.4 81.0	91.0 81.0	91.0 79.0	99.1 82.8
Cockpit Width (Max Molded)	cm	177.8	213.4	213.4	213.4	175.3	185.4	213.4	213.4	185.4	214.6	205.7	195.6	205.7	205.7	205.7	205.7	205.7	205.7	201.0	205.7	206.0	201.0	210.2
Cockpit Length (Max Molded)	in	<b>170.0</b> 431.8	188.0 477.5	192.0 487.7	208.0 528.3	156.0 396.2	169.0 429.3	156.0 396.2	178.0 452.1	104.3 264.9	106.5 270.5	120.0 304.8	99.0 251.5	101.0 256.5	101.0 256.5	107.0 271.8	107.0 271.8	120.0 304.8	103.0 261.6	119.0 302.0	85.0 215.9	94.0 239.0	119.0 302.0	241.0 612.1
Sleeping Capacity	ppl	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	2+1	2+1	2+2	-
Deadrise	deg	19	20	21	21	18	19	20	20	19	20	21	19	20	20	21	21	21	20	21	20	20	21	21
Transom Angle	deg	15	15	15	15	15	15	13	13	15	13	15	15	15	15	13	15	15	15	15	15	15	15	15

Specifications may change at any time. For current information, visit StingrayBoats.com. Items listed in red are optional.

A Weights vary depending on installed options.

<sup>B</sup> Drive Up +5" on V3.0 to clear bottom of swim platform.

						SPORT	DECKS		SPORT	BOATS	CUDDY CABINS		
	STERN	IDRIVE	MODE	LS	198 X.1	208 LR	215 LR	235 LR	225 SE	250 LR	208 CR	225 CR	250 CB
			ı	Length Overall	19' 9"	20' 8"	21' 11"	23' 11"	22' 11"	25'	20' 8"	22' 11"	25'
			Fuel	Capacity (gal)	34	34	46	56	56	68	34	56	68
		Av	g Dry Weight (I	bs), No Motor	1814	1960	2690	3090	2350	3388	1960	2525	357
		Max Speed v	with Stainless S	Steel Propeller	•	-	•	•	•	•	•	•	•
			Stan	dard Propeller	•	-	-	•	-	•	•	•	•
	Engine	Prop HP	Drive Type	Motor Wt									
	4.5 L MPI	200	alpha 1	826	52 C	49 C	48 C	45 B		42 A	49 C	47 B	42
2	4.5 L MPI	250	alpha 1	826		56 C	52 B	50 A	54 B	47 A	56 C	54 B	47
MERC	4.5 L MPI	250	bravo 3	891			52 I	50 I	541	481	541	48 I	
	6.2 L MPI	300	bravo 3	1012				55 I	60 K	541	59 K	53 I	
NOLVO	4.3G DI	200	SX	839	52 G	50 G	48 G	45 F		42 E	50 G	49 G	421
	4.3G DI	240	SX	839		55 X	51 G	49 F	52 G	47 F	55 X	52 G	47
	4.3G DI	240	DP	899			51 G	49 F		47 F		52 G	47
	4.3G DI	280	DP	899			54 M	53 N	56 N	50 M		55 N	49 (
	5.3G DI	300	DP	991				55 N	60 0	53 M		58 0	51 I

OUTBOARD MODELS			CENTER CONSOLES				DECK BOATS								SPORT DECKS		
			186 CC	208 CC	216	236	172 SC	182 SC	192 SC	212 SC	191 DC	201 DS	231 DC	204 LB	214 LB	269 DC	
Length Overall			19' 1"	20' 1"	21' 8"	23' 8"	17' 3"	19' 1"	20' 1"	21' 11"	19' 1"	20' 1"	23' 8"	20' 5"	21' 8"	27' 11"	
Fuel Capacity (gal)			35	46	57	68	21	21	46	57	21	46	56	34	46	135	
Avg Dry Weight (lbs), No Motor			1830	2475	2669	3143	1400	1660	2257	2613	1720	2290	3046	2065	2629	5500	
Max Speed with Stainless Steel Propeller			•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Standard Propeller			•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Engine	Prop HP	Motor Wt														
	115 FS	115	373	45 C	41 B				48 C	42 B		45 C	41 B		44 B		
	150 FS	150	455		47 W	46 V	44 AB			50 W	46 W		49 W	44 V	52 Y	48 AC	
SUZUKI YAMAHA MERC	200 FS	200	475		50 W	50 V	45 AB				53 AC		55 Y	47 V		53 AC	
	250 FS	250	505				53 AC							53 AC			
	T 150 FS	300	910														
	T 200 FS	400	950														54 PP
	F70	70	280					33 TT									
	F90	90	380					42 P									
	F115	115	425	46 Q	41 P				47 Q	42 P		46 Q	41 P		44 P		
	F150	150	487		47 R	47 R				50 S	46 R		49 S	44 R	53 T	48 R	
	F200	200	489		53 S	50 S	46 R				51 S		54 T	48 R		50 S	
	F250	250	575				53 GG							54 GG			
	F300	300	575														44
	T F150	300	974														48 00
	T F200	400	978														52 PP
	DF70	70	352					33 BB									
	DF90	90	352					42 CC									
	DF115	115	412	47 EE	38 CC				48 EE	41 CC		47 EE	40 CC		42 CC		
	DF140	140	412	50 EE	42 DD					43 CC			43 CC		44 CC		
	DF150	150	522		47 LL	47 KK	42 JJ			49 LL	46 KK		49 LL		52 MM	47 KK	
	DF175	175	529		50 MM	47 LL	44 KK			51 MM	49 LL		51 MM	45 LL		47 LL	
	DF200	200	529		53 MM	52 LL	47 KK				52 MM		54 MM	50 LL		52 LL	
	DF250	250	606				53 LL							55 LL			
	DF300	300	606														45 SS
	DF350	350	700														51 SS
	T DF150	300	1044														47 QQ
	T DF200	400	1058														52 RR

### PROPELLER OPTIONS

### (STERNDRIVE)

### MERCURY

### D 23" Aluminum

I 24" Stainless Steel Bravo 3

Front Part #48-8M8022440 Rear Part # 48-8M8022450

Rear Part # 48-8M8022470

### VOLVO DUO PROP

M F5 Stainless Steel Duo Prop Front & Rear Part #3851495-6

Front & Rear Part #3851496-4

### Front & Rear Part #3851497-2

A 17" Aluminum

B 19" Aluminum

C 21" Aluminum

### MERCURY BRAVO 3

H 22.5" Stainless Steel Bravo 3 Front Part #48-8M8022400 Rear Part # 48-8M8022410

Front Part #48-8M8022420 Rear Part # 48-8M8022430 J 26" Stainless Steel Bravo 3

K 28" Stainless Steel Bravo 3 Front Part #48-8M8022460

### VOLVO SX

E 17" Aluminum F 19" Aluminum

G 21" Aluminum

X 23" Aluminum

L F4 Stainless Steel Duo Prop

Front & Rear Part #3851494-9

N F6 Stainless Steel Duo Prop

### O F7 Stainless Steel Duo Prop

### PROPELLER OPTIONS (OUTBOARD)

### MERCURY OUTBOARD

AB 16" Stainless Steel BV 17" Stainless Steel

AC 18" Stainless Steel W 19" Stainless Steel

Y 21" Stainless Steel AA 23" Stainless Steel

### YAMAHA OUTBOARD

TT 15" Aluminum P 17" Aluminum

Q 19" Aluminum R 17" Stainless Steel

18" Stainless Steel 19" Stainless Steel

U 21" Stainless Steel

HH 19" Saltwater

FF 17" Saltwater GG 18" Saltwater

### SUZUKI OUTBOARD BB 17" Aluminum

CC 19" Aluminum

DD 21" Aluminum

EE 23" Aluminum

JJ 17" Stainless Steel KK 19" Stainless Steel

LL 21" Stainless Steel MM 23" Stainless Steel

### MULTI-PROP (L/R) OUTBOARD

NN 17" Stainless Steel

00 18" Stainless Steel

PP 19" Stainless Steel

QQ 21" Stainless Steel RR 23" Stainless Steel

SS 23" Contra Stainless Steel

'Only EPA approved engines are available in the U.S. See your dealer for details.

Specifications are subject to change at any time without notice or obligation. To avoid disappointment at the time of purchase, please check with your Stingray dealer for current information and specifications.

Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may vary depending on many factors, including driver, weather, altitude, load, condition of propeller, lower unit, and boat bottom. Matching of our boat and use conditions to the propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be used as an absolute recommendation.

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected at sea level with light load, 70° F temperature, and the best performing SS propeller.





WARRANTY INFORMATION: All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

ABOUT THIS CATALOG: Some boats are shown with optional third-party accessories. Styling, design, equipment, prices, colors, and construction are subject to change without notice or obligation.

To avoid disappointment, please check with your Stingray dealer or visit StingrayBoats.com for current information at the time of purchase.



⊕ ♥ ② ► In @StingrayBoats 843-383-4507 STINGRAYBOATS.COM