

Egendary performance. Unsurpassed value. Boots

Stingray Boats began over 40 years ago with two molds, a few skilled craftsmen, and a passion to build great performing boats. That passion has endured and continues today. Boatbuilding is not just a business here at Stingray; it's a part of who we are. Building lifelong memories one boat at a time!

Stingray is a privately owned, family-run company that focuses on building quality, not quantity. We also provide our customers with the assurance that they are getting the most boat for the best price. This has been the driving force of Stingray for over four decades and has provided us with the honor of having two-time, three-time, and even four-time Stingray boat owners. It is this loyal following of families who love boating that will continue to drive our passion to keep building great boats for many years to come.

At Stingray, we know that our customers lead busy lives and want to make the most of their free time and money on the water. With that in mind, we take advantage of our performance history and the current market trends and combine that with our passion for building great boats. Stingray's motto is performance, quality, and value at a price more people can afford.











ENVIRONMENTALLY RESPONSIBLE

Being a leader in technology is more than just a philosophy — it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stacked emissions are not just buzzwords — they are measured goals of each employee. Our commitment goes beyond that which is mandated or regulated — it is an internal philosophy to do our part to protect the environment for future generations. Consider a few of the things that we are doing to protect our planet:

USE OF FOUR-CYCLE ENGINES: Stingray uses only three-star rated, four-cycle engines, which are the cleanest and most fuel-efficient available for marine use. Better fuel efficiency translates into less fuel consumption. Three-star engines can be 4x to 10x cleaner than two-cycle outboards, which means less pollution to our environment.



OZONE-FRIENDLY FLOTATION FOAM: Stingray uses non-ozone deleting flotation foam by BASF. It is free of chlorofluorocarbons — gases that are depleting the Earth's ozone layer. Ask about the use of zero-ozone deleting (zone 3) foam when considering boating brands.

CAFFE BEIGHT

LOW VOC GELCOATS AND RESINS: Stingray was the first boat manufacturer to convert to the use of low styrene laminating resins and gelcoats. The combination of these low VOC materials, coupled with the latest in low-pressure, high-temperature spray equipment, has reduced Stingray's VOC stacked emissions by over 55%.



WASTE REDUCTION / RECYCLING: Stingray has a recycling program for most waste materials including, but not limited to, cardboard, composites, aluminum, pallets, and metal drums. In cardboard alone, Stingray recycles over 163,000 pounds per year.

COMMITTED: We want Stingray owners not only to have fun on the water but also to know that they are helping protect the environment at the same time.

FINANCIALLY SOLID

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on strong support for years to come. We are proud of our debt-free status — a claim that few builders can make!

VALUE & QUALITY-ORIENTED

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray is in excellent company with Bryant, Chaparral, Formula, Grady-White, MasterCraft, Monterey, Nautique, Regal, Sportsman, Tiara Yachts, and Tigé. This is another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.

Z-Plane Hull	4
Technology	4
Certifications	5
Warranty	5
=	

Deck Boats	
172 SC	
182 SC	
192 SC	1
212 SC	1

Center Consoles

73 CC	14
06 CC	16
16 CC	18
36 CC	20

Sport Decks	
208 LR	22
215 LR	24
235 LB	26

Sport Boats

225	SF		2

Juai Consoles	
31 DC	30
01 DC	32
31 DC	34
20.00	

Standards & Options40
Canvas Options44
Hull Graphics/Gelcoat45
Model Specifications46
Performance Options 47



2



Z-PLANE HULL

The Stingray Z-plane hull is unparalleled in the industry. It is up to 30% more efficient than other boat hulls. Developed on a CAD (Computeraided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight-line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry-leading top-end, and smooth handling at all speeds.

TECHNOLOGY DRIVEN

For the past four decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency (i.e., computer-aided designs, mutli-axis 3D milling machines, water jet cutting machines, and CNC routers).

COMPUTER-AIDED DESIGN AND MANUFACTURING: Every Stingray begins as a three-dimensional computer model. We "build" the boat on-screen and carefully scrutinize each component for size and fit, making all of the necessary adjustments before we ever commit the design to fiberglass. We even use a virtual human to check for legroom and headroom — and to be sure that all of the controls are located comfortably within reach. The information from this 3D model is sent to the next step in the process: 3D milling.

MULTI-AXIS 3D MILLING MACHINE: With information available from a 3D computer model, milling machines can produce a full-size model in a matter of hours — a task that would take weeks otherwise. With unequaled precision, the running surface of the hull is cut to the exact specifications. Our master craftsmen then provide the mirror finish that is a hallmark of Stingray quality.

ROBOTIC LAMINATION FACILITY: In our lamination building, a custom-designed overhead rail system was developed just for Stingray. Parts under construction are moved from one bay to the next for layup and curing. This system also keeps track of our in-process fiberglass parts while optimizing mold usage and improving productivity. Process automation also increases worker safety, helps maximize efficiency, and improves quality.

WATER JET CUTTING MACHINES: Many parts on a Stingray are cut using one of our high-pressure water jet machines. A stream of water no thicker than a human hair slices quickly and neatly through a variety of materials much easier than could be done by hand. Materials such as sea grass, foam, vinyl, canvas, rubber, and fiberglass are quickly transformed into precision quality parts.

CNC ROUTERS: Computerized numeric-controlled routers are used to cut various sheet goods into high quality parts. The computer allows us to "nest" a group of parts efficiently to minimize waste. Because the process is computer controlled, each part is dimensionally identical from one run to the next and can be finished much faster and less expensive than those produced by hand.



CE CERTIFICATION: Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe and Asia. Stingray boats destined for these countries must meet stringent standards prescribed by the Consultants Europe (CE) and bear the CE mark.



NMMA/USCG CERTIFICATION: All Stingray boats meet or exceed National Marine Manufacturers Association (NMMA) and U.S. Coast Guard (USCG) certification requirements for safety, such as horsepower, load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.



CSI AWARD: Annually, the Marine Industry CSI Awards program honors participating manufacturers that actively measure customer satisfaction and pursue continuous improvement to better serve the consumer. This measurement is based on responses provided by customers purchasing a new boat and/or engine (more than 155,000 last year alone). Over the years, Stingray has acquired numerous CSI awards for achieving and maintaining an independently measured standard of excellence of 90 percent or higher in initial customer satisfaction over an annual award period.







WARRANTY

Every Stingray boat is backed by a comprehensive warranty for peace of mind.

LIMITED LIFETIME TRANSFERABLE STRUCTURAL HULL WARRANTY: Stingray Boat Co. (hereafter "STINGRAY") warrants the HULL against structural defects in material and workmanship for a period of ten (10) years from the date of purchase or eleven (11) years from the date of manufacture, whichever period elapses first. The warranty provided in this section is to the original retail owner only and applies only if the boat is purchased from an authorized STINGRAY Dealer. During the warranty period described above, STINGRAY will repair or replace, at its option, the fiberglass HULL if it is unfit or unsafe for general use as a pleasure craft under normal conditions and, in Stingray's discretion, is determined to be structurally defective in material or workmanship. For purposes of this warranty, the HULL is defined as the part of the boat in contact with the water when at rest. The warranty provided in this section is subject to all limitations and conditions contained herein. The remaining term of this HULL Warranty, up to five (5) years, may be transferred to the second owner if, within 60 days of purchase, the new owner registers the transfer with an authorized STINGRAY Dealer and pays a seventy-five US dollar (\$75 USD) transfer fee. Visit stingrayboats.com/transfer for further details on transferability.

3-YEAR LIMITED OSMOTIC HULL BLISTER WARRANTY: STINGRAY warrants against hull blistering caused by osmosis that is discovered and reported to STINGRAY during the first 3 years of ownership (subject to the prorated schedule below). The warranty provided in this section applies to the original retail owner only and is VOID if the original factory gelcoat surface has been altered by excessive sanding, scraping, sandblasting, or accident repair. A marine barrier coating with proper surface preparation is required if the boat is bottom painted or if the boat is left in fresh or saltwater for more than 60 days in any 90 day period. In the event of osmotic blistering, STINGRAY will, at its option, repair or cause to be repaired any hull damage and apply a layer of marine barrier coating to the affected surface area(s). Osmotic hull blisters are defined as those blisters, larger than one-eighth inch in diameter and with a depth greater than one-sixteenth inch, which occur on the hull below the waterline. Repairs will be performed (at STINGRAY'S discretion) by the selling dealer, a designated service center, or the STINGRAY factory. The following prorated schedule of parts and labor will be covered by STINGRAY: Blistering discovered and reported to STINGRAY less than one (1) year from date of purchase - 100%; between one (1) and two (2) years from date of purchase - 66%; between two (2) and three (3) years from date of purchase - 33%. All osmotic hull repairs must be pre-approved by STINGRAY prior to any work being performed. Transportation cost is the boat owner's responsibility. Reimbursement shall be limited to one repair, not to exceed eighty US dollars (\$80 USD) per foot of hull length resting below the waterline prior to prorating.

1-YEAR LIMITED GENERAL WARRANTY: STINGRAY boats are warranted to the original owner to be free of defects in materials or workmanship for a period of one (I) year from the date of purchase (not to exceed two (2) years from date of manufacture) subject to all limitations and conditions contained herein.


WARRANTY INFORMATION: All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

 $oldsymbol{4}$



- Stretch your legs in the bow with port and starboard seating with backrests, or use the optional bow filler cushion to convert to a comfortable lounging area.
- Enjoy the convenience of a removable 25 quart Igloo cooler, ideal for loading up food and drinks for your crew's adventure out on the water.
- Easily board your 172 SC from the water with the stainless steel multi-step ladder located on the transom aft.
- The optional ski tow cage is perfect for those watersport activities you and your family can enjoy together out on the waterways.
- And for storing and accessing those watersport toys, there's a convenient storage compartment with an oversized door in the floor.









More information at StingrayBoats.com/172SC

LENGTH 17'3" 5.3 m

BEAM **90"** 228.6 cm

FUEL CAPACITY

O"
21 GAL

79 L

* STRUCKAY

Y AVG DRY WEIGHT

1,900 LB

w/90 HP Engine

MAX DRAFT (Drive Up)

11.5"
29.2 cm

MAX CAPACITY
7 PPL / 2,000 LB
907 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.







- The 182 SC bow features wide lounge seating with reclined backrests (filler cushions are optional), a large self-draining cooler to keep your drinks and snacks cool for the day, ample cupholders, and under seat storage compartments for storing gear while underway.
- A low profile dash design optimizes visibility and creates a sporty look that is further complemented with a sport bucket seat for the captain.
- A roomy layout is enhanced with lots of storage, including a large floor storage locker for a wakeboard or other gear; a 25-quart removable cooler for bringing pre-chilled drinks aboard is conveniently hidden under the rear lounge
- Comfort is optimized with wrap-around seating for your passengers to stretch out and enjoy the ride; a rear-facing lounge seat allows your co-captain to keep an eye on tubers and wakeboarders.









LENGTH 19'1" 5.8 m

BEAM 90" 228.6 cm

FUEL CAPACITY 21 GAL 79 L

AVG DRY WEIGHT 2,050 LB w/115 HP Engine

MAX DRAFT (Drive Up) 12.5" 31.8 cm

MAX CAPACITY $9 \, \text{PPL} / 2,025 \, \text{LB}$

Photos shown may contain optional your local dealer for complete model details.

More information at StingrayBoats.com/182SC



- The helm station boasts a custom low-profile dash with room for accessories and a sporty windshield visor; a deep bow and wide body make the 192 SC extra roomy; add the optional filler cushions to create a sun pad; below the non-skid lid is a slideout, two-step bow ladder, and anchor locker storage.
- A freshwater sink and removable trash can are conveniently located amidships for easy access by all passengers.
- An optional fishing package includes a removable trolling motor mount, a trolling motor harness and plug, a bow fishing seat, an aft fish storage box, and two additional stainless steel aft rod holders (requires option #750, bow livewell, two stainless steel rod holders).
- An optional table can be used in the cockpit or bow; the optional forward bimini provides shade from the sun; in addition to the convenient aft entry, the 192 SC features port side steps for easy entry.









LENGTH
20' 1"

BEAM **100"** 254.0 cm

192 SC

DECK BOAT

FUEL CAPACITY

46 GAL

174 L

000

AVG DRY WEIGHT

2,600 LB

w/115 HP Engine

STINGRAY

MAX DRAFT (Drive Up)

14.5"

36.8 cm

MAX CAPACITY

10 PPL / 2,225 LB

1,009 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



More information at StingrayBoats.com/192SC



- A wide beam makes this bow as roomy as it looks; flanked between lounges is one of three onboard ice chests; the bow platform step-thru is non-skid and houses a beach boarding ladder and anchor storage.
 A freehwater sink is conveniently positioned amidships: a trash recentage.
- A freshwater sink is conveniently positioned amidships; a trash receptacle compartment is covered below.
- The helm station boasts a custom low-profile dash with room for accessories and a sporty windshield visor.
- An open floor plan for easy movement on deck; hidden storage in the side-entry steps, beneath the seats, and below the floor provides plenty of room to store necessities, leaving room for family and friends.
- Changing into swimsuits is convenient with the roomy onboard changing compartment; for added passenger convenience, the changing compartment can be upgraded to a head compartment with a Porta Potti; the compartment also houses the cockpit table.





LENGTH 21'11"

BEAM 102" FUEL CAPACITY

57 GAL
216 L

AVG DRY WEIGHT

3,100 LB

w/150 HP Engine

MAX DRAFT (Drive Up)

14"

35.6 cm

MAX CAPACITY
12 PPL / 2,600 LB
1,179 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



More information at
StingrayBoats.com/212SC





STINGRAY

- There's plenty of room for crew and gear onboard, including a cooler/storage box with overboard drain, under-seat bow storage, and an aerated livewell aft.
- At the helm, there's a wide leaning post with comfortable seating, a 12V plug and dual USB ports at the dash, power trim and tilt, and a deluxe stainless steel steering wheel.
- The 173 also has stainless steel rod holders, aft ladder, pull-up cleats and optional ski tow cage.
- And for assistance with storage, the windshield is completely removable.



LENGTH 17' 3" BEAM

90" 228.6 cm FUEL CAPACITY 30 GAL 114 L

AVG DRY WEIGHT **2,100** LB w/90 HP Engine

MAX DRAFT (Drive Up) 11.5" 29.2 cm

MAX CAPACITY 7 PPL / 2,000 LB

Photos shown may contain optional equipment. Contact your local dealer for complete model details





More information at StingrayBoats.com/173CC





- Designed for fishing and family, the 206 CC has comfortable vinyl bow seating
 for passengers; for fishing, unsnap the cushions and stow them away; also in
 the bow area are storage compartments under each bow seat, and a large
 48-quart insulated cooler; a forward bench covers the standard 17-gallon
 cooler (can be upgraded to a livewell).
- Other features include an optional freshwater sink amidships, rod storage, self-bailing cockpit, a built-in tackle box, and more.
- The deluxe console is standard on 206 models and above; beneath
 the console is a storage compartment that can be upgraded to a head
 compartment with the optional Porta Potti.
- Lots of walk-around space makes it easy to quickly move around the boat; two rear seats lift up for seating and quickly fold down for use as casting platforms; the helm seat has an adjustable seat/leaning post and lifts to reveal a 26-gallon livewell.











LENGTH **20' 1"**

BEAM **100"** 254.0 cm FUEL CAPACITY

46 GAL

174 L

2,700 LB w/140 HP Engine

MAX DRAFT (Drive Up)

35.6 cm

MAX CAPACITY
9 PPL / 2,400 LB
1,088 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.











74-quart Engel cooler; beneath the console is a storage compartment that can be upgraded to

The bow area is roomy with lots of storage space beneath the seats; for fishing, unsnap the cushions and stow them; a forward bench

covers the standard 17-gallon cooler (can be

- Lots of walk-around space makes it easy to quickly move around the boat; two rear seats lift up for seating and quickly fold down for use as casting platforms; there are storage areas beneath the seats and a livewell that can be upgraded with a recirculating/aeration option.
- Other features include an optional freshwater sink amidships, multiple rod holders throughout the boat, a built-in tackle box, a fold-out waste basket, self-bailing cockpit, and much more; whether it's fishing or spending time with the family, the 216 CC is loaded with amenities.





More information at StingrayBoats.com/216CC

LENGTH 21'8"

BEAM 256.5 cm

216 CC

CENTER CONSOLE

.

FUEL CAPACITY 57 GAL 216 L

AVG DRY WEIGHT 3,150 цв w/200 HP Engine

MAX DRAFT (Drive Up) 15" 38.1 cm

STINGRAY

MAX CAPACITY 10 PPL / 3,050 LB Photos shown may contain optional equipment. Contact your local dealer for complete model details.







- Large bow features forward-facing lounges, padded seatbacks, stainless grab rails, easy entry access, and storage bins; dual cabinets with countertops (fold-down faucet and sink starboard) are standard; a water washdown is optional.
- A leaning post is outfitted with custom-molded flip-up bolsters and a 74-quart Engel cooler.
- A forward-facing stern bench seat features flip-up seats; the center cushion can be removed to create a casting platform; below the platform is a 14-gallon livewell.
- A bench forward of the console features padded seating, stainless steel grab handles, and a cooler that can be upgraded to a livewell.
- An onboard changing compartment can be upgraded to a head compartment with the optional Porta Potti.
- The helm includes a windshield, stainless grab handles and cup holders, a storage nook, USB and 12-volt outlets, backlit switches, a large flat space for a GPS or other third-party electronic display, and much more.
- Self-bailing cockpit





LENGTH 23'8" 7.2 m BEAM 101" 256.5 cm

236 CC

CENTER CONSOLE

FUEL CAPACITY **68 GAL**257 L

APACITY AVG DRY WEIGHT

GAL
7 L

AVG DRY WEIGHT

3,648 LB

w/250 HP Engine

MAX DRAFT (Drive Up)

16"

40.6 cm

MAX CAPACITY
12 PPL / 3,250 LB
1,474 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.




More information at **StingrayBoats.com/236CC**









- A low profile dash, with easy to read gauges, increases visibility; an attractive storage area surrounded by stainless steel railings holds small accessories in place.
- Multiple coolers (bow and cockpit) make it easy for passengers to have drinks at their fingertips.
- Optional dual, custom sport bucket seats offer flip-up seating; optional premium seagrass flooring feels good underfoot for kids, adults, and dogs; it's also easy to clean.
- A deep bow and curved seating provide optimal comfort; sport deck models feature a two-step ladder and anchor locker.













LENGTH **20'8"**

BEAM **98.5**° 250.2 cm FUEL CAPACITY

34 GAL

129 L

AVG DRY WEIGHT 2,974 LB w/200 HP Engine

MAX DRAFT (Drive Up)

18"
45.7 cm

MAX CAPACITY
9 PPL / 1,715 LB
778 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.

More information at StingrayBoats.com/208LR





- Turn the standard roomy bow into a giant lounging area with optional bow filler cushions; a giant entryway platform houses a boarding ladder and anchor locker storage.
- An entertainment center is complete with a freshwater system, removable Igloo cooler, and a stylish counter.
- When it's time for snacks, the cockpit table (optional teak table) can be set up quickly in either the bow or cockpit.
- A spacious head compartment (which doubles as a changing room) is equipped with built-in shelving, a recessed toilet paper holder, LED lighting, and an opening port light window.









More information at StingrayBoats.com/215LR

LENGTH 21'11" 6.7 m

BEAM 101" 174 L

FUEL CAPACITY 46 GAL

AVG DRY WEIGHT MAX DRAFT (Drive Up) 17" 3,705 LB w/250 HP Engine 43.2 cm

MAX CAPACITY 11 PPL / 2,167 LB Photos shown may contain optional your local dealer for complete model details.













- A pressurized bow shower is conveniently located to wash off dirt and sand before re-entering the boat.
- The optional wake tower with Sunbrella[™] canvas top provides the perfect amount of shade for a fun day on the water.
- A standard full fiberglass liner makes for easy cleanup at the end of the day; add the optional premium seagrass flooring, a blend of ruggedness and beauty, to provide greater comfort underfoot.
- The onboard head compartment features a Porta Potti and doubles as a changing room on the water.
- L -shaped seating and a large sundeck provide a roomy area for lounging and sunbathing, with ample storage space.
- An onboard entertainment center is complete with a freshwater sink, removable cooler, and an attractive countertop — it's the perfect setup for entertaining.





23' 11"

BEAM **101"** 256.5 cm FUEL CAPACITY **56** GAL

212 L

AVG DRY WEIGHT MAX DI

4,105 LB

w/250 HP Engine 4:

MAX DRAFT (Drive Up)

17"

43.2 cm

MAX CAPACITY

12 PPL / 2,535 LB

1,150 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.























- The spacious interior creates room for up to 10 people with ample storage space throughout.
- A convenient walk-thru companionway is revealed when the center cushions are removed; the center cushions quickly reattach to create a full-width sundeck, as well as a full bench seat below; both the captain and co-captain seats are sport bucket seats with flip-up seats that quickly adjust to an up or down position.
- Attractive gauges are housed beneath a low-profile brow for increased visibility; an area surrounded by stainless rails can be used to hold small accessories in place.



More information at StingrayBoats.com/225SE

22' 11"

BEAM FUEL CAPACIT

100" 56 GAL
254.0 cm 212 L

FUEL CAPACITY AVG DRY WEIGHT 3,364 LB

w/250 HP Engine

MAX DRAFT (Drive Up)

18"

45.7 cm

MAX CAPACITY

10 PPL / 2,080 LB

943 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.














- A convenient step-thru ensures easy boarding; and open layout with L-shaped seating provides lots of seating and legroom for everyone aboard; under-seat and in-floor storage spaces provide room for stowing gear and supplies.
- The bow features padded lounge seats with canted backrests, a large ice chest, easily removable cushions that reveal roomy storage compartments, convenient cupholders, and twin speakers.
- A full windshield provides protection from the wind; sporty bucket seats are provided for captain and aco-captain; a sporty dash panel houses easy-to-read gauges.
- Optional fishing package also available.





More information at StingrayBoats.com/191DC



79 L

VACELITE

w/115 HP Engine

191 DC

DUAL CONSOLE

228.6 cm

MAX DRAFT (Drive Up)

12.5"

31.8 cm

MAX CAPACITY

9 PPL / 2,025 LB
918 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.

5.8 m





- A deep bow is great for families; add optional filler cushions to create a sun pad; the forward platform features a two-step ladder, anchor, and a large, insulated ice chest.
- A molded-in cockpit sink is upgraded to a single-tap faucet when the optional pressurized water system is ordered.
- An oversized non-skid lid, held open by a gas-assist strut, provides access to
- Wrap-around seating makes it convenient for setting up the cockpit table for snacks (optional teak table shown).
- Storage throughout provides lots of areas for gear and supplies.
- Twin bucket seats with flip-up bolsters provide comfort for both the captain and co-captain; there is a 25-quart removable cooler for bringing pre-chilled drinks aboard.







Photos shown may

equipment. Contact

your local dealer for

complete model details.

contain optional







More information at StingrayBoats.com/201DC

LENGTH

BEAM 100" 254.0 cm

FUEL CAPACITY 46 GAL 174 L

AVG DRY WEIGHT **2,800** LB w/115 HP Engine

MAX DRAFT (Drive Up) 14.5" 36.8 cm

MAX CAPACITY 10 PPL / 2,225 LB





- The on-board head compartment doubles as a changing room when it's time for swimming or water sports.
- Sport bucket seats with flip-up bolsters adjust to an up or down position and feature luxurious stain-resistant vinyl.
- The bow provides ample legroom while storage compartments not only serve as steps, but also house a cooler, boat fender locker, and two-step bow ladder with an anchor locker combination.
- An entertainment center is complete with fresh water system, removable cooler, and stylish counter.
- The low-profile, soft-touch vinyl bow provides increased visibility and reduces glare when underway; a self-bailing, full fiberglass liner for easy cleanup, and the ease of maintenance of outboard propulsion.
- Custom wakeboard tower outfitted with Sunbrella $^{\!\circ}$ canvas top.











LENGTH **23' 8"**

BEAM **101"** 256.5 cm

FUEL CAPACITY **56** GAL
212 L

STINGERM

AVG DRY WEIGHT

3,648 LB

w/250 HP Engine

MAX DRAFT (Drive Up)

43.2 cm

MAX CAPACITY

12 PPL / 2,535 LB


1,150 kg

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



More information at StingrayBoats.com/231DC





- As you walk through the safety glass windshield from the helm, extremely comfortable seating awaits you in the bow. Upgrade with the optional bow filler cushion for complete lounging.
- Available seating in the cockpit is ample, as is the room to fight the fish should you choose to take the crew out for the prize catch. And you can keep those prize catches in the insulated fish/storage box located aft.
- The enclosed, lighted head offers a Porta-Potti, or can be upgraded with dockside pump out or even a porcelain head with holding tank and pump out.











27' 11" 8.5 m BEAM 102" 259.0 cm FUEL CAPACITY

135 GAL

511 L

DRY WEIGHT **6,400 LB**W/Twin 200 HP Engines

MAX DRAFT (Drive Up)

18"
45.7 cm

MAX CAPACITY
Yacht Certified
12 ppl

Photos shown may contain optional equipment. Contact your local dealer for complete model details.



269 DC
DUAL CONSOLE



STANDARDS & OPTIONS

	1	21-		CENTER C	CONSOLES			DECK	BOATS			SPORT DECK	S	SPORT		DUAL C	ONSOLES	
		# NOLLOO	173 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	208 LR	215 LR	235 LR	225 SE	191 DC	201 DC	231 DC	269 DC
	Preferred Equipment Group	805		-			-	1363	2195	1905	1563	1747	1747	975	1363	2195	1747	-
	Stainless Steel Hardware Package	820	S	S	S	S	410	410	467	467	467	467	467	467		467	467	s
Si	Fishing Package	802		-			734	734	734	734	-	-	-	-	734	734	734	-
\$	Galley Entertainment Package	804		-	-	-	-	-	-	-	-	-	-	-	-	-		6825
PACKAGES	Canadian-IMCI Certification Package	89	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170
п.	CE Cert Package no/Shipping Cradle	91	818	-	-		818	818	818	818	818	818	818	818	818	818	818	818
	CE Cert Package w/Shipping Cradle	90	1177	-	-		1177	1177	1177	1177	1177	1177	1177	1177	1177	1177	1177	1177
	Hydraulic Tilt Steering (70-140HP)	617	1101	1101			1101	1101	1101	-	-	-	-	-	1101	1101		-
	Hydraulic Tilt Steering Suzuki (70-140HP)	618	1101	1101	-		1101	1101	1101	-	-	-	-	-	1101	1101		-
	Hydraulic Tilt Steering upgrade Merc #1	622	-	1376	1376	1376	-	-	1376	1376	-	-	-	-	-	1376	1376	1376
	Hydraulic Tilt Steering upgrade Suz #1	623		1376	1376	1376	-	-	1376	1376	-	-	-	-	-	1376	1376	1376
	Hydraulic Tilt Steering upgrade Suz #2	624		1376	1376	1376	-	-	1376	1376	-	-	-		-	1376	1376	1376
	Hydraulic Tilt Steering upgrade Yam #1	620		1376	1376	1376	-	-	1376	1376	-				-	1376	1376	1376
	Hydraulic Tilt Steering upgrade Yam #2	621	-	1376	1376	1376			1376	1376	-	-	-	-	1376	1376	1376	1376
	Sea Star Power Assist Steering	625	-			3032					-		-	-			3032	S
	Power Pole Blade 10 ft White	673	_	-	_	4106	-	_	_	_	_	_	_	_	-	_		_
	Optimus Joystick w/ Autopilot	626			_		-		-	_	_	_	_		_			17126
	Windlass, Road (200 ft) and Anchor	311		_			-	-	_	-	_	_	_	_	-			1818
rn	LED Docking Lights - Stainless Steel	313	_	406	S	s		406	406	406	406	S	S	406	406	406	s	522
ONS	Stainless Steel Sport Trim Tabs (fixed)	57						-	-	-	170	-						- JEL
OPTIO	Tilt Steering w/ Locking Detent	39	S				215		215	-	215	-	-		215	215		-
-	Trim Tabs with LED Indicator - Electric	68		_	S	S		_				1177	1177	1177		-	1177	S
로	ZipWake Interceptors Auto Ride Leveling	58							-			-	-	-				S
_	Battery Charger	41	247	247	247	247	247	247	247	247	247	247	247	247	247	247	247	956
	Battery On/Off Switch	36	154	154	154	154	154	154	154	154	154	154	154	154	154	154	154	-
	Dual Battery System w/ VSR & Switch	30	373	373	373	373	-	-	373	373	-	373	373	373	-	373	373	S
	Dual Battery System w/ VSR for CE option	307	373	373	373	373		-	373	373	-	373	373	373	-	373	373	
		19	-	3/3	3/3	3/3	•	•	3/3	3/3	802	802	802	3/3 S	-	3/3	3/3	-
	Automatic Fire Extinguishing System	35		-	-	-			-	-		- 002	- 002		-			1533
	Porcelain Head w/Holding Tank w/ Pump Out	35	568	-	568	-	-	-	-	357	-	454	357	-	-	-	S	
	Porta Potti with Dockside Pump Out			407		407	-	-	-		-			-	-	-	_	357
	Porta Potti (Center Console) Canada w/ Pump Out	708 705	-	467	467	467	-	-	-	-	-	- S	-	-	-	-	- S	-
	Porta Potti w/ Level Indicator		-		-		-	-	-	160	-		S	-	•	-		S
	Porta Potti w/ Indicator (Center Console)	706	357	357	357	357	-	-	-	-	-	-	-	-	-	-	-	-
	Engine Oil Drip Pan	98	-	-	-	-	•	•	-	-	178	178	178	178	•	-	-	4070
	Yamaha CL5 Display	739	-	-		-		-	-	-	-	-	-	-		-	-	1376
	Yamaha Command Link Gauges	740	1296	1296	1296	1296	1296	1296	1296	1296	-	-	-	-	1296	1296	1296	-
	Suzuki Digital Display	741	972	972	972	972	-	-	-	-	-	-	-	-	-	-	972	1376
2	Mercury Digital Display	742	1533	1533	1533	1533	-	-	-	-	-	-	-	-	-	-	1533	1533
₫	Garmin Striker 4 & Transducer	789	-	-	-	-	389	389	-	-	-	-	-	-	389	-	-	-
OPTIONS	Garmin 743 & Transducer	790	1998	1998	1998	•	-	-	1998	1998	-	-	-	-	-	1998	1998	
	Garmin 943 & Transducer	791	2543	2543	2543	2543	-	-	-	-	-	-	-	-	-	-	-	2543
COCKPIT	Garmin 1243 & Airmar B150M Chirp	792	-	-	5654	5654	-	-	-	-	-	-	-	-	-	-	-	5654
8	Second Garmin 743xs	796	-	1326	1537	-	-	-	-	-	-	-	-	-	-	-	-	-
	Second Garmin 943xs	797	-	2152	2152	2152	-	-	-	-	-	-	-	-	-	-	-	-
	Garmin 110 VHF w/ Antenna and Mount	733	-	-	-	1056	-	-	-	-	-	-	-	-	-	-	-	1056
	Garmin Fantom 18 Radar	786	-	-	-	-	-	-	-	-	-	-	-	-	-		-	3158
	Blue LED PKG w/ Underwater Lights	314	686	686	686	686	686	686	686	686	686	686	686	686	686	686	686	

¹ Preferred Equipment
Group items vary by
model and may
include:
- Birnini Top
(Sunbreilla)
- Birnini Top
(Sunbreilla)
- Birnini Top
(Sunbreilla) with
SS Frame
- Deluxe Bolster
Seat[s]
- LED Cockpit Lighting
- SS Ski Tow
- Fusion RA-55 Stereo
BT-APP
- Fusion SRX 400
BT-APP-WIFI
- Transom Mounted
Tilt Switch
- Zero Torque Steering
- Tilt Steering with
Locking Detent
- Stainless Steel Multi
Step Bow Ladder

- 2 Stainless Steel
 Hardware Package
 items vary by model
 and may include:
 -Gunnel Molding
 [White/ Stainless]
 -SS Horn Cover
 -SS Cup Holders
 -SS Windshield
 Supports
 -SS Dash Rail
 -SS Birmin Top Quick
 Connects
 -Cabin Windows w/
 SS Frame
 -SS Vent Covers
- 3 Galley Entertainment
 Package include:
 Kenyon Grill
 Inverter-Charger
 Shore Power Hook-up
 & Wiring
 SS Refrigerator
 Battery Tray added
 to Back of Ski Locker
- 4 Fishing Package items vary by model and may include: - Trolling Motor Mount (removable) - Trolling Motor Harness and Plug - Fishing Seat (bow) - SS Rod Holders Aft (2 additional) - Fish Storage Box (aft)
- S Denotes Standard
- Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

STANDARDS & OPTIONS

	#		CENTER (CONSOLES			DECK	BOATS			SPORT DECK	5	SPORT		DUAL C	ONSOLES	
	# NOILdo	173 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	208 LR	215 LR	235 LR	225 SE	191 DC	201 DC	231 DC	269 DC
Grey Speaker Grills	316		97	97	97	97	97	97	97	97	97	97	97	97	97	97	
Digital Depth Finder w/ Depth Alarm	48	-		-		425	425	425	425	425	425	425	425	425	425		
Signature Speaker Upgrade WHITE (Blue lit w/ 314)	727	696	696	696	696	696	696	696	696	696	696	696	696	696	696	696	S
Signature Speaker Upgrade SILVER (Blue lit w/ 314)	724	-	696	696	696	696	696	696	696	696	696	696	696	696	696	696	
RA670 Stereo Upgrade - w/ Remote	728	610	610	610	610	610	610	610	610	610	610	610	610	610	610	610	
Fusion 500W 4 Channel Amplifier	729	696	696	696	696	696	696	696	696	696	696	696	696	696	696	696	S
Fusion 1400W 4 Channel Digital Amplifier	730	-	842	842	842	842	842	842	842	842	842	842	842	842	842	842	84
Fusion 2000W Premium Upgrage	734	-		-	-	-		-	-		-	-	-	-		-	218
Trolling Motor Mount & Harness	751	410	410	410	410		-		-	-	-	-	-			410	
Head Floor SeaDek	707	-	-	260	435		-		290		154	154	-	-		260	87
SeaDek On Sponsons Grey	711		610	734	-	-	452	628	0		731	750	S	452		731	
SeaDek Flooring Grey	712	-	2657	2657	-		1426	1822	0		2034	2069	s	1771		2258	
SeaDek On Sponsons Mocha	713		-		-					-	-		s	-	-	-	
SeaDek Flooring Mocha	714		-	-	-	-	_	-	-	_	-	-	S	-	-	-	
Bow Cushion Filler (Center Console)	764		600	155	600					-						-	
Filler Cushion - Aft Walk-thru	47			100	-	_	_	_		_	410	410	S	_			
Filler Cushion - Aft Walk-thru and Seat	77		_	_	_	_				597	-				_		
Filler Cushion - Bow / Cabin	84	647	_	_	-	522	522	597	522	394	394	394	394	522	597	394	39
Center Front Bow Cushion	54	-	-	-	-		JEE -	158	158	-	158	158	- 334	JEE -	158		33
Removable Back Rest	78	-	-	-	-	-	-	347	158	-	156	136	-	-	158	412	
Dual Bucket Seats w/ Bolster	82	-		-	-	-	-	- 347	-	s		s	S	505		412 S	
•		-	-	-	-	255	-	-		5	S	5	5		S	5	-
Helm Bucket Seat w/ Bolster	26 762		81	81	81		-	-	S					255			
Fishing Seat Base Only (bow)		-				-	-	-	-	-	-	-	-	-	-	-	-
Fishing Seat with Pedestal & Base (bow)	752		410	410	410	-	-	-	-	-	-	-	-	-	-	-	-
Bolster Seats for Leaning Post	775	-	522	522	S	•	-	-	-	-	-	-	-	-	-	-	-
225LR Tall Windshield Exchange	715	•	-	-	-	-	-	-	-	-	-	-	81	-	-	-	-
Leaning Post with Cooler	767	-	S	S	S	-	-	-	-	-	-	-	-	-	-	-	-
Backrest Support for Leaning Post	759	809	-	-	•	•	•	-	•	-	•	-	•	•	•	-	-
Engel Cooler Under Leaning Post	753	421	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Engel Cooler Seat Extension	768	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
Flooring - Seagrass (Standard Layout)	32	-	-	980	980	-	787	863	731	863	818	818	-	787	863	818	
Flooring - Seagrass (Optional Layout #1)	33	-	929	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flooring - Seagrass (Optional Layout #2)	34	-	929	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flooring - Seagrass (T-top Layout #3)	37	-	980	980	980	-	-	-	-	-	-	-	-	-		-	
Wake Tower, Folding, W/ Top	663	-	-	-	-	-	3395	4095	4095	6067	6067	6067	6067	3487	4095	6067	-
Adjustable Pedestals for 2 Bucket Seats	83	-	-	-	-	-	-	-	-	-	200	200	-	-		200	-
Forward Livewell Center Console	766	503	503	503	503	-	-	-	-	-	-	-	-	-	-	-	-
Livewell / 2 Stainless Steel Rod Holders	750	S	-	-	-	597	597	597	597	-	-	-	-	597	597	597	-
Gemlux Deluxe Outrigger Package w/ Shade	787	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	420
Raw Water Washdown	756	503	503	503	503	-	-	-	-	-	-	-	-	-	-	-	87
Recirculate/Aeration Pump - Aft Livewell	755	389	389	389	389	-	-	-	-	-	-	-	-	-	-	-	-
Tackle Storage and Trash Can Pull Out	763	-	-	S	S	-	-	-	-	-	-	-	-	-	-	-	-
Stainless Steel Ski Pole (removable)	670	-	587	587	587	-	587	587	587	-	-	-	-	587	587	-	-
Ski Tow Cage	672	1304	-	-	-	1304	-	-	-	-	-	-	-	-	-	-	-
Stainless Steel Ski Pole (Pop Up)	671	-	-	-	-	-	-	-	-	-	-	-	-			961	105
Freshwater System	72	-	686	686	686	-	-	-	-	-	-	-	-	-	-	-	S
Pressurized Water w/ Bow & Transom Shower	70		_					603	603		S	s	_	_	603	S	S

S Denotes Standard - Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

STANDARDS & OPTIONS

1	#		CENTER (CONSOLES			DECK	BOATS			SPORT DECKS	5	SPORT		DUAL CO	ONSOLES	
	# NOLLOO	173 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	208 LR	215 LR	235 LR	225 SE	191 DC	201 DC	231 DC	
Cockpit Table Mount(s)	74	-	-	-	-	-	-	s	-	s	-	-	-	-	S	-	
Cockpit Table with Offset Leg	76						-	410	S	309	S	S	S	-	410		
Cockpit Table with Side Mount(s)	806	-	-				-	-	-	-	-	-	-	-	-	s	
Teak Cockpit Table (upgrade)	94						-	363	363	-	363	363	363	-	363	363	
Canvas T-Top	757		5005	5005	5005		-	-	-	-	-	-	-	-	-	-	
Fiberglass T-Top	760	-	-	8343	8343	-	-	-	-	-	-	-	-	-	-	-	
Dual Console Hard Top	758	-	-	-	-	-	-	-	-	-	-	-	-	-		-	
Fiberglass Hard Top Bottom Color (see note 4)		-	-	610	610	-	-	-	-	-	-	-	-	-		-	
Walk-thru Door							-		-	-	-	-					
3-Year Hull Blister Protection Plan		S	S	S	S	S	s	S	s	S	s	s	S	S	s	s	
Aerated Livewell 800gph (aft)		S	s	S	s			-	-	-		-				-	
Backlit Instruments & Circuit Breakers		S	S	S	S	S	S	S	S	S	S	S	S	s	s	S	
Bilge Pump 1100 GPH Auto/Man		S	S	S	S	S	S	S	S	S	S	s	S	S	S	S	
Bilge Pump 2000 GPH Auto/Man		-	-		-	-	-	-		-	-	-					
Bow Anchor Locker			s					S	S	S	S	s	s		s	S	
Bow Cushions/Seats (removable)		_	S	S	S		-		-	-	-						
Bow Storage				s	s	s	s	S	S	S	S	S	S	S	s	S	
Cabin Lights		-	-			-	-		-	-		-	-			-	
Cabin Windows w/ Stainless Steel Frame		-	-		-	-	-	-	s	-	-	-	-	-	-	-	
·																	
Certifications: NMMA, USCG		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Cooler 25 qt Igloo (removable)		•	-	-	-	S	S	S	S	-	S	S	S	S	S	S	
Cooler/Storage Box with Overboard Drain		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Dash Accessory Plug 12V w/ Dual USB Ports		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Electronic Engine Hour Meter		-	-	-	-	-	-	S	S	S	S	S	S	-	S	S	
Enclosed Head & Lighting		-	-	-	•	•	-	-	S	-	S	S	-	-	•	S	
Exclusive Z-Plane Hull		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Fire Extinguisher Holder Insert		-	-	-	-	-	-	S	S	-	S	S	-	-	-	S	
Fire Port		-	-		-	-	-	-	-	S	S	S	-	-	-	-	
Insulated Fish/Storage Box (aft)		-	-	-	-	-	-	S	S	-	-	-	-	-	-	-	
Floor Storage w/ Oversized Door		-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	
Freshwater Sink (head)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	
Freshwater Sink (cockpit)		-	-	-	-	-	-	S	S	-	S	S	-	-	S	S	
Helm Seat Flip-flop w/ Leaning Post		S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ignition Switch w/ Stereo Acc. Position		-	-	-	-	-	-	-	-	S	S	S	S	-	-	-	
Integrated Electric Horn		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Italian Steering Wheel		-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	
Deluxe Stainless Steering Wheel		S	S	S	S	-	-	-	-	-	-	-	-	-	-	-	
Leaning Post w/ Cushion		S	-	-	-	-	-	-	-	-	-	-	-	-		-	
Limited Lifetime Hull Protection Plan		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Fusion RA770 BT-APP-WIFI		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fusion RA-60 Stereo BT-APP		s	-	-	-	-	-	-	-		-		-	-	-		
Fusion RA-55 Stereo BT-APP		-	S	s	S	S	S	S	S	S	S	S	S	S	S	S	
Molded Fiberglass Cabin Liner				-	-	-	-	-	-	-	S	s	-	-	-	S	
Nano-Block Stain Resistant Vinyl		S	S	S	S	-	S	S	S	S	S	S	S	S	S	S	
Opening Cabin Windows w/ Screen (1 ea)			-	-	-		-		-	-	S	S	-	-	-	S	
Oversized Cup Holders		S	s	S	S	S	S	S	S	S	S	S	S	S	s	S	
Thru Hull Windlass Holder									-								

⁴ Fiberglass FTop Bottom Colors: Opt # 76S - Savarian Opt # 771 - Abaco Green Opt # 772 - Oysten Opt # 773 - Dove Opt # 773 - Dove Opt # 774 - Black Opt # 776 - Seaside Blue

- S Denotes Standard
- Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

STANDARDS & OPTIONS

	#		CENTER	CONSOLES			DECK	BOATS			SPORT DECKS	;	SPORT		DUAL CO	ONSOLES	
	# NOLLION #	173 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	208 LR	215 LR	235 LR	225 SE	191 DC	201 DC	231 DC	269 DC
Power Steering (Engine Driven)		-	-	-	-	-	-		-	S	S	s	S	-	-	-	-
Power Trim and Tilt		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-
Engel Cooler (74 qt)		-	-	S	S	-	-	-	-	-	-	-	-	-	-	-	
Removable Cooler (48 qt)		-	S	-	-	-	-	-	-	-	-	-	-	-		-	
Safety Glass Windshield		-	S	S	S	-	-	-	-	S	S	S	S	S	S	S	:
Self Bailing Cockpit		-	S	S	S	-	-	S	S	-	S	S	-	-	S	S	
Stainless Steel Rod Holders		S	S	S	S	-	-	-	-	-	-	-	-	-	-	-	
Stainless Steel Spring Line Cleats		-	S	S	S	-	S	S	S	S	S	S	S	S	S	S	
Stainless Steel Bow Rails		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stainless Steel Multi-Step Aft Ladder Stainless Steel Pull-Up Cleats		S	S	S	S	S	S	S	S	S	S	s	S	S	S	S	
Stainless Steel Pull-Up Cleats		S	S	S	S	S	-	-	-	-	-	-	-	-	-		
Stainless Steel Rod Holders w/ Drain		S	S	S	S	-	-	-	-	-	-	-	-	-	-	-	
Stainless Steel Ski Tow		-	-	-	-	-	-	-	-	S	S	S	S	-	-	-	
Tinted Windscreen		-	-	-	-	S	S	S	S	-	-	-	-	-	-	-	
White Gunnel Molding with Stainless Steel Insert		-	-	-	-	-	-	-	S	-	S	S	-	-	-	S	
Black Gunnel Molding with Stainless Steel Insert		-	-	-	-	-	-	-	-	-	-	-	S	-	-		
Windshield w/Side Vent Windows		-	-	-	-	-	-	-	-	S	S	S	-	-	-	S	
No Feedback Steering		S	S	S	S	S	S	S	S	-	-	-	-	S	S	S	
Deluxe Console		_	S	S	s	_	_	_	_		_	-	_	_	_		

- S Denotes Standard - Denotes Not Available
- Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

43







Sport Bucket Seat with Flip-Up Bolster



Stainless Steel Port Windows



Under Seat Storage (varies by model)



Bow Filler Cushions (Option #84)



Cockpit Table with Floor Mount (Option #76)



Custom Dash with Backlit Instruments and Stainless Steel Accents Ice Chest Under Walk-thru Step (varies by model)



CANVAS OPTIONS

	#		CENTER C	CONSOLES			DECK	BOATS		:	SPORT DECKS	3	SPORT		DUAL CO	ONSOLES	
	# NOLLHO	173 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	208 LR	215 LR	235 LR	225 SE	191 DC	201 DC	231 DC	269 DC
Optional Canvas Color	66	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160
Bimini Top (Sunbrella)	65	-	-	-	-	912	912	-	-	1079	1079	1079	-	912	-	1079	-
Bimini Top (Sunbrella) w/ Stainless Steel Frame	62	1056	1354	1354	1354	-	-	1711	1486	-	-	-	-	-	1784	-	-
Bimini Top (Sunbrella) Only w/ Tall Windshield Exchange	716	-	-		-	-	-	-	-	-	-	-	1079		-	-	-
Bimini Top - Forward	64	-	-	-	-	-	-	956	956	-	-	-	-	-	-	-	-
Aft Bimini Extension Shade Top	67	-	-	-	-	-	-	-	-	-	547	547	-	-	-	-	-
Fwd Extension Shade Top Kit (Black ONLY)	725	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
Aft Extension Shade Top Kit (Black ONLY)	726	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
Full Canvas Set	4	-	-	-	-	-	-	-	-	-	1267	1354	-	-	-	1283	-
Mooring T-Top Cover (Carver Covers Sun-dura)	11	-	-	956	1056	-	-	-	-	-	-	-	-	-	-	-	-
Mooring Cover (Carver Covers)	12	-	686	-	-	-	-	-	-	-	-	-	579	-	-	-	-
Mooring Cover Wake Tower (Carver Covers)	20	-	-	-	-	-	-		-	-	-	-	549	-	-	-	-
Cockpit and Bow Cover (Sunbrella)	17	-	-	-	-	-	-	-	-	895	1201	1201	848	895	1201	1201	-
Cockpit Cover (Sunbrella)	13	-	-	-	-	876	876	1092	1012	-	835	835	-	-	-	-	-
Cockpit Cover and Bow Cover (Black ONLY)	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2052
Cockpit Cover and Bow Cover (225)	22	-		-	-	-	-	-	-	-	-	-	848	-	-	-	-
Cockpit Cover-Wake Tower (Sunbrella)	73	-	-	-	-	-	1092	1092	1012	686	895	895	-	835	835	895	-
Bow Cover and Cockpit Cover - Wake Tower	75	-	-	-	-	-	-	-	-	-	-	-	1134	-	-	-	-
Cover - Console and Seat (Sunbrella)	754	610	-	610	610	-	-	-	-	-	-	-	-	-	-	-	-
Bow Cover (Sunbrella)	18	-	-	-	-	-	-	-	-	397	361	361	-	397	361	361	-
Side Curtains (Front and Both Sides)	16	-	-	-	-	-	-	-	-	-	493	493	-	-	-	493	-
Spray Curtains Front/Sides (Black ONLY)	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5074
Rear Drop Curtain (Black ONLY)	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1399
Spray Shield w/ Gull Wings (Black ONLY)	21	-	-	-	1304	-	-	-	-	-	-	-	-	-	-	-	-
Walk-thru Flap (Sunbrella)	14			-	-	-	-		-	138	138	138	138	138	138	138	-

NOTE: Option 4 includes a bow cover.

S Denotes Standard Denotes Not

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.



Bimini Top (shown in optional black) -







Bow Cover (shown in standard latte)



black) - Option #14





Walk-Thru Flap (shown in optional Cockpit and Bow Cover (shown in Full Canvas Set (shown in optional black) - Option #4 optional black) - Option #17

Option #65 black) - comes with Option #663 (see pg. 53) - Option #18 LATTE BLACK





Standard canvas color is latte. The other colors are an optional up-charge exchange. Refer to the chart above for complete details. Color samples for representation purposes only — actual colors may vary. Color options are subject to change.

HULL GRAPHICS / GELCOAT COLOR OPTIONS

-	#		CENTER C	CONSOLES			DECK	BOATS		:	SPORT DECKS	5	SPORT		DUAL CO	ONSOLES	
	# OPTION #	173 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	208 LR	215 LR	235 LR	225 SE	191 DC	201 DC	231 DC	269 DC
Solid Deck And Hull (selected color)	1	-	-	-	-	-	-	-	-	-	-	-	2320	-	-	-	-
Hull, Bottom Color - Black	390	-	534	534	534	-	-	534	534	534	534	534	534	-	534	534	1265
Hull, Bottom Color - Bavarian	395	-	534	534	534	-	-	-	-	-	-	-	-	-	-	-	1265
Hull, Bottom Color - Abaco Green	396	-	534	534	534	-	-	-	-	-	-	-	-	-	-	-	1265
Hull, Bottom Color - Oyster	393	-	534	534	534	-	-	-	-	-	-	-	-	-	-	-	1265
Hull, Bottom Color - Dove	397	-	534	534	534	-	-	-	-	-	-	-	-		-	-	1265
Hull, Bottom Color - Seaside Blue	398	-	534	534	534	-	-	-	-	-	-	-	-	-	-	-	1265
Hull, Bottom Color - Red	394	-	534	534	534	-	-	-	-	-	-	-	-	-	-	-	1265
Hull, Full Color Band	50	734	734	734	734	734	734	734	734	734	734	734	734	734	734	734	961
Hull, Solid Hull (selected color)	52	-	808	818	818	-	-	818	818	818	818	818	818	-	818	818	1399
No Hyper Graphics	319	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Red)	349	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Blue)	346	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Grey)	347	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Green)	351	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	-
Graphics - Hyper (Orange)	350	-					0	0	0	0	0	0	0	0	0	0	

S Denotes Standard

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.



Color samples for purposes only actual colors may vary. Color options are subject to

2022 MODEL SPECIFICATIONS

				ONSOLES			DECK	BOATS			SPORT DECKS		SPORT		DUAL CO	INSOLES	
		173 CC	206 CC	216 CC	236 CC	172 SC	182 SC	192 SC	212 SC	208 LR	215 LR	235 LR	225 SE	191 DC	201 DC	231 DC	269 DC
Engine Type		0/B	O/B	0/B	O/B	O/B	0/B	0/B	O/B	I/B	I/B	I/B	I/B	0/B	0/B	0/B	O/B
Lawath Owner!	ft	17' 3"	20' 1"	21' 8"	23' 8"	17' 3"	19' 1"	20' 1"	21' 11"	20' 8"	21' 11"	23' 11"	22' 11"	19' 1"	20' 1"	23' 8"	27' 11"
Length Overall	m	5.3	6.1	6.6	7.2	5.3	5.8	6.1	6.7	6.3	6.7	7.3	7.0	5.8	6.1	7.2	8.5
Beam	in	90	100.0	101.0	101.0	90.0	90.0	100.0	102.0	98.5	101.0	101.0	100.0	900	100.00	101.0	102
Beam	cm	228.6	254.0	256.5	256.5	228.6	228.6	254.0	259.1	250.2	256.5	256.5	254.0	228.6	254.0	256.5	259
Bridge Clearance	in	59	63 (<mark>73</mark>)	72.0	72.0	41.0	39.0	50.0	50.0	49.0	58.0	58.0	52.0	50.5	60.0	58.0	80
(Standard Windshield)	cm	149.9	160 (<mark>186</mark>)	182.9	182.9	104.1	99.1	127.0	127.0	124.5	147.3	147.3	132.1	128.3	152.4	147.3	203.2
Bridge Clearance	in	-	96.0	96.0	96.0	-	-	-	-	-	-	-	-	-	-	-	105.0
Ttop/Hardtop w/o External Options	cm	-	243.8	243.8	243.8	-	-	-	-	-	-	-	-	-	-	-	266.7
Average Dry Weight ^A	lbs	2100	2700	3150	3648	1900	2050	2600	3100	2974	3705	4105	3364	2000	2800	3648	6400
(w/Popular Engine)	eng	90 HP	140 HP	200 HP	250 HP	90 HP	115 HP	115 HP	150 HP	200 HP	250 HP	250 HP	250 HP	90 HP	115 HP	250 HP	Twin 200
Fuel Capacity	gal	30	46	57	68	21	21	46	57	34	46	56	56	21	46	56	135
,	L	114	174	216	257	79	79	174	216	129	174	212	212	19	174	212	511
Water Capacity	gal	•	13	13	13	-	-	3 (13)	3 (13)	6	13	13	6	•	3 (13)	13	19
	L	-	49	49	49	-	-	11 (49)	11 (49)	23	49	49	23	-	11 (49)	49	72
Ice Box/Cooler Capacity	qt	48+68	48+68	74+68	74+68	25+22	25+22	67+25+45	67+25+45	32+14	25+17	25+32	32+25	25+22	67+25+45	25+32	60+16+185
	L	45+64	45+64	70+64	70+64	24+21	24+21	63+24+43	63+24+43	30+13	24+16	24+30	30+24	24+21	63+24+43	24+30	57+15+80
Livewell Capacity	gal	12+17	26+17	14+17	14+17	6	6	11	11	11	11	11	-	6	11	11	15
	L	98+64	98+64	53+64	53+64	23	23	42	42	42	42	42	-	23	42	42	57
Max Capacity	ppl/lb	7/2000	9/2400	10/3050	12/3250	7/2000	9/2025	10/2225	12/2600	9/1715	11/2167	12/2535	10/2080	9/2025	10/2225	12/2535	Yacht Cert
	ppl/kg	7/907															
			9/1088	10/1383	12/1474	7/907	9/918	10/1099	12/1179	9/778	11/983	12/1150	10/943	9/918	10/1099	12/1150	Yacht Cert
Max Engine Power	HP	90	200	200	300	90	115	175	200	-	-	-	-	115	175	300	400
Molded Depth	in	90 63.8	200 62.0	200	300 68.0	90 49.5	115 46.0	175 55.0	200 55.0	48.0	58.0	58.0	51.0	115 55.0	175 55.0	300 58.0	400 72.5
Molded Depth (Windshield Base to Keel)	in cm	90 63.8 162.1	200 62.0 157.5	200 68.0 172.7	300 68.0 172.7	90 49.5 125.7	115 46.0 116.8	175 55.0 139.7	200 55.0 139.7	48.0 121.9	58.0 147.3	58.0 147.3	51.0 129.5	115 55.0 139.7	175 55.0 139.7	300 58.0 147.3	400 72.5 184.2
Molded Depth (Windshield Base to Keel) Max Depth	in cm in	90 63.8 162.1 70	200 62.0 157.5 74.0	200 68.0 172.7 85.0	300 68.0 172.7 85.0	90 49.5 125.7 56.0	115 46.0 116.8 48.0	175 55.0 139.7 63.0	200 55.0 139.7 63.0	48.0 121.9 62.0	58.0 147.3 72.0	58.0 147.3 72.0	51.0 129.5 58.0	115 55.0 139.7 61.0	175 55.0 139.7 69.5	300 58.0 147.3 72.0	400 72.5 184.2 91.7
Molded Depth (Windshield Base to Keel)	in cm in cm	90 63.8 162.1 70 177.8	200 62.0 157.5 74.0 188.0	200 68.0 172.7 85.0 215.9	300 68.0 172.7 85.0 215.9	90 49.5 125.7 56.0 142.2	115 46.0 116.8 48.0 121.9	175 55.0 139.7 63.0 160.0	200 55.0 139.7 63.0 160.0	48.0 121.9 62.0 157.5	58.0 147.3 72.0 182.9	58.0 147.3 72.0 182.9	51.0 129.5 58.0 147.3	115 55.0 139.7 61.0 154.9	175 55.0 139.7 69.5 176.5	300 58.0 147.3 72.0 182.9	400 72.5 184.2 91.7 232.9
Molded Depth (Windshield Base to Keel) Max Depth	in cm in cm	90 63.8 162.1 70 177.8 11.5	200 62.0 157.5 74.0 188.0	200 68.0 172.7 85.0 215.9	300 68.0 172.7 85.0 215.9	90 49.5 125.7 56.0 142.2	115 46.0 116.8 48.0 121.9	175 55.0 139.7 63.0 160.0	200 55.0 139.7 63.0 160.0	48.0 121.9 62.0 157.5	58.0 147.3 72.0 182.9	58.0 147.3 72.0 182.9	51.0 129.5 58.0 147.3 18.0	115 55.0 139.7 61.0 154.9 12.5	175 55.0 139.7 69.5 176.5	300 58.0 147.3 72.0 182.9	400 72.5 184.2 91.7 232.9 18.0
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up)	in cm in cm cm	90 63.8 162.1 70 177.8 11.5	200 62.0 157.5 74.0 188.0 14.0	200 68.0 172.7 85.0 215.9 15.0 38.1	300 68.0 172.7 85.0 215.9 16.0	90 49.5 125.7 56.0 142.2 11.5	115 46.0 116.8 48.0 121.9 12.5 31.8	175 55.0 139.7 63.0 160.0 14.5 36.8	200 55.0 139.7 63.0 160.0 14.0	48.0 121.9 62.0 157.5 18.0	58.0 147.3 72.0 182.9 17.0	58.0 147.3 72.0 182.9 17.0	51.0 129.5 58.0 147.3 18.0	115 55.0 139.7 61.0 154.9 12.5	175 55.0 139.7 69.5 176.5 14.5 36.8	300 58.0 147.3 72.0 182.9 17.0	400 72.5 184.2 91.7 232.9 18.0 45.7
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to	in cm in cm in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5	200 62.0 157.5 74.0 188.0 14.0 35.6	200 68.0 172.7 85.0 215.9 15.0 38.1	300 68.0 172.7 85.0 215.9 16.0 40.6	90 49.5 125.7 56.0 142.2 11.5 29.2	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5	175 55.0 139.7 63.0 160.0 14.5 36.8	200 55.0 139.7 63.0 160.0 14.0 35.6	48.0 121.9 62.0 157.5 18.0 45.7	58.0 147.3 72.0 182.9 17.0 43.2	58.0 147.3 72.0 182.9 17.0 43.2	51.0 129.5 58.0 147.3 18.0 45.7	115 55.0 139.7 61.0 154.9 12.5 31.8	175 55.0 139.7 69.5 176.5 14.5 36.8	300 58.0 147.3 72.0 182.9 17.0 43.2	400 72.5 184.2 91.7 232.9 18.0 45.7
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up)	in cm in cm in cm in cm cm cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4	48.0 121.9 62.0 157.5 18.0 45.7 16.0	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2	58.0 147.3 72.0 182.9 17.0 43.2 17.0	- 51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to	in cm in cm in cm in cm cm in cm in	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to Cushion Top)	in cm in cm in cm in cm in cm cm cm cm cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5	- 58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to Cushion Top)	in cm in in cm in	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0	- 58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth)	in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2	- 58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth)	in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23 58.4	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0 152.4 24.5	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4 24.5	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0 185.4 24.5	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6 30.0	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 27.0	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0 165.1 27.5	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1 27.5	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2 140.2 31.8	- 58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0 149.9 33.0	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 29.5	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0 142.2 32.0	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9 34.0	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0 170.2 39.0
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth) Bow Length (Max Length)	in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23 58.4 23	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6 30.0 76.2	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 27.0 68.6	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2	- 58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 29.5 74.9	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0 142.2 32.0 81.3	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9 34.0 86.4	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth) Bow Length (Max Length)	in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23 58.4 23 58.4 74.5	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0 152.4 24.5 62.2 84.0	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6 30.0 76.2 69.0	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 27.0 68.6 73.0	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0 165.1 27.5 69.9	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1 27.5 69.9 84.0	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2 140.2 31.8 80.8	- 58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0 149.9 33.0 83.8 81.0	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 29.5 74.9	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0 142.2 32.0 81.3	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0 170.2 39.0 99.1 82.8
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft [®] (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth) Bow Length (Max Length) Cockpit Depth (At Helm) Cockpit Width (Max Molded)	in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23 58.4 23	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0 152.4 24.5 62.2	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6 30.0 76.2	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 27.0 68.6	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0 165.1 27.5 69.9	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1 27.5 69.9	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2 140.2 31.8	- 58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0 149.9 33.0 83.8	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 29.5 74.9	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0 142.2 32.0 81.3	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9 34.0 86.4	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0 170.2 39.0 99.1
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth) Bow Length (Max Length) Cockpit Depth (At Helm)	in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23 58.4 23 58.4 74.5 189.2	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0 152.4 24.5 62.2 84.0 213.4	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0 213.4 192.0	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0 213.4 208.0	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6 30.0 76.2 69.0 175.3 156.0	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 27.0 68.6 73.0 185.4	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0 165.1 27.5 69.9 84.0 213.4 156.0	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1 27.5 69.9 84.0 213.4 178.0	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2 140.2 31.8 80.8 81.0 205.7	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0 149.9 33.0 83.8 81.0 205.7	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 29.5 74.9 73.0 185.4 104.3	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0 142.2 32.0 81.3 84.5 214.6	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0 170.2 39.0 99.1 82.8 210.2 241.0
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft ⁸ (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth) Bow Length (Max Length) Cockpit Depth (At Helm) Cockpit Width (Max Molded)	in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23 58.4 23 58.4 74.5	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0 152.4 24.5 62.2 84.0 213.4	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0 213.4	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0 213.4	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6 30.0 76.2 69.0 175.3	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 27.0 68.6 73.0	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0 165.1 27.5 69.9 84.0 213.4	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1 27.5 69.9 84.0 213.4	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2 140.2 31.8 80.8 81.0	- 58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0 149.9 33.0 83.8 81.0 205.7	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 29.5 74.9 73.0 185.4	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0 142.2 32.0 81.3 84.5 214.6	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0 170.2 39.0 99.1 82.8 210.2
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft [®] (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth) Bow Length (Max Length) Cockpit Depth (At Helm) Cockpit Width (Max Molded)	in cm ppl	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23 58.4 23 58.4 74.5 189.2 162 411.5	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0 152.4 24.5 62.2 84.0 213.4 188.0 477.5	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0 213.4 192.0	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0 213.4 208.0 528.3	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6 30.0 76.2 69.0 175.3 156.0 396.2	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 27.0 68.6 73.0 185.4 169.0 429.3	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0 165.1 27.5 69.9 84.0 213.4 156.0	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1 27.5 69.9 84.0 213.4 178.0	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2 140.2 31.8 80.8 81.0 205.7	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7 120.0	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0 149.9 33.0 83.8 81.0 205.7	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 29.5 74.9 73.0 185.4 104.3 264.9	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0 142.2 32.0 81.3 84.5 214.6 106.5 270.5	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7 120.0 304.8	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0 170.2 39.0 99.1 82.8 210.2 241.0 612.1
Molded Depth (Windshield Base to Keel) Max Depth (w/Standard Windshield) Max Draft [®] (Drive Up) Bow Depth (Bow to Cushion Top) Bow Depth (Max Depth) Bow Length (Max Length) Cockpit Depth (At Helm) Cockpit Width (Max Molded) Sleeping Capacity	in cm	90 63.8 162.1 70 177.8 11.5 29.2 8.5 21.6 20.5 52.1 23 58.4 23 58.4 74.5 189.2 162 411.5	200 62.0 157.5 74.0 188.0 14.0 35.6 9.5 24.1 23.3 59.2 60.0 152.4 24.5 62.2 84.0 213.4 188.0 477.5	200 68.0 172.7 85.0 215.9 15.0 38.1 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0 213.4 192.0 487.7	300 68.0 172.7 85.0 215.9 16.0 40.6 10.0 25.4 24.0 61.0 73.0 185.4 24.5 62.2 84.0 213.4 208.0 528.3	90 49.5 125.7 56.0 142.2 11.5 29.2 12.5 31.8 30.6 77.7 58.5 148.6 30.0 76.2 69.0 175.3 156.0 396.2	115 46.0 116.8 48.0 121.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 27.0 68.6 73.0 185.4 169.0 429.3	175 55.0 139.7 63.0 160.0 14.5 36.8 10.0 25.4 26.2 66.6 65.0 165.1 27.5 69.9 84.0 213.4 156.0 396.2	200 55.0 139.7 63.0 160.0 14.0 35.6 10.0 25.4 26.4 67.1 65.0 165.1 27.5 69.9 84.0 213.4 178.0 452.1	48.0 121.9 62.0 157.5 18.0 45.7 16.0 40.6 31.5 80.0 55.2 140.2 31.8 80.8 81.0 205.7 101.0	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7	58.0 147.3 72.0 182.9 17.0 43.2 17.0 43.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7 120.0 304.8	51.0 129.5 58.0 147.3 18.0 45.7 20.0 50.8 34.0 86.4 59.0 149.9 33.0 83.8 81.0 205.7 103.0 261.6	115 55.0 139.7 61.0 154.9 12.5 31.8 11.5 29.2 26.4 67.1 65.0 165.1 29.5 74.9 73.0 185.4 104.3 264.9	175 55.0 139.7 69.5 176.5 14.5 36.8 14.0 35.6 30.0 76.2 56.0 142.2 32.0 81.3 84.5 214.6 106.5 270.5	300 58.0 147.3 72.0 182.9 17.0 43.2 17.0 23.2 33.0 83.8 59.0 149.9 34.0 86.4 81.0 205.7 120.0 304.8	400 72.5 184.2 91.7 232.9 18.0 45.7 18.0 45.7 38.8 98.6 67.0 170.2 39.0 99.1 82.8 210.2 241.0 612.1

Specifications may change at any time. For current information, visit StingrayBoats.com. Items listed in red are optional.

A Weights vary depending on installed options.

^B Drive Up +5" on V3.0 to clear bottom of swim platform.

						SPORT DECKS		SPORT
SI	TERNDRIVE MOD	ELS			208 LR	215 LR	235 LR	225 SE
			20' 8"	21' 11"	23' 11"	22' 11"		
			34	46	56	56		
			1960	2690	3090	2350		
			▼	▼	▼	•		
			•	▼	-	•		
	Engine	Prop HP	Drive Type	Motor Wt				
	4.5 MPIC	200	alpha 1	826	49 C	48 C	45 B	
O	4.5 MPI / 4.5 MPIC	250	alpha 1	826	56 C	52 B	50 A	54 B
MERC	4.5 MPI DIG / 4.5 MPIC DIG	250	bravo 3	891	56 J	52 I	50 I	54 I
2	6.2 MPIC DIG	300	bravo 3	1012			55 I	60 K
	6.2 MPIC DIG	350	bravo 3	1012			58 J	63 K
	4.3L / 4.3L-C	200	SX	839	50 G	48 G	45 F	
	4.3L / 4.3L-C	250	SX	839	55 X	51 G	49 F	52 G
VOLVO	4.3L / 4.3L-C	250	DP	899		51 G	49 F	52 N
0	V6 280-C	280	DP	899		54 M	53 N	56 N
	V8 300-C	300	DP	991			55 N	60 0
	V8 350-C	350	DP	991			57 N	62 0

			CENTER CONSULES					DECK	BUAIS		DUAL CONSULES				
OUTBOARD MODELS					208	216 CC	236	172 SC	182 SC	192 SC	212 SC	191 DC	201	231 DC	269 DC
Length Overall					20' 1"	21' 8"	23' 8"	17' 3"	19' 1"	20' 1"	21' 11"	19' 1"	20' 1"	23' 8"	27' 11"
Fuel Capacity (gal)					46	57	68	21	21	46	57	21	46	56	135
Avg Dry Weight (lbs), No Motor					2475	2669	3143	1400	1660	2257	2613	1720	2290	3046	5500
Max Speed with Stainless Steel Propeller			•	•	•	•	•	•	•	•	•	-	•	•	
Standard Propeller			•	-	•	•	•	-	-	-	•	-	•	•	
	Engine	Prop HP	Motor Wt												
	90 CT	90	359	42 B				42 B							
	115 FS	115	373	45 C	41 B				48 C	42 B		45 C	41 B		
MERC	150 FS	150	455		47 W	46 V				50 W	46 W		49 W		
Ĕ	200 FS	200	475		50 W	50 V	45 AB				53 AC		55 Y	47 V	
	250 FS	250	505				53 AC							53 AC	
	T 200 FS	400	950												54 PP
	F70	70	280					33 TT							
	F90	90	353	42 P				42 P							
	F115	115	425	46 Q	41 P				47 Q	42 P		46 Q	41 P		
۲	F150	150	487		47 R	47 R				50 S	46 R		49 S		
YAMAHA	F200	200	489		53 S	50 S	46 R				51 S		54 T	48 R	
¥	F250	250	575				53 GG							54 GG	
	F300	300	575				56 HH								
	T F200	400	978												52 PP
	T F200	400	978												52 PP
	DF70	70	352					33 BB							
	DF90	90	352					42 CC							
	DF115	115	412	47 EE	38 CC				48 EE	41 CC		47 EE	40 CC		
₹	DF140	140	412	50 EE	42 DD					43 CC			43 CC		
SUZUKI	DF150	150	522		47 LL	47 KK				49 LL	46 KK		49 LL		
ល	DF200	200	529		53 MM	52 LL	47 KK				52 MM		54 MM	50 LL	
	DF250	250	606				53 LL							55 LL	
	DF300	300	606				54 MM							54 MM	
	T DF200	400	1058												51 RR

PROPELLER OPTIONS

(STERNDRIVE)

MERCURY

- A 17" Aluminum
- B 19" Aluminum
- C 21" Aluminum D 23" Aluminum

MERCURY BRAVO 3

H 22.5" Stainless Steel Bravo 3 Front Part #48-8M8022400 Rear Part # 48-8M8022410

- I 24" Stainless Steel Bravo 3 Front Part #48-8M8022420 Rear Part # 48-8M8022430
- J 26" Stainless Steel Bravo 3 Front Part #48-8M8022440 Rear Part # 48-8M8022450
- K 28" Stainless Steel Bravo 3 Front Part #48-8M8022460 Rear Part # 48-8M8022470

VOLVO SX

DUAL CONSOLES

- E 17" Aluminum F 19" Aluminum
- G 21" Aluminum
- X 23" Aluminum

VOLVO DUO PROP

- L F4 Stainless Steel Duo Prop
- Front & Rear Part #3851494-9
- M F5 Stainless Steel Duo Prop Front & Rear Part #3851495-6
- N F6 Stainless Steel Duo Prop
- Front & Rear Part #3851496-4
- O F7 Stainless Steel Duo Prop Front & Rear Part #3851497-2

MERCURY OUTBOARD AB 16" Stainless Steel

BV 17" Stainless Steel

(OUTBOARD)

AC 18" Stainless Steel W 19" Stainless Steel

Y 21" Stainless Steel AA 23" Stainless Steel

PROPELLER OPTIONS

YAMAHA OUTBOARD

TT 15" Aluminum

- P 17" Aluminum Q 19" Aluminum
- R 17" Stainless Steel
- 18" Stainless Steel
- 19" Stainless Steel U 21" Stainless Steel
- FF 17" Saltwater
- GG 18" Saltwater

HH 19" Saltwater

SUZUKI OUTBOARD

- BB 17" Aluminum CC 19" Aluminum
- DD 21" Aluminum
- EE 23" Aluminum
- JJ 17" Stainless Steel
- KK 19" Stainless Steel
- LL 21" Stainless Steel MM 23" Stainless Steel

MULTI-PROP (L/R) OUTBOARD

- NN 17" Stainless Steel
- 00 18" Stainless Steel
- PP 19" Stainless Steel
- QQ 21" Stainless Steel RR 23" Stainless Steel
- SS 23" Contra Stainless Steel

'Only EPA approved engines are available in the U.S. See your dealer for details.

Specifications are subject to change at any time without notice or obligation. To avoid disappointment at the time of purchase, please check with your Stingray dealer for current information and specifications.

Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may vary depending on many factors, including driver, weather, altitude, load, condition of propeller, lower unit, and boat bottom. Matching of our boat and use conditions to the propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be used as an absolute recommendation.

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected at sea level with light load, 70° F temperature, and the best performing SS propeller.





WARRANTY INFORMATION: All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

ABOUT THIS CATALOG: Some boats are shown with optional third-party accessories. Styling, design, equipment, prices, colors, and construction are subject to change without notice or obligation.

To avoid disappointment, please check with your Stingray dealer or visit StingrayBoats.com for current information at the time of purchase.



♦ ♥ ◎ ► ★ ®StingrayBoats843-383-4507STINGRAYBOATS.COM