

2023

 **STINGRAY[®]** *Boats*
Legendary Performance, Unsurpassed Since 1979.





Building better boats for over 45 years.

Stingray began with two molds, a small crew of skilled craftsmen, and one shared passion: building boats that perform beautifully. That passion still drives us today. Boatbuilding isn't just our business, it's who we are. We build lifelong memories, one boat at a time.

As a privately owned, family-run company, we focus on quality over quantity. Our customers know they're getting the most boat for the best price, a promise that has earned us generations of loyal Stingray owners. Their trust continues to inspire our commitment to create remarkable boats for years to come. We understand that your time on the water is precious. That's why we combine our heritage of performance with today's innovations to deliver boats that maximize both value and enjoyment. Since 1979, Stingray has stood for quality and legendary performance, a tradition that remains unmatched.



ENVIRONMENTALLY RESPONSIBLE

Technology leadership at Stingray comes with a responsibility: to protect the waters we love. Environmental stewardship is built into our process: not as a trend, but as a daily commitment. Stingray owners can enjoy the water knowing their boat helps protect it.

USE OF FOUR-CYCLE ENGINES: The cleanest, most fuel-efficient marine engines available; up to 4-10x cleaner than two-cycle outboards.

OZONE-FRIENDLY FLOTATION FOAM: EPA-approved flotation foam free of ozone-depleting chemicals.

LOW VOC GELCOATS AND RESINS: As the first manufacturer to adopt low-styrene resins and gelcoats, we've reduced VOC emissions by over 55%.

WASTE REDUCTION / RECYCLING: From cardboard and composites to aluminum and pallets, we recycle thousands of pounds of materials annually.

COMMITTED: We want Stingray owners not only to have fun on the water but also to know that they are helping protect the environment at the same time.

FINANCIALLY SOLID

With Dun & Bradstreet's highest credit rating, Stingray is one of the most financially stable builders in the industry, ensuring reliable support for our dealers and customers.

VALUE & QUALITY-FOCUSED

As a founding member of the American Boatbuilders Association, Stingray collaborates with leading brands to source premium materials at the best possible value. It's one more assurance that your Stingray is built to a higher standard.



Z-Plane Hull 4
 Technology 4
 Certifications 5
 Warranty 5

Deck Boats

182SC 8
 192SC 10
 212SC 12

Center Consoles

173CC 16
 206CC 18
 216CC 20
 236CC 22
 253CC 24

Dual Consoles

172DC 28
 191DC 30
 211DC 32
 231DC 34
 259DC 36

Sport Boats

20 SBX 40
 23 OSX 42

Standards & Options 44
 Canvas/Gelcoat Options 48
 Model Specifications 50
 Performance Options 51

STINGRAY BOATS



Z PLANE HULL DESIGN

Stingray's CAD-designed Z-Plane hull delivers up to 30% greater efficiency than traditional designs. Unlike add-on lifting strakes, Z-Planes create clean, bubble-free water flow for superior propeller bite, sharper cornering, and quicker planing. Extending beneath the swim platform, this advanced engineering delivers faster hole shots, industry-leading top speeds, and smooth, confident handling at every pace.

TECHNOLOGY DRIVEN

The patented Z-Plane Hull sets Stingray apart, delivering up to 30% greater efficiency than traditional hull designs. Its unique planing surfaces improve lift, reduce drag, and provide exceptional handling, quicker acceleration, and industry-leading top speeds. For over four decades, Stingray has invested in advanced technologies that elevate precision and performance:

COMPUTER-AIDED DESIGN: Every Stingray begins as a 3D model for perfect fit, comfort, and ergonomics.

MULTI-AXIS 3D MILLING MACHINE: Full-size molds created within hours, cut with unmatched accuracy.

ROBOTIC LAMINATION FACILITY: A custom overhead rail system streamlines lamination, boosts safety, and ensures consistent quality.

WATER JET CUTTING MACHINES: Ultra-precise cutting for materials from vinyl to fiberglass.

CNC ROUTERS: Computer-controlled routing delivers repeatable, high-quality parts with minimal waste.

Precision engineering is at the heart of every Stingray.




CE CERTIFIED FOR INTERNATIONAL MARKETS



NMMA & USCG CERTIFIED FOR STRICT SAFETY STANDARDS



CSI CERTIFIED FOR INTERNATIONAL MARKETS



WARRANTY

Every Stingray boat is backed by comprehensive coverage for peace of mind.

LIMITED LIFETIME STRUCTURAL HULL WARRANTY (TRANSFERABLE FOR UP TO 5 YEARS)

3-YEAR OSMOTIC BLISTER WARRANTY WITH PRORATED COVERAGE

1-YEAR LIMITED GENERAL WARRANTY FOR MATERIALS AND WORKMANSHIP

Full warranty details are provided with every boat and available through authorized Stingray dealers.



182SC



192SC



212SC

DECK BOATS



182SC
DECK BOAT

SPECIFICATIONS

LENGTH OVERALL	19'1" / 5.8 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	21 gal / 79 liter
LIVEWELL CAPACITY	6 gal / 23 liter
DRY WEIGHT	2,050 lbs / 115 HP Engine
MAX DRAFT	12.5" / 31.8 cm
MAX CAPACITY	9 ppl / 2,025 lbs / 918 kg
MAX DEPTH	48.0" / 121.9 cm
MAX BOW DEPTH	26.4" / 67.1 cm
MAX BOW LENGTH	65.0" / 165.1 cm
MAX ENGINE POWER	115 HP
DEADRISE	19 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



182SC
DECK BOAT

FUN TO DRIVE

The 182SC Deck Boat - you won't believe this boat until you take it for a test drive. Not only is it just plain fun to drive, but it's also almost effortless. Seasoned boaters and first-time boaters alike remark at how easy and fun the 182SC is when they try it out for the first time. In addition to its fun factor, the 182SC is loaded with storage, has plenty of room for all your passengers, water toys, and supplies, and it proves to be very functional. Seating is abundant. The stern area features wrap-around seating for your passengers to stretch out and enjoy the ride. Opposite the captain's chair is a rear-facing lounge so your co-captain can keep an eye on your tubers and wakeboarders. See your local dealer today to reserve your 182SC. You don't want to miss out on the fun!

More information at StingrayBoats.com/182sc



SPECIFICATIONS

LENGTH OVERALL	20'1" / 6.1 m
BEAM	100" / 254.0 cm
USABLE FUEL CAPACITY	40 gal / 151 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	2,700 lbs / 150 HP Engine
MAX DRAFT	14.5" / 36.8 cm
MAX CAPACITY	10 ppl / 2,225 lbs / 1,009 kg
MAX DEPTH	63.0" / 160.0 cm
MAX BOW DEPTH	26.2" / 66.6 cm
MAX BOW LENGTH	65.0" / 165.1 cm
MAX ENGINE POWER	200 HP
DEADRISE	20 degrees
TRANSOM ANGLE	13 degrees



192SC
DECK BOAT



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



192SC
DECK BOAT

FALL IN LOVE

This 20' 1" deck boat has quickly become one of the most popular models in our line. While it is clearly built for fun, its thoughtfully engineered interior and abundant storage compartments throughout enable you to bring a whole group of friends and lots of gear along to take full advantage of the fun factor. Take a look at the photo gallery, then contact your local dealer to schedule a test ride. If you're looking for a moderately sized deck boat with the easy maintenance of outboard power, we are confident that you'll fall in love with the 192SC.

More information at StingrayBoats.com/192sc



SPECIFICATIONS

LENGTH OVERALL	21'11" / 6.7 m
BEAM	102" / 259.1 cm
USABLE FUEL CAPACITY	50 gal / 189 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	3,100 lbs / 225 HP Engine
MAX DRAFT	14.0" / 35.6 cm
MAX CAPACITY	12 ppl / 2,600 lbs / 1,179 kg
MAX DEPTH	63.0" / 160.0 cm
MAX BOW DEPTH	26.4" / 67.1 cm
MAX BOW LENGTH	65.0" / 165.1 cm
MAX ENGINE POWER	225 HP
DEADRISE	20 degrees
TRANSOM ANGLE	13 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



More information at StingrayBoats.com/212sc

212SC

DECK BOAT

A BREATH OF FRESH AIR

Bring the kids, bring the friends, bring the tubes! The 212SC, Stingray's largest deck boat at just under 22 feet, is a breath of fresh air to the deck boat marketplace. In true deck boat style, the spacious layout is maximized with an open design. The onboard changing room can double as a head compartment with the addition of the optional porta potti. Hidden storage in the side-entry steps, beneath the seats, and below the cockpit floor provides plenty of room to store the necessities, leaving more room in the cockpit for friends and family. The service-friendly outboard combined with the full fiberglass floor liner makes any type of maintenance a breeze. The 212SC's superb handling and smooth ride will make every person in the boat want to take their turn at the wheel. Let's go boating!




173CC



206CC



216CC



236CC



253CC

CENTER CONSOLE



SPECIFICATIONS

LENGTH OVERALL	17'3" / 5.3 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	30 gal / 114 liter
LIVEWELL CAPACITY	12+17 gal / 45+64 liter
DRY WEIGHT	2,100 lbs / 90 HP Engine
MAX DRAFT	11.5" / 29.2 cm
MAX CAPACITY	7 ppl / 2,000 lbs / 907 kg
MAX DEPTH	70.0" / 177.8 cm
MAX BOW DEPTH	20.5" / 52.1 cm
MAX BOW LENGTH	23.0" / 58.4 cm
MAX ENGINE POWER	115 HP
DEADRISE	18 degrees
TRANSOM ANGLE	15 degrees



173CC
CENTER CONSOLE



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



173CC
CENTER CONSOLE

THE MODEL YOU'VE BEEN WAITING FOR

Our 173CC center console is an exciting model built with our revolutionary Z-Plane hull ideal for all of your on the water adventures. There's plenty of room for crew and gear onboard, including a cooler/storage box with overboard drain, under-seat bow storage, and an aerated livewell aft. At the helm, there's a wide leaning post with comfortable seating, a 12V plug and dual USB ports at the dash, power trim and tilt, and a deluxe stainless steel steering wheel. The 173 also has SS rod holders, aft ladder, pull-up cleats and optional ski tow cage. And for assistance with storage, the windshield is completely removable.

More information at StingrayBoats.com/173cc



SPECIFICATIONS

LENGTH OVERALL	20'1" / 6.1 m
BEAM	100" / 254.0 cm
USABLE FUEL CAPACITY	40 gal / 151 liter
LIVEWELL CAPACITY	14+17 gal / 53+64 liter
DRY WEIGHT	2,700 lbs / 140 HP Engine
MAX DRAFT	14.0" / 35.6 cm
MAX CAPACITY	9 ppl / 2,400 lbs / 1,088 kg
MAX DEPTH	74.0" / 188.0 cm
MAX BOW DEPTH	23.3" / 59.2 cm
MAX BOW LENGTH	60.0" / 152.4 cm
MAX ENGINE POWER	200 HP
DEADRISE	20 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



206CC

CENTER CONSOLE

ENJOY A DAY OUT WITH THE FAMILY

The 20-foot 206CC is a center console fishing boat and family deck boat rolled into one, offering true hybrid versatility for both anglers and families. The versatility alone makes it perfect for families with varied on-the-water interests. For the anglers, a low profile design makes it easy to navigate in low clearance areas, a helm seat for two has an adjustable seat / leaning post for fishing, a clean dash design leaves room for Garmin electronics, the main helm seat lifts to reveal a conveniently located 26-gallon live well, and the forward bench offers an 18-gallon cooler that can be upgraded to a live well. For a day out with the family, it offers lots of space for maneuvering about, plus seating for nine passengers. To ensure that none of the deck area is cluttered when headed out for a day on the water, Stingray designers effectively made use of all the space on board to incorporate lots of storage areas around the boat — allowing it to transition easily between fishing and family activities.

More information at StingrayBoats.com/206cc

206CC
CENTER CONSOLE



216CC
CENTER CONSOLE

SPECIFICATIONS

LENGTH OVERALL	21'8" / 6.6 m
BEAM	101" / 256.5 cm
USABLE FUEL CAPACITY	50 gal / 189 liter
LIVEWELL CAPACITY	14+17 gal / 53+64 liter
DRY WEIGHT	3,150 lbs / 200 HP Engine
MAX DRAFT	15.0" / 38.1 cm
MAX CAPACITY	10 ppl / 3,050 lbs / 1,383 kg
MAX DEPTH	85.0" / 215.9 cm
MAX BOW DEPTH	24.0" / 61.0 cm
MAX BOW LENGTH	73.0" / 185.4 cm
MAX ENGINE POWER	225 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



216CC
CENTER CONSOLE

SOMETHING FOR EVERYONE

Whether fisherman or family, this boat offers a little something for everyone, delivering hybrid capability that adapts to any day on the water. Let's start with the anglers. The first thing you will notice is all the rod holders — twelve are standard, not including the molded-in rod storage in the gunnels. Add the optional canvas T-top and you get eight more. The bow cushions can be removed and the rear seats folded down to serve as bow and stern casting platforms. A bow fishing seat and pedestal are optional. At the helm is a leaning post, 74-quart Engel cooler, real tempered glass windshield, and a large flat space for Garmin electronics. A 14-gallon stern live well is standard, and the front bow cooler can be upgraded to a second live well. A trolling motor mount and harness are also optional. The optional raw water wash-down, along with a self-bailing cockpit and optional Seagrass flooring, makes cleanup a breeze at the end of the day — ideal for switching from fishing mode to family cruising.


More information at StingrayBoats.com/216cc



236CC
CENTER CONSOLE

SPECIFICATIONS

LENGTH OVERALL	23'8" / 7.2 m
BEAM	101" / 256.5 cm
USABLE FUEL CAPACITY	62 gal / 235 liter
LIVEWELL CAPACITY	14+17 gal / 53+64 liter
DRY WEIGHT	3,648 lbs / 250 HP Engine
MAX DRAFT	16.0" / 40.6 cm
MAX CAPACITY	12 ppl / 3,250 lbs / 1,474 kg
MAX DEPTH	85.0" / 215.9 cm
MAX BOW DEPTH	24.0" / 61.0 cm
MAX BOW LENGTH	73.0" / 185.4 cm
MAX ENGINE POWER	300 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



236CC
CENTER CONSOLE

READY FOR SERIOUS FISHING

While the 236CC is designed for use as a coastal fishing boat, it's really a multi-purpose boat showcasing its hybrid ability to balance performance and comfort. Most noticeable, as you approach the 236CC, is the leaning post, outfitted with custom molded flip-up bolster seats and a 74-quart Engel cooler beneath, and the optional T-top. These features alone set it apart from its little brothers. Add a few options and this boat is ready for some coastal fishing, while still maintaining the comfort and space needed for family and social outings. Go ahead and call your fishing buddies now!


More information at StingrayBoats.com/236cc



253CC
CENTER CONSOLE

SPECIFICATIONS

LENGTH OVERALL	25'3" / 7.7 m
BEAM	111" / 281.9 cm
USABLE FUEL CAPACITY	120 gal / 454 liter
WATER CAPACITY	13 gal / 49 liter
DRY WEIGHT	5,600 lbs / Twin 200 HP Engines
MAX DRAFT	18.0" / 45.7 cm
MAX CAPACITY	12 ppl
MAX DEPTH	91.7" / 232.92 cm
MAX BOW DEPTH	38.8" / 98.6 cm
MAX BOW LENGTH	67.0" / 170.2 cm
MAX ENGINE POWER	450 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees
ICE BOX/COOLER CAPACITY	166.4 + 159.5 qt / 157.47 + 185 liter



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



253CC
CENTER CONSOLE

E-FISH-ENCY

Our 253CC is the latest addition to our center console lineup. With an overall length of 25' 3" and a beam of 9' 3", this model's standard features include a freshwater sink (head), an insulated fish/storage box (aft), and stainless steel rod holders with drain, to name a few, making it perfect for adventures with the entire crew or day-long fishing excursions. E-FISH-ENCY and fuel efficiency all in one.

More information at StingrayBoats.com/253cc



172DC



191DC



211DC



231DC



259DC

DUAL CONSOLE



172DC
DUAL CONSOLE

SPECIFICATIONS

LENGTH OVERALL	17'3" / 5.3 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	21 gal / 79 liter
LIVEWELL CAPACITY	6 gal / 23 liter
DRY WEIGHT	1,900 lbs / 90 HP Engine
MAX DRAFT	11.5" / 29.2 cm
MAX CAPACITY	7 ppl / 2,000 lbs / 907 kg
MAX DEPTH	56.0" / 142.2 cm
MAX BOW DEPTH	30.6" / 77.7 cm
MAX BOW LENGTH	58.5" / 148.6 cm
MAX ENGINE POWER	115 HP
DEADRISE	18 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment. Contact your local dealer for complete model details. Scan below to learn more.



172DC
DUAL CONSOLE

MEMORIES START HERE

Welcome aboard our 172DC Dual Console. This model will take you along for an unforgettable ride. With plenty of bow seating, and room to stretch out, this boat quickly becomes a hangout spot with cup holders and storage space for the whole crew. The 172DC comes standard with a safety glass windshield, rod holders, and four fusion speakers to ensure your Stingray is always the life of the party. This model includes optional features such as a removable bow filler seat cushion, cooler, and a Bimini top to escape from the elements. The 172DC lives up to the Stingray standard of innovative excellence, performance, and efficiency.

More information at StingrayBoats.com/172dc



191DC
DUAL CONSOLE

SPECIFICATIONS

LENGTH OVERALL	19'1" / 5.8 m
BEAM	90" / 228.6 cm
USABLE FUEL CAPACITY	21 gal / 79 liter
LIVEWELL CAPACITY	6 gal / 23 liter
DRY WEIGHT	2,000 lbs / 115 HP Engine
MAX DRAFT	12.5" / 31.8 cm
MAX CAPACITY	9 ppl / 2,025 lbs / 918 kg
MAX DEPTH	61.0" / 154.9 cm
MAX BOW DEPTH	26.4" / 67.1 cm
MAX BOW LENGTH	65.0" / 165.1 cm
MAX ENGINE POWER	115 HP
DEADRISE	19 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



191DC
DUAL CONSOLE

OUTBOARD POWER WITH OPEN LAYOUT

Do you love the open layout you get from a traditional deck boat but miss the full windshield of a standard bowrider? With the 191DC, you get the best of both. It has all the interior room and storage space of our very popular 182SC Deck Boat, but incorporates a full windshield to shield your passengers from the wind. Like other STINGRAY models, the 191DC features deep cockpit and bow areas for extra safety and security when underway. STINGRAY deck boats feature outboard power for ease of maintenance and large swim pods flank each side of the engine to make boarding a breeze.

More information at StingrayBoats.com/191dc



SPECIFICATIONS

LENGTH OVERALL	21'8" / 6.6 m
BEAM	101" / 256.5 cm
USABLE FUEL CAPACITY	42 gal / 159 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	3,248 lbs / 150 HP Engine
MAX DRAFT	17.0" / 43.2 cm
MAX CAPACITY	11 ppl / 2,900 lbs / 1,315 kg
MAX DEPTH	72.0" / 182.9 cm
MAX BOW DEPTH	33.0" / 83.8 cm
MAX BOW LENGTH	59.0" / 149.9 cm
MAX ENGINE POWER	225 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees



211DC
DUAL CONSOLE

Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



211DC
DUAL CONSOLE

COMFORT AND PERFORMANCE

The 211DC is a delightful dual console dayboat that has magnificent comfort, exceptional versatility and thrilling performance in a sporty yet elegant design. The wide, sport deck design creates plenty of interior space, with a large bow and aft seating with filler options, a freshwater sink in the head compartment and a cockpit table with side mounts to make a day on the water with your crew a breeze. We will see you on the water!

More information at StingrayBoats.com/211dc




231DC
DUAL CONSOLE

SPECIFICATIONS

LENGTH OVERALL	23'8" / 7.2 m
BEAM	101" / 256.5 cm
USABLE FUEL CAPACITY	52 gal / 197 liter
LIVEWELL CAPACITY	11 gal / 42 liter
DRY WEIGHT	3,648 lbs / 250 HP Engine
MAX DRAFT	17.0" / 43.2 cm
MAX CAPACITY	12 ppl / 3,104 lbs / 1,408 kg
MAX DEPTH	72.0" / 182.9 cm
MAX BOW DEPTH	33.0" / 83.8 cm
MAX BOW LENGTH	59.0" / 149.9 cm
MAX ENGINE POWER	300 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



231DC
DUAL CONSOLE

COMFORT AND PERFORMANCE

The 231DC is a delightful dual console dayboat that has sumptuous comfort, exceptional versatility and thrilling performance in a sporty yet elegant design. The wide, sport deck design creates plenty of interior space, a convenient side-entry walkway, it has a large bow and aft seating with filler options, a sink and a head compartment large enough to double as a changing room. We will see you on the water!

More information at StingrayBoats.com/231dc




259DC
DUAL CONSOLE

SPECIFICATIONS

LENGTH OVERALL	25'3" / 7.7 m
BEAM	111" / 281.9 cm
USABLE FUEL CAPACITY	120 gal / 454 liter
WATER CAPACITY	13 gal / 49 liter
DRY WEIGHT	5,800 lbs / Twin 200 HP Engines
MAX DRAFT	18" / 45.7 cm
MAX CAPACITY	12 ppl
MAX DEPTH	58.8" / 149.4 cm
BOW DEPTH	18" / 45.7 cm
MAX BOW DEPTH	34" / 86.4 cm
MAX BOW LENGTH	64.9" / 162.5 cm
MAX ENGINE POWER	450 HP
DEADRISE	21 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.




259DC
DUAL CONSOLE

THE MEMORY MAKER

Our all-new 259DC is built on our exclusive, revolutionary high-performing Z-Plane hull, providing max performance characteristics for any waypoint you're looking to get to. Roomy, stylish, and with accommodations and comfort for the entire family, this is the dual console you've been waiting for. Run to your favorite waterside restaurant, beach it for a day in the sun, relax in the bow or entertain your crew with our optional galley entertainment package that includes a stainless steel fridge, Kenyon grill, inverter, and shore power hook-up. There's room for a porta-potti porcelain head for extending your time out on the water as well. Bring the snacks, towels, and refreshments and get ready to make some incredible memories aboard our all-new 259DC.

More information at StingrayBoats.com/259dc



20 SBX



23 OSX

SPORT BOATS



20 SBX
SPORT BOAT

SPECIFICATIONS

LENGTH OVERALL	20'3" / 6.1 m
BEAM	102" / 254.0 cm
USABLE FUEL CAPACITY	40 gal / 151 liter
WATER CAPACITY	NA
DRY WEIGHT	2,800 lbs / 150 HP Engine
MAX DRAFT	13.5" / 34.3 cm
MAX CAPACITY	10 ppl / 2,225 lbs / 1,009 kg
MAX DEPTH	44.2" / 112.3 cm
BOW DEPTH	12.0" / 30.4 cm
MAX BOW DEPTH	30.0" / 76 cm
MAX BOW LENGTH	66.5" / 168.9 cm
MAX ENGINE POWER	150 HP
DEADRISE	20 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



20 SBX
SPORT BOAT

FUN COMES STANDARD

The new 20SBX is designed to adapt to whatever your crew loves to do—tubing, lounging, cruising, or dropping a line. A spacious layout with plush seating invites everyone to relax, while smart storage and durable construction keep your gear secure and your ride smooth. Powered by Stingray's signature Z-Plane Hull, it's the sport boat that's always ready for "just one more run."



More information at StingrayBoats.com/20sbx



23 OSX
SPORT BOAT

SPECIFICATIONS

LENGTH OVERALL	23'5" / 7.1 m
BEAM	100" / 254.0 cm
USABLE FUEL CAPACITY	56 gal / 212 liter
WATER CAPACITY	6 gal / 23 liter
DRY WEIGHT	3,364 lbs / 250 HP Engine
MAX DRAFT	17.0" / 43.2 cm
MAX CAPACITY	10 ppl / 2,080 lbs / 943 kg
MAX DEPTH	43.8" / 111.2 cm
MAX BOW DEPTH	34.0" / 86.4 cm
MAX BOW LENGTH	46.4" / 117.8 cm
MAX ENGINE POWER	300 HP
DEADRISE	20 degrees
TRANSOM ANGLE	15 degrees



Photos shown may contain optional equipment.
Contact your local dealer for complete model details.
Scan below to learn more.



23 OSX
SPORT BOAT

STYLE, COMFORT & PERFORMANCE

The 23 OSX is our outboard-powered sport boat, featuring a beam of 100" and an overall length of 23' 5" with an open bow design. With dual bucket seats, oversized cupholders, a removable 25 qt Engel bag cooler, and so much more, this model is perfect for a day on the water with you and your crew. Step aboard to experience the style, performance, and comfort Stingray is known for.

More information at StingrayBoats.com/23osx

STANDARDS & OPTIONS

	OPTION #	CENTER CONSOLES					DECK BOATS			DUAL CONSOLES					SPORT BOATS		
		173CC	206CC	216CC	236CC	253CC	1825C	1925C	2125C	172DC	191DC	211DC	231DC	259DC	20 5BX	23 05X	
PACKAGES	Black Accent Package	675	-	-	-	778	-	-	-	-	-	-	-	414	777.65	-	
	Canadian-IMCI Certification Package	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	CE Cert Package no/Shipping Cradle	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	CE Cert Package w/ Shipping Cradle	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Fishing Package (see note 3)	802/803	2075	2075	2075	2075	-	-	-	-	-	-	-	-	-	-	
	Galley Entertainment Package (see note 2)	804	-	-	-	-	-	-	-	-	-	-	-	7932	-	-	
	Stainless Steel Hardware Package (see note 1)	820	S	S	S	S	S	S	S	S	S	S	S	S	S	-	
	Deck Matched to Exterior Color	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4904	
	Battery Charger	41	386	386	386	386	912	-	386	386	386	-	386	386	912	-	386
	Battery On/ Off Switch	36	146	S	S	S	-	146	146	S	146	S	S	-	S	-	
Cable Steering w/ Tilt Helm	39	767	-	-	-	-	767	767	-	767	-	-	-	-	-		
Dual Battery System w/ VSR & Switch	30	355	355	355	355	S	-	355	355	-	355	355	S	-	S		
Dual Battery System w/ VSR for Canada/CE option	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hydraulic Tilt Steering (70-140HP)	617	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hydraulic Tilt Steering Merc	622	-	2698	2698	2698	-	-	2698	2698	-	2698	2698	-	-	2698		
Hydraulic Tilt Steering Suz	623	-	2629	2629	2629	-	-	2629	2629	-	2629	2629	-	-	2629		
Hydraulic Tilt Steering Suzuki (70-140HP)	618	1867	1867	-	-	-	1867	1867	-	1867	-	-	-	-	-		
Hydraulic Tilt Steering Yam	620	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hydraulic Tilt Steering Yamaha 150 200 Mechanical	621	-	1844	1844	1844	-	-	1844	1844	-	1844	1844	-	-	-		
Hydraulic Tilt Steering Yam/Merc (70-115HP)	617	1867	1867	-	-	-	1867	1867	-	1867	-	-	-	-	-		
Hydraulic Tilt Steering High Pressure	619	-	-	-	3252	-	-	-	-	-	3252	-	-	-	3252		
LED Docking Lights - Stainless Steel	313	-	387	S	-	387	-	387	387	-	S	S	387	382	387		
Optimus Electric Tilt Steering Mercury Yamaha (NON XSB)	628	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Optimus Twin Electric Tilt Steering Mercury	633	-	-	-	-	13540	-	-	-	-	-	-	13540	-	-		
Optimus Twin Electric Tilt Steering Suzuki	627	-	-	-	-	13540	-	-	-	-	-	-	13540	-	-		
Optimus Joystick w/ Autopilot	626	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Porcelain Head w/Holding Tank w/ Pump Out	35	-	-	-	-	1520	-	-	-	-	-	-	1520	-	-		
Porta Potti with Dockside Pump Out	38	-	-	-	-	-	-	-	-	-	S	-	-	-	-		
Power Pole Blade 10 ft White	673	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sea Star Power Assist Steering	625	-	-	-	4014	-	-	-	-	-	-	4014	-	-	4014		
Suzuki Optimus EPS Joystick Upgrade	626	-	-	-	-	15229	-	-	-	-	-	-	15229	-	-		
Trim Tabs with LED Indicator - Electric	68	-	-	S	S	S	-	-	-	-	1618	1618	S	-	S		
Trolling Motor Harness	751	-	-	-	-	414	-	-	-	-	-	-	414	-	-		
Windlass, Rode (200 ft) and Anchor	311	-	-	-	-	S	-	-	-	-	-	-	-	-	-		
Yamaha EX Steering Helm	630	-	-	-	2075	2075	-	-	-	-	2075	2075	-	-	2075		
Yamaha Helm Master EX Joystick w/ AutoPilot	629	-	-	-	-	17306	-	-	-	-	-	-	17306	-	17306		
ZipWake Interceptors Auto Ride Leveling	58	-	-	-	-	3613	-	-	-	-	-	-	3613	-	-		
Airmar B175M Transducer Upgrade	794	-	-	-	-	1798	-	-	-	-	-	-	1798	-	-		
Adjustable Pedestals for 2 Bucket Seats	83	-	-	-	-	-	-	-	-	-	-	S	-	-	-		
Aerated Livewell 750gph	750	-	-	-	-	-	685	685	685	685	685	685	685	-	-		
Backrest Support for Leaning Post	759	760	-	-	-	-	-	-	-	-	-	-	-	-	-		
Blue LED package w/ Underwater Lights	314	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bow Cushion Filler (Center Console)	764	-	670	164	670	599	-	-	-	-	-	-	-	-	-		
Canvas T-Top	757	-	5814	5814	5814	-	-	-	-	-	-	-	-	-	-		
Fiberglass T-Top	760	-	-	9552	9552	S	-	-	-	-	-	-	-	-	-		
Cockpit Table Mount[s]	74	-	-	-	-	-	-	S	S	-	-	-	-	-	-		
Cockpit Table with Offset Leg	76	-	-	-	-	-	-	538	538	-	-	-	-	-	-		
Cockpit Table with Side Mount[s]	806	-	-	-	-	-	-	-	-	-	-	S	-	-	-		

STANDARDS & OPTIONS

	OPTION #	CENTER CONSOLES					DECK BOATS			DUAL CONSOLES					SPORT BOATS	
		173CC	206CC	216CC	236CC	253CC	1825C	1925C	2125C	172DC	191DC	211DC	231DC	259DC	20 5BX	23 05X
COCKPIT OPTIONS	Dual Bucket Seats w/ Bolster	82	-	-	-	-	-	-	-	S	S	S	-	-	S	S
	Dual Console Hard Top	758	-	-	-	-	-	-	-	-	-	-	S	-	-	
	Engel Cooler Seat Extension	768	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Engel Cooler Under Leaning Post	753	414	-	-	-	S	-	-	-	-	-	-	-	-	
	Fiberglass Hard Top Bottom Color (see note 3)	-	-	-	570	612	612	-	-	-	-	-	-	-	612	-
	Filler Cushion - Bow	84	599	-	-	-	914	-	-	-	-	-	-	-	-	-
	Flooring - Seagrass (Standard Layout)	32	-	973	1043	1043	-	838	856	779	-	838	871	871	-	-
	Flooring - Seagrass (T-Top Layout)	37	-	940	940	940	-	-	-	-	-	-	-	-	-	-
	Forward Aerated Livewell Center Console	766	752	752	752	752	-	-	-	-	-	-	-	-	-	-
	Freshwater System	72	-	681	729	730	S	-	-	-	-	-	-	S	S	-
	Fusion 1400W 4 Channel Digital Amplifier	730	-	-	1244	1244	-	-	-	1244	-	1244	1244	-	-	1244
	Fusion 2000W Premium Upgrade	734	-	-	-	-	1369	-	-	-	-	-	-	-	1369	-
	Garmin VHF w/ Antenna and Mount	733	-	-	-	1383	1383	-	-	-	-	-	-	-	1383	-
	Garmin GXM 54 Weather/Sirius Receiver	798	-	-	-	-	-	-	-	-	-	-	-	-	1369	-
	Garmin 1643 Upgrade	795	-	-	-	-	-	-	-	-	-	-	-	-	4014	-
	Garmin 1243 & Transducer	792	-	-	5398	5398	S	-	-	-	-	-	-	-	S	-
	Garmin 743 & Transducer	790	2214	2214	2214	-	-	-	2214	2214	2214	-	2214	2214	-	2214
	Garmin 943 & Transducer	791	-	2767	2767	2767	-	-	-	-	-	-	-	-	-	-
	Garmin Phantom 18 Radar	786	-	-	-	-	3460	-	-	-	-	-	-	-	3460	-
	Garmin Striker 4 & Transducer	789	-	-	-	-	-	380	-	-	380	-	-	-	-	-
	Gemlux Deluxe Outrigger Package w/ Shade	787	-	-	-	-	5537	-	-	-	-	-	-	-	5537	-
	Head Floor Reflex	707	-	-	S	S	-	-	-	S	S	-	-	-	-	-
	Helm Bucket Seat w/ Bolster	26	-	-	-	-	-	S	S	S	S	-	-	-	-	-
	Leaning Post with Cooler	767	-	S	S	S	-	-	-	-	-	-	-	-	-	-
	Leaning Post Livewell Rear Facing Seat	761	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lumitec Underwater Lights	315	-	-	-	-	S	-	414	414	-	-	414	414	S	S
	Mercury Digital Display	742	2767	2767	2767	2767	-	-	-	-	-	-	-	-	-	-
	Mercury MFD Gateway	745	-	-	-	-	690	-	-	-	-	-	-	-	690	-
	Pressurized Water w/ Bow & Transom Shower	70	-	-	-	-	S	-	1106	1106	-	-	1106	S	S	1106
	RA670 Stereo Upgrade w/ Remote	728	-	660	660	660	S	-	660	660	-	-	660	660	S	S
Raw Water Washdown	756	-	-	-	-	829	-	-	-	-	-	-	-	829	-	
Reflex on Flooring	712	1075	2306	2306	2306	-	1336	1824	1536	-	1460	1536	1998	-	1351	
Reflex on Sponsons	711	383	460	460	460	-	386	383	460	-	460	460	460	-	583	
Removable Back Rest	78	-	-	-	-	-	-	367	-	-	-	-	-	-	-	
Second Garmin 1243	793	-	-	-	-	4410	-	-	-	-	-	-	-	-	-	
Second Garmin 743	796	-	-	1798	-	-	-	-	-	-	-	-	-	-	-	
Second Garmin 943	797	-	-	2214	2214	-	-	-	-	-	-	-	-	-	-	
Speaker Upgrade WHITE (JL Audio)	727	-	-	-	-	S	-	-	-	-	-	-	-	S	-	
Ski Tow Cage	672	1383	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stainless Steel Ski Pole (Pop Up)	671	-	-	-	-	1161	-	-	-	-	-	1161	1161	1161	1161	
Stainless Steel Ski Pole (removable)	670	-	890	890	890	-	890	890	890	890	-	-	-	-	-	
Suzuki Digital Display	741	1369	1369	1369	1369	-	-	-	-	-	-	-	-	-	-	
Suzuki MFD Gateway	744	-	-	-	-	552	-	-	-	-	-	-	-	552	-	
Tackle Storage and Trash Can Pull Out	763	-	-	S	S	-	-	-	-	-	-	-	-	-	-	
Tall Windshield Exchange	715	-	-	-	-	-	-	-	690	-	-	-	-	-	-	
Teak Cockpit Table (upgrade)	94	-	-	-	-	-	-	483	483	-	-	483	483	-	-	
Yamaha CL5 Display																

STANDARDS & OPTIONS

	CENTER CONSOLES					DECK BOATS					DUAL CONSOLES					SPORT BOATS	
	173CC	206CC	216CC	236CC	253CC	182SC	192SC	212SC	172DC	191DC	211DC	231DC	259DC	20 5BX	23 05X		
3-Year Hull Blister Protection Plan	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Aerated Livewell 800gph	S	S	S	S	-	-	-	-	-	-	-	-	S	-	-		
Aerated Livewell 1500gph	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Backlit Instruments & Circuit Breakers	S	S	S	S	-	S	-	-	S	S	-	-	-	-	-		
Bilge Pump 1100 GPH Auto/Man	S	S	S	S	-	S	S	S	S	S	S	S	-	S	S		
Bilge Pump 2000 GPH Auto/Man	-	-	-	-	S (2x)	-	-	-	-	-	-	-	S (2x)	-	-		
Black Gunnel Molding w/ Stainless Steel Insert	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S		
Bolster Seats for Leaning Post	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-		
Bow Anchor Locker	-	S	-	-	S	-	S	S	-	-	S	S	S	S	S		
Bow Cushions/Seats (removable)	-	S	-	S	-	-	-	-	-	-	-	-	-	-	-		
Bow Storage	S	-	S	S	-	S	S	S	S	S	S	S	-	S	S		
Cabin Lights	-	-	-	-	S	-	-	-	-	-	-	-	S	-	-		
Certifications: NMMA, USCG	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Cooler 25 qt Igloo (removable)	-	-	-	-	-	S	S	S	S	S	S	S	-	-	S		
Cooler/Storage Box with Overboard Drain	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Dash Accessory Plug 12V w/ Dual USB Ports	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Deluxe Console	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-		
Deluxe Stainless Steering Wheel	S	S	S	S	S	-	-	-	-	-	-	-	S	-	-		
Digital Switching w/ Integrated Touch Screen	-	-	-	-	-	-	S	S	-	-	S	S	-	-	-		
Enclosed Head & Lighting	-	-	-	-	S	-	-	-	-	-	-	-	S	-	-		
Engel Cooler (74 qt)	-	-	S	S	-	-	-	-	-	-	-	-	-	S	-		
Exclusive Z-Plane Hull	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Factory Installed Windscreen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S		
Fire Extinguisher Holder Insert	-	-	-	-	-	-	S	-	-	-	-	-	-	-	-		
Floor Storage w/ Oversized Door	-	-	-	-	-	S	S	S	S	S	S	S	-	S	S		
Freshwater Sink (cockpit)	-	-	-	-	-	-	S	-	-	-	-	-	-	-	-		
Freshwater Sink (head)	-	-	-	-	S	-	-	-	-	-	-	-	S	-	-		
Fuel System EPA Compliant	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Fusion 1500W Amplifier	-	-	-	-	S	-	-	-	-	-	-	-	S	-	-		
Fusion RA-55 Stereo BT-APP	-	-	S	S	-	-	-	-	-	-	-	-	-	-	-		
Fusion RA-60 Stereo BT-APP	S	S	-	-	S	S	S	S	S	S	S	-	-	S	-		
Fusion RA770 BT-APP-WIFI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Insulated Fish Storage Box (aft)	-	-	-	-	S	-	S	-	-	-	-	-	S	-	-		
Integrated Electric Horn	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Italian Steering Wheel	-	-	-	-	-	S	S	S	S	S	S	S	-	S	S		
Leaning Post w/ Cushion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Limited Lifetime Hull Protection Plan	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Livewell 800gph (aft)	S	S	S	S	-	-	-	-	-	-	-	-	-	-	-		
Lockable Head Door	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Oversized Cup Holders	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Recirculating Livewell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Removable Windshield	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Safety Glass Windshield	-	-	-	-	-	-	-	-	S	S	S	S	-	-	S		
Self Bailing Cockpit	S	S	S	S	S	-	S	S	-	-	S	S	S	S	-		
Stain Resistant Vinyl	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Stainless Steel Bow Rails	-	-	-	-	S	-	-	-	-	S	S	S	-	-	-		
Stainless Steel Spring Line Cleats	-	-	S	S	S	-	-	-	S	-	-	-	S	-	-		
Stainless Steel Multi-Step Aft Ladder	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		

1 Stainless Steel Hardware
Package items vary by model and may include:
- Gunnel Molding (White/Stainless)
- SS Horn Cover
- SS Cup Holders
- SS Windshield Supports
- SS Grab Handles
- SS Dash Rail
- SS Bimini Top Quick Connects

2 Galley Entertainment
Package include:
- Kenyon Grill w/ Inverter-Charger
- Shore Power Hook-up & Wiring
- SS Refrigerator
- Battery Tray added to Back of Ski Locker

3 Fishing Package includes:
- Raw Water Washdown
- Trolling Motor Harness
- Recirculating / Aerated Rear Well
- Fishing Seat w/ Base (except 173CC)

4 Fiberglass T-Top
Bottom Colors:
- Opt - Sky Blue
- Opt - Abaco Green
- Opt - Oyster
- Opt - Black
- Opt - Seaside Blue
- Opt - Black Cherry

S Denotes Standard
- Denotes Not Available

Number entry represents price in dollars (\$USD).

Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

STANDARDS & OPTIONS

S Denotes Standard
- Denotes Not Available

Number entry represents price in dollars (\$USD).


Prices, specifications, and availability subject to change. For current information, visit StingrayBoats.com.

	CENTER CONSOLES					DECK BOATS			DUAL CONSOLES					SPORT BOATS	
	173CC	206CC	216CC	236CC	253CC	182SC	192SC	212SC	172DC	191DC	211DC	231DC	259DC	20 5BX	23 05X
Stainless Steel Cleats	-	-	-	-	-	-	S	S	-	S	S	S	-	S	-
Stainless Steel Pull-Up Cleats	S	S	S	S	S	-	-	-	S	-	-	-	S	-	S
Stainless Steel Rod Holders w/ Drain	-	-	-	S	S	-	-	-	-	-	-	-	S	-	-
Thru Hull Windlass System	-	-	-	-	S	-	-	-	-	-	-	-	S	-	-
Tinted Windscreen	-	-	-	-	-	S	S	S	-	-	-	-	-	-	-
Walk-thru Door	-	-	-	-	S	-	-	-	-	-	-	-	S	-	-
White Gunnel Molding with Stainless Steel Insert	-	-	-	-	S	-	-	-	-	-	-	-	S	-	-

CANVAS & GELCOAT COLOR OPTIONS

	OPTION #	CENTER CONSOLES					DECK BOATS			DUAL CONSOLES					SPORT BOATS	
		173CC	206CC	216CC	236CC	253CC	182SC	192SC	212SC	172DC	191DC	211DC	231DC	259DC	20 5BX	23 05X
Aft Extension Shade Top	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bimini Top - Forward	64	-	-	-	-	-	-	912	912	-	-	-	-	-	-	
Bimini Top	65	-	-	-	-	-	846	-	-	846	846	S	S	-	2788	
Bimini Top w/ Stainless Steel Frame	62	2613	2613	2613	2613	-	-	2613	S	-	-	-	-	S	-	
Cockpit and Bow Cover	17	-	-	-	-	-	-	-	-	770	970	S	S	2400	S	
Cockpit Cover	13	-	-	-	-	-	970	1005	S	-	-	-	-	-	-	
Cockpit Cover and Bow Cover (Black ONLY)	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cover - Console and Seat	754	1075	-	647	647	2570	-	-	-	-	-	-	-	-	-	
Full Curtain Set (Windshield Connector, Sides & Aft Curtain)	4	-	-	-	-	-	-	-	-	-	-	1674	-	-	-	
Mooring T-Top Cover (Carver Covers Sun-dura)	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rear Drop Curtain (Black ONLY)	25	-	-	-	-	-	-	-	-	-	-	-	3253	-	-	
Side Curtains (Front and Both Sides)	16	-	-	-	-	-	-	-	-	-	-	523	-	-	-	
Spray Curtains Front/Sides (Black ONLY)	24	-	-	-	-	-	-	-	-	-	-	-	5537	-	-	
Spray Shield w/ Gull Wings (Black ONLY)	21	-	-	1798	1798	1798	-	-	-	-	-	-	-	-	-	
Walk-thru Flap	14	-	-	-	-	-	-	-	-	-	146	146	148	-	-	
Exterior Color - Abaco Green (Emerald Tide)	389	771	771	771	771	771	771	771	771	771	771	771	771	771	771	
Exterior Color - Black	390	771	771	771	771	771	771	771	771	771	771	771	771	771	771	
Exterior Color - Oyster	393	771	771	771	771	771	771	771	771	771	771	771	771	771	771	
Exterior Color - Seaside Blue (Indigo Blue)	388	771	771	771	771	771	771	771	771	771	771	771	771	771	771	
Exterior Color - Sky Blue	392	771	771	771	771	771	771	771	771	771	771	771	771	771	771	
Exterior Color - Black Cherry	394	771	771	771	771	771	771	771	771	771	771	771	771	771	771	
Exterior Color - Yellow	391	-	-	-	-	-	-	-	-	-	-	-	-	771	771	
Bottom Color - Abaco Green (Emerald Tide)	374	460	460	460	460	460	460	460	460	460	460	460	460	460	460	
Bottom Color - Black	370	460	460	460	460	460	460	460	460	460	460	460	460	460	460	
Bottom Color - Oyster	379	460	460	460	460	460	460	460	460	460	460	460	460	460	460	
Bottom Color - Seaside Blue (Indigo Blue)	378	460	460	460	460	460	460	460	460	460	460	460	460	460	460	
Bottom Color - Sky Blue	372	460	460	460	460	460	460	460	460	460	460	460	460	460	460	
Bottom Color - Black Cherry	373	460	460	460	460	460	460	460	460	460	460	460	460	460	460	
Bottom Color - Yellow	371	-	-	-	-	-	-	-	-	-	-	-	-	460	460	

GELCOAT COLOR OPTIONS



Color samples for representation purposes only — actual colors may vary. Color options are subject to change.

2026 MODEL SPECIFICATIONS

	CENTER CONSOLES					DECK BOATS					DUAL CONSOLES					SPORT BOATS	
	173CC	206CC	216CC	236CC	253CC	182SC	192SC	212SC	172DC	191DC	211DC	231DC	259DC	20 SBX	23 OSX		
Engine Type	O/B	O/B	O/B	O/B	O/B	O/B	O/B	O/B	O/B	O/B	O/B	O/B	O/B	O/B	O/B		
Length Overall	ft	17' 3"	20' 1"	21' 8"	23' 8"	25' 3"	19' 1"	20' 1"	21' 11"	17' 3"	19' 1"	21' 8"	23' 8"	25' 3"	20' 3"	23' 5"	
	m	5.3	6.1	6.6	7.2	7.7	5.8	6.1	6.7	5.3	5.8	7.2	7.2	8.5	6.1	7.1	
Beam	in	90	100	101	101	111	90	100	102	90	90	101	101	111	102	100	
	cm	228.6	254	256.5	256.5	281.9	228.6	254	259.1	228.6	228.6	256.5	256.5	281.9	254	254	
Bridge Clearance (Standard Windshield)	in	59	63 (73)	72	72	-	39	50	50	41	50.5	58	58	-	55		
	cm	149.9	160 (186)	182.9	182.9	-	99.1	127	127	104.1	128.3	147	147.3	-	139.7		
Bridge Clearance T-Top/ Hardtop w/o External Options	in	-	96	96	96	110	-	-	-	-	-	-	-	110	-		
	cm	-	243.8	243.8	243.8	279.4	-	-	-	-	-	-	-	279.4	-		
Average Dry Weight (w/ Popular Engine)	lbs	2100	2700	3150	3648	5600	2050	2700	3100	1900	2000	3248	3648	5800	2800	3364	
	eng	90 HP	140 HP	200 HP	250 HP	Twin 200 HP	115 HP	150 HP	150 HP	90 HP	115 HP	150 HP	250 HP	Twin 200 HP	150 HP	250 HP	
Usable Fuel Capacity	gal	30	40	50	62	120	21	40	50	21	21	42	52	120	40	56	
	L	114	151	189	235	454	79	151	189	79	79	159	197	454	151	212	
Water Capacity	gal	-	13	13	13	13	-	3 (13)	3 (13)	-	-	13	13	13	-	6	
	L	-	49	49	49	49	-	11 (49)	11 (49)	-	-	49	49	72	-	23	
Ice Box/Cooler Capacity	qt	48+68	48+68	74+68	74+68	-	25+22	65+22+45	65+22+45	25+22	25+22	65+22+45	25+32	-	32	-	
	L	45+64	45+64	70+64	70+64	-	24+21	63+24+43	63+24+43	24+21	24+21	24+30	24+30	-	30	-	
Livewell Capacity	gal	12+17	14+17	14+17	14+17	-	6	11	11	6	6	11	11	-	8	-	
	L	45+64	53+64	53+64	53+64	-	23	42	42	23	23	42	42	-	30	-	
Max Capacity	ppl/lb	7/2000	9/2400	10/3050	12/3250	12/3250	9/2025	10/2225	12/2600	7/2000	9/2025	12/2535	12/2535	12/2535	10/2025	10/2080	
	ppl/kg	7/907	9/1088	10/1383	12/1474	12/1474	9/918	10/1099	12/1179	7/907	9/918	12/1150	12/1150	12/1150	10/1009	10/943	
Max Engine Power	HP	115	200	225	300	450	115	200	225	115	115	225	300	450	150	300	
Molded Depth (Windshield Base to Keel)	in	63.8	62	68	68	91.7	46	55	55	49.5	55	58	58	67.8	51	54	
	cm	162.1	157.5	172.7	172.7	232.9	116.8	139.7	139.7	125.7	139.7	147.3	147.3	172.2	133	137	
Max Depth (w/ Standard Windshield)	in	70	74	85	85	91.7	48	63	63	56	61	72	72	58.8	44.2	43.8	
	cm	177.8	188	215.9	215.9	232.9	121.9	160	160	142.2	154.9	182.9	182.9	149.4	112.3	111.2	
Max Draft (Drive Up)	in	11.5	14	15	16	18	12.5	14.5	14	11.5	12.5	17	17	18	14	17	
	cm	29.2	35.6	38.1	40.6	45.7	31.8	36.8	35.6	29.2	31.8	43.2	43.2	45.7	34	33	
Bow Depth (Bow to Cushion Top)	in	8.5	9.5	10	10	18	11.5	10	10	12.5	11.5	17	17	18	12	15	
	cm	21.6	24.1	25.4	25.4	45.7	29.2	25.4	25.4	31.8	29.2	43.2	23.2	45.7	-	38.1	
Bow Depth (Max Depth)	in	20.5	23.3	24	24	38.8	26.4	26.2	26.4	30.6	26.4	33	33	34	30	34	
	cm	52.1	59.2	61	61	98.6	67.1	66.6	67.1	77.7	67.1	83.8	83.8	86.4	76	86.4	
Bow Length (Max Length)	in	23	60	73	73	67	65	65	65	58.5	65	59	59	64	66.5	46.4	
	cm	58.4	152.4	185.4	185.4	170.2	165.1	165.1	165.1	148.6	165.1	149.9	149.9	162.5	168.9	117.8	
Cockpit Depth (At Helm)	in	23	24.5	24.5	24.5	39	27	27.5	27.5	30	29.5	34	34	39	28	33	
	cm	58.4	62.2	62.2	62.2	99.1	68.6	69.9	69.9	76.2	74.9	86.4	86.4	99.1	72.2	83.8	
Cockpit Width (Max Molded)	in	74.5	84	84	84	82.8	73	84	84	69	73	81	81	86	85	81	
	cm	189.2	213.4	213.4	213.4	210.2	185.4	213.4	213.4	175.3	185.4	205.7	205.7	218	214.6	205.7	
Cockpit Length (Max Molded)	in	162	188	192	208	241	169	156	178	156	104.3	120	120	158	107	111.8	
	cm	411.5	477.5	487.7	528.3	612.1	429.3	396.2	452.1	396.2	264.9	304.8	304.8	401.3	270.5	299.6	
Deadrise	deg	18	20	21	21	21	19	20	20	18	19	21	21	21	20	20	
Transom Angle	deg	15	15	15	15	15	15	13	13	15	15	15	15	15	15	15	

Specifications may change at any time. For current information, visit StingrayBoats.com. Items listed in red are optional.

^A Weights vary depending on installed options.
^B Drive Up +5" on V3.0 to clear bottom of swim platform.

PERFORMANCE OPTIONS

OUTBOARD MODELS	CENTER CONSOLES					DECK BOATS		DUAL CONSOLES					SPORT BOATS		
	173CC	206CC	216CC	236CC	253CC	182SC	192SC	212SC	172DC	191DC	211DC	231DC	259DC	20 SBX	23 OSX
Length Overall	19' 1"	20' 1"	21' 8"	23' 8"	25' 3"	19' 1"	20' 1"	21' 11"	17' 3"	19' 1"	21' 8"	23' 8"	25' 3"	20' 3"	23' 5"
Usable Fuel Capacity (gal)	35	46	57	68	128	21	46	57	21	21	42	56	128	-	56
Avg Dry Weight (lbs), No Motor	1830	2475	2669	3143	5000	1660	2257	2613	1400	1720	2629	3046	5400	2275	2755
Max Speed with Stainless Steel Propeller	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
Standard Propeller	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
Engine	Prop HP	Motor Wt													
F90	90	362													
VF90	90	362	42 P												
F115	115	386													
VF115	115	377	44 P												
F150	150	487		47 R	47 R										
F200	200	489		53 S	50 S	46 R									
F250	250	575				53 GG									
VF250	250	562				53 GG									
F300	300	562				56 HH									
T F150	300	1044													
T F200	400	1050													
T F250	500	1,124													
T F300	600	1,124													
DF90	90	352	40 CC												
DF115	115	412	43 CC												
DF140	140	412		42 DD											
DF150	150	522		47 LL	47 KK										
DF200	200	529		53 MM	52 LL	47 KK									
DF250	250	606				50 MM									
DF300	300	606				54 MM									
T DF150	300	1062													
T DF200	400	1058													
T DF300	600	448													

^A Only EPA approved engines are available in the U.S. See your dealer for details.

Specifications are subject to change at any time without notice or obligation. To avoid disappointment at the time of purchase, please check with your Stingray dealer for current information and specifications.

Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may vary depending on many factors, including driver, weather, altitude, load, condition of propeller, lower unit, and boat bottom. Matching of our boat and use conditions to the propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be used as an absolute recommendation.

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected at sea level with light load, 70° F temperature, and the best performing SS propeller.

PROPELLER OPTIONS (OUTBOARD)

MERCURY OUTBOARD

- A 17" Aluminum
- B 19" Aluminum
- C 21" Aluminum
- AB 16" Stainless Steel
- BV 17" Stainless Steel
- AC 18" Stainless Steel
- W 19" Stainless Steel
- Y 21" Stainless Steel
- AA 23" Stainless Steel

YAMAHA OUTBOARD

- TT 15" Aluminum
- P 17" Aluminum
- Q 19" Aluminum
- R 17" Stainless Steel
- S 19" Stainless Steel
- TT 19" Stainless Steel
- U 21" Stainless Steel
- V 23" Stainless Steel
- FF 17" Saltwater
- GG 18" Saltwater
- HH 19" Saltwater

SUZUKI OUTBOARD

- BB 17" Aluminum
- CC 19" Aluminum
- DD 21" Aluminum
- EE 23" Aluminum
- JJ 17" Stainless Steel
- KK 19" Stainless Steel
- LL 21" Stainless Steel
- MM 23" Stainless Steel
- TT 25" Stainless Steel

MULTI-PROP (L/R) OUTBOARD

- NN 17" Stainless Steel
- OO 18" Stainless Steel
- PP 19" Stainless Steel
- QQ 21" Stainless Steel
- RR 23" Stainless Steel
- SS 23" Contra Stainless Steel



Deck Boats
 Center Consoles
 Dual Consoles
 Sport Boats




STINGRAY[®]
 625 Railroad Avenue • Hartsville, SC 29550 *Boats*

843-383-4507 • STINGRAYBOATS.COM



SCAN FOR
 LATEST DIGITAL
 VERSION OF
 THIS BROCHURE!